

Underground Storage Tank Removal
Four Quenching Oil Tanks
Studebaker Area 'A' Demolition Phase I
VRP #6020803

FILE COPY

Project Location:

**Former Studebaker Stamping Plant
South Bend, Indiana**

Prepared For:

**Mr. Tim Harlow, Environmental / Health & Safety Manager
J & L Management Corporation
15 North Walnut Street
Mt Clemens, MI 48043**

Project Number:

06.732b

Date Submitted:

June 27, 2006

Prepared By:

**Amereco Incorporated
Environmental Engineering
2503 Eisenhower
Valparaiso, Indiana 46383
(219) 464-0460**

Table of Contents

Cover Letter

UST Systems Closure Report

Narrative

Appendix A

(Site Location map, Aerial Map)

Appendix B

*(Field Screening Form, Sample Log Forms, Site Plan, Analytical Reports –
Tabular)*

Appendix C

*(Laboratory Reports, Laboratory Handling Procedure, Calibration
Documentation)*

Appendix D

(Photographic Documentation)



AMERECO, INC.

CONSULTING • ENGINEERING • PROJECT MANAGEMENT

June 26, 2006

Mr. Tim Harlow, Environmental / Health & Safety Manager
J & L Management Corporation
15 North Walnut Street
Mt Clemens, MI 48043

**Re: Studebaker Area 'A' Demolition Phase I
Four Quenching Oil Underground Storage Tank Removal
South Bend, Indiana**

Dear Mr. Harlow:

Attached, please find the Project Report for the above captioned site.

Please be advised that the four (4) tanks had been previously closed in place and the Indiana Department of Environmental Management (IDEM) deemed "No Further Action" was necessary for closure; therefore underground storage tank closure notification to IDEM is not required. The removal of these underground storage tanks is part of the Demolition Phase I of the former Studebaker Area 'A.'

Also, please be advised that the results for the soil samples, taken following the removal activities, were above the IDEM RISC and UST on-site Maximum Contamination Levels. The following analytes were found to be greater than the RISC Industrial Closure Levels and UST on-site Maximum Contamination Levels: Total Petroleum Hydrocarbons (Diesel Range Organics and Extended Range Organics,) Benzo(a)pyrene, and Lead. Above regulatory levels of Benzo(a)pyrene and Lead were detected only in the backfill material placed into the excavation. The conclusion drawn from the samples taken, place the West wall of the excavation as the only below regulatory closure limitary boundary. This means that the North, South, Bottom, and East contamination boundary (plume of contamination) has not yet been determined.

During the removal of the tanks, no apparent holes or contamination paths were observed. During the excavation and UST removal a Flame Ionized Detector (FID) was used to screen the soil; however, the FID did not detect the high levels of total petroleum hydrocarbons. It is possible that the contamination found in the soil surrounding the USTs was caused by previous quenching oil residuals; however, due to no apparent holes or contamination pathways present, and the vast amount of contamination throughout the entire site, it is uncertain if the USTs in fact did contaminate the surrounding soil. Regardless, contaminated soil remains and the plume of contamination has yet to be determined; however, the analytical results provide a western boundary of contamination.

Due to the identification of soil contamination associated in this area, IDEM regulations call for the use of soil borings and further site investigation to delineate the contamination plume. However, due to the fact that the site is contaminated throughout and the removal of the four USTs is part of the VRP demolition phase, we recommend that this report is reviewed by the IDEM, Office of Land Quality, VRP Section to determine their recommended course of action. Further sampling may not be required due to the contamination throughout the entire site, and they may want to include this in the Environmental Restrictive Covenants for future site development.

Please call if you have any questions or if I could be of additional assistance.




Respectfully submitted,




Zachary Heine
Environmental Manager

Reviewed by,



John Blosky, CHMM
Environmental Engineer



State of Indiana Certified for UST Decommissioning
Certificate #UC2001684821
Expiration: May 4, 2007

**STUDEBAKER AREA 'A' DEMOLITION PHASE I
VRP #6020803
UNDERGROUND STORAGE TANK REMOVAL**

UST Removal Report

The removal of these four (4) quenching oil tanks is part of the Studebaker Area 'A' Voluntary Remediation Plan. These tanks had been previously been closed in place (approximately 1995.) The tanks appeared in to be in good condition and no holes or leaks were apparent.

Responsible Party:

1. Owner: City of South Bend
Department of Community & Economical Development
1316 County-City Boulevard, 227 W. Jefferson Boulevard
South Bend, Indiana 46601-1330
Phone – (574) 235-5924
2. Contact: Tim Harlow, Project Manager
Phone – (586) 925-3271
3. Past Owners (25-yrs) Underground Pipe & Valve, Huckins Tool & Die, South Bend Lathe, Allied Products Corporation, and Studebaker Automotive have owned property contained in the Studebaker Area 'A' Demolition Phase I, which is the demolition phase this UST Removal pertains to.

UST Contractor Information:

4. UST Contractor: Amereco Engineering
2503 Eisenhower Ave.,
Valparaiso, IN 46383
(219) 464-0460
5. Name & OSFM Cert. John T. Blosky, CHMM
Certification No. UC2001684821
Expiration Date: 05/04/2007

Other Contractors Associated with the Project:

Excavation Contractor: J & L Management
15 N. Walnut Street, Suite 300
Mt. Clemens, MI
(586) 783-9696

UST Site Information:

6. Facility Name: Studebaker Area 'A' Demolition Phase I
7. Type of Facility: Current Use: Abandoned
Previous Use: Automobile Stamping and Assembly & Misc. Industry
8. Coverage: The USTs were previously below concrete, however, the site is being demolished and the building and concrete above the USTs had been previously removed.
9. History of Spills: Unknown

10. Site Surroundings: The site is primarily surrounded by abandoned industrial sites and light industry. Some residential housing is located to the south of the site.
11. Site Soil Texture: The soil texture around the tanks was primarily medium to fine loose sand, with a mixture of orangeish-brown clay near the surface.

Site Specific Map Information

12. Scale: See Site Plan Attached.
13. Building, Structures and Boundaries: See Site Plan Attached.
14. Location of USTs: See Site Plan Attached.
15. Tank Excavation with Dimensions: See Site Plan Attached.
16. Previous UST Systems: Previously Closed in Place.
17. Pump Islands: Not Applicable.
18. UST Piping: Previously Removed.
20. Soil Borings: No soil borings were performed for the removal of these USTs. Previous onsite soil borings have been performed during the development of the VRP. Information concerning these borings can be obtained from the owner.
21. Drainage Features: After reviewing previous Phase I & Phase II Site Assessments it is determined that the groundwater flow is from South to North at the site.
22. Sampling: Sampling locations are identified on map attached. Sampling followed the requirements set forth in the UST Guidance Manual.
23. GW Monitoring Wells: None installed, but there are numerous onsite. A drawing which identifies a majority of the wells and previous soil borings is attached.

Underground Storage Tank Information:

	Quenching Oil Tank 1	Quenching Oil Tank 2	Quenching Oil Tank 3	Quenching Oil Tank 4
24. Volume	4000 gallons	4000 gallons	4000 gallons	4000 gallons
25a. Past Contents	Quenching Oil	Quenching Oil	Quenching Oil	Quenching Oil
25b. Present Contents	Lightweight Concrete	Lightweight Concrete	Lightweight Concrete	Lightweight Concrete
26. Construction Material	Riveted Steel	Riveted Steel	Riveted Steel	Riveted Steel
27. Age/Installation Dates	Unknown	Unknown	Unknown	Unknown
28. Leak Detection Method	Unknown	Unknown	Unknown	Unknown
29. Tank Tightness Test Results	Unknown	Unknown	Unknown	Unknown
30. Other Leak Detection Records	Unknown	Unknown	Unknown	Unknown

31. Previously Closed USTs As previously stated, all four (4) tanks have been previously closed in place, as they were previously located under a building. Numerous other tanks have been closed and removed onsite.

Sample Results Information

32. Analytical Data - Soil: The results from the soil sample analyses are included within this report. The results are reported in tabular format along with the laboratory's analytical report.

33. Analytical Data - Water: Groundwater was not encountered during the removal of the four (4) USTs. Previous groundwater samples have been taken onsite as part of Phase II assessments and as part of the VRP. Information concerning these samples can be obtained from the current owner.

34. Sample Identification: The soil samples are identified by "S" before the number, the UST concrete fill is identified with a "C" before the number, and the backfill material is identified with a "BF" before the number. The numbers are the same on the analytical report, tabular format and site plan.

35. Analytical Methods: The following methods were used:

1. Total Petroleum Hydrocarbons – SW8015M (SW3580A)
2. Polynuclear Aromatic Hydrocarbons – SW8270C-SIM (SW3550B)
3. BTEX by GC/MS – SW8260B
4. Percent Moisture – D2974
5. Volatile Organic Compounds by GC – SW5035/8260B
6. PCBs – SW8082 (SW3550B)
7. Mercury – SW7471A
8. Metals by ICP/MS – SW6020 (SW3050B)

36. Detection Limits: The detection limits were at least as low as the IDEM-LUST and RISC division requirements to identify contamination.

37. Signed Analytical Report: Included within this report is the signed analytical report submitted by STAT Analysis Corporation.

38. Chain-of-Custody: A fully executed chain-of-custody is included within the analytical reporting section of this report. Also attached is a copy of the laboratory's procedures and quality assurance measures taken during the acceptance and handling of all samples. This was obtained from the laboratory's Quality Assurance Manual – Revision 06

39. Waste Fuels: No waste fuels were encountered during removal of the USTs. The USTs had been previously closed in place.

40. Decontamination: Tools and equipment were cleaned using an Alconox wash and triple rinse techniques.

41. Sampling Procedures and Techniques: The sampling procedures and techniques utilized during the UST closure are those outlined in the IDEM's "Risk Integrated System of Closure (RISC) Technical Resource Guidance Document, February 2001," "The Underground Storage Tank Branch Guidance Manual, October 1994 (Revised May 2002,)" and the US EPA SW-846 Manual.

42. Backfill Sampling: The backfill was from other soil sources onsite. The demolition contractor used fill from the site. The backfill sample results are attached.

43. Piping Run Samples: The piping run had been previously removed; therefore, no samples were taken.

44. Pump Island Sampling: There were no pump islands associated with the USTs; therefore, no samples were taken.

Miscellaneous

45. Date of Closure: June 14, 2006.

46 / 47. Soil Boring Logs: Soil Borings were not performed during this UST Removal. Previous soil borings have been performed onsite during Phase II Site Investigations. These logs and results can be obtained from the owner.

48. Over-Excavation: Over-excavation was performed following the removal of the four (4) USTs. A Photovac MicroFID Flame Ionization Detector, calibrated to isobutylene and set in the operating mode survey with instantaneous direct readout was used for screening during the over-excavation.

49. Amount of Soil Excavated: 5 cubic yards.

50. Soil Disposal: Disposal of the soil is the responsibility of the demolition contractor. The demolition contractor can be contacted to determine where and how the soil was disposed of. The concrete fill will be crushed and recycled by the demolition contractor.

51. Sludge Disposal: Not Applicable. No sludge was encountered during removal.

52. UST/Piping Disposal: The four (4) USTs were crushed on-site and disposed of by the demolition contractor. The USTs did not require cleaning due to the fact that they had been previously cleaned and closed in place. The USTs were then scrapped by the contractor.



AMERECO, INC.

CONSULTING • ENGINEERING • PROJECT MANAGEMENT • 

STUDEBAKER AREA 'A' DEMOLITION PHASE I VRP #6020803 UNDERGROUND STORAGE TANK REMOVAL

Narrative

Date: June 7, 2006

Owner: City of South Bend
Department of Community & Economical Development
1316 County – City Boulevard, 227 W. Jefferson Boulevard
South Bend, Indiana 46601-1330
(574) 235-5924

USTs: Four (4) previously closed in place quenching oil tanks. All four (4) tanks had been filled with a light weight concrete

Onsite: John Blosky, Amereco Engineering
Zachary Heine, Amereco Engineering
Josh Goranson, Amereco Engineering
Jeff Rugg, Amereco Engineering
Tim Harlow, J & L Management

Steve Winters, DLZ
Edward Stefanek, Weaver Boos
Matt Schwab, J & L Management
Steve Marnin, J & L Management
Darrell Baker, City of South Bend

Daily Log:

9:00 AM Amereco Engineering onsite; conduct safety meeting. The tanks are nearly exposed by the excavator upon arrival. Amereco Engineering will perform onsite soil screening using a Photovac Micro Flame Ionized Detector.

10:30 AM Excavator, using a Caterpillar Series 375 Excavator, exposes the tops of UST 1 & 2. The tanks are approximately 7 feet by 14 feet and are located 7 ½ feet below the concrete flooring. Using a MSA Passport to detect any remaining LEL/volatiles in the tanks, none are detected; therefore, the excavator begins removal of tanks. Sample the lightweight concrete inside the tanks, for disposal purposes.

11:10 AM UST 2 pulled from the ground and placed on plastic. John Blosky inspects the tanks and determines that no further cleaning is necessary for recycling the steel UST.

11:25 AM UST 1 pulled from the ground and placed on plastic. John Blosky inspects the tanks and determines that no further cleaning is necessary for recycling the steel UST.

11:30 AM A FID meter is used to screen the soil. Samples are taken from the bottom and sidewalls of the excavation.


12:00 PM Break for Lunch.

12:45 PM Excavator begins uncovering UST 3 & 4.

12:50 PM Surveyor onsite, hold excavating so surveyor can GPS locations.



- 1:00 PM Continue uncovering UST 3 & 4.
- 1:15 PM Excavator exposes the tops of UST 3 & 4. The tanks are the same size and depth as UST 1 & 2. Using a MSA Passport to detect any remaining LEL/volatiles in the tanks, none are detected; therefore, the excavator begins removal of tanks. Sample the lightweight concrete inside the tanks, for disposal purposes.
- 1:40 PM UST 3 pulled from the ground and placed on plastic. John Blosky inspects the tanks and determines that no further cleaning is necessary for recycling the steel UST.
- 1:45 PM UST 4 pulled from the ground and placed on plastic. John Blosky inspects the tanks and determines that no further cleaning is necessary for recycling the steel UST. Backfill soil is piled around excavation. Take samples from the backfill material.
- 2:30 PM Finished taking samples. Excavator will backfill tomorrow.
- 3:30 PM Amereco Engineering Offsite.


John Blosky, CHMM
Environmental Engineer




State of Indiana Certified for UST Decommissioning
UST Cert #UC2001684821
Exp Date: 05-04-2007

Appendix A

Site Location Map

UST Location Map

Site Location Map



This Site Map was provided by Google Earth.


Site Location:

Former Studebaker Stamping Plant
601 W. Broadway St.
South Bend, Indiana

Amereco Engineering

2503 Eisenhower Avenue, Valparaiso, Indiana 46383
Office: 219-464-0460 • Facsimile: 219-464-0464

UST Location Map



Site Location:

Former Studebaker Stamping Plant
601 W. Broadway St.
South Bend, Indiana

Amereco Engineering

2503 Eisenhower Avenue, Valparaiso, Indiana 46383
Office: 219-464-0460 • Facsimile: 219-464-0464

Appendix B

Field Screening Form

Sample Log Form

Site Plan

Sample Summary Report
(Tabular Format)

AMERECO, INC.



Consulting Engineering • Project Management
2503 Eisenhower Street
Valparaiso, Indiana 46383
(219) 464-0460
Fax: (219) 464-0464

Field Screening Form

Client: J & L Management

Date: June 7, 2006


Location: Studebaker Plant Area "A"

Test ID	Time	Location / Description	FID (ppm)
01	10:28 a.m.	UST # 2 - Lightweight Concrete	3.1 ppm
02	10:48 a.m.	UST # 1 - Lightweight Concrete	0.0 ppm
03	11:34 a.m.	UST # 1 - East Bottom	1.9 ppm
04	11:36 a.m.	UST # 1 - West Bottom	0.1 ppm
05	11:40 a.m.	North Sidewall	2.3 ppm
06	12:00 a.m.	UST # 2 - Discolored Soil	15.4 ppm
07	12:09 p.m.	West Side Wall - North	2.1 ppm
08	12:11 p.m.	East Side Wall - North	0.4 ppm
09	12:12 p.m.	West Side Wall - Center	0.0 ppm
10	12:13 p.m.	East Side Wall - Center	0.0 ppm
11	12:15 p.m.	UST # 2 - West Bottom	2.4 ppm
12	12:17 p.m.	UST # 2 - East Bottom	0.0 ppm
13	1:10 p.m.	UST # 3 - Lightweight Concrete	0.2 ppm
14	1:19 p.m.	UST # 3 - East Bottom	0.0 ppm
15	1:22 p.m.	UST # 3 - West Bottom	0.0 ppm
16	1:23 p.m.	UST # 4 - West Bottom	0.0 ppm
17	1:25 p.m.	South Side Wall	0.0 ppm
18	1:26 p.m.	UST # 4 - East Bottom	0.0 ppm
19	1:28 p.m.	West Sidewall - South	0.0 ppm
20	1:29 p.m.	East Sidewall - South	0.0 ppm
21	2:40 p.m.	Discolored Soil (Removed and Disposed)	13.8 ppm

Note: All readings taken with a Photovac MicroFID Flame Ionization Detector.



AMERECO, INC.

CONSULTING • ENGINEERING • PROJECT MANAGEMENT • 

SAMPLE LOG FORM

Client: Tim Harlow, Environmental / Health & Safety Manager
J & L Management Corporation
15 North Walnut Street
Mt. Clemens, MI 48043

Project: Studebaker Plant Area "A"
Four Quenching Oil Tanks

Project No. 06.732b

Date Sampled: June 7, 2006

Analysis / Method: Total Petroleum Hydrocarbons SW8015M (SW3580A,) Polynuclear Aromatic Hydrocarbons SW8270C-SIM (SW3550B,) Volatile Organic Compounds by GC/MS SW5035/8260B, Percent Moisture D2974, PCBs SW8082 (SW3550B,) Mercury SW74741A, Metals by ICP/MS SW6020 (SW3050B,)

SAMPLE ID	MATRIX	LOCATION and DESCRIPTION
C-01	Concrete	UST # 1 - Lightweight Concrete Fill, cool to 4°C ±2°
C-02	Concrete	UST # 2 - Lightweight Concrete Fill, cool to 4°C ±2°
C-03	Concrete	UST # 3 - Lightweight Concrete Fill, cool to 4°C ±2°
C-04	Concrete	UST # 4 - Lightweight Concrete Fill, cool to 4°C ±2°
S-01	Soil	UST # 1 - Bottom East, cool to 4°C ±2°
S-02	Soil	UST # 1 - Bottom West, cool to 4°C ±2°
S-03	Soil	Excavation North Sidewall, cool to 4°C ±2°
S-04	Soil	West Sidewall - North, cool to 4°C ±2°
S-05	Soil	West Sidewall - Center, cool to 4°C ±2°
S-06	Soil	UST # 2 - Bottom West, cool to 4°C ±2°
S-07	Soil	UST # 2 - Bottom East, cool to 4°C ±2°
S-08	Soil	East Sidewall - North, cool to 4°C ±2°
S-09	Soil	East Sidewall - Center, cool to 4°C ±2°




SAMPLE ID	MATRIX	LOCATION and DESCRIPTION
S-10	Soil	UST # 3 - Bottom East, cool to 4°C ±2°
S-11	Soil	UST # 3 Bottom West, cool to 4°C ±2°
S-12	Soil	UST # 4 - Bottom East, cool to 4°C ±2°
S-13	Soil	UST # 4 Bottom West, cool to 4°C ±2°
S-14	Soil	South Sidewall, cool to 4°C ±2°
S-15	Soil	East Sidewall - South, cool to 4°C ±2°
S-16	Soil	West Sidewall - South, cool to 4°C ±2°
S-17	Soil	Discolored Soil (Removed and not Backfilled,) cool to 4°C ±2°
BF-01	Soil	Backfill Material, cool to 4°C ±2°
BF-02	Soil	Backfill Material, cool to 4°C ±2°
BF-03	Soil	Backfill Material, cool to 4°C ±2°
BF-04	Soil	Backfill Material, cool to 4°C ±2°
BF-05	Soil	Backfill Material, cool to 4°C ±2°
BF-06	Soil	Backfill Material, cool to 4°C ±2°
BF-07	Soil	Backfill Material, cool to 4°C ±2°

Analyzed by: SAC

Ref Number: 06060208

Sampled by: _____


John Blosky




Studebaker Area 'A' Demolition Phase I

PointNo.	Northing(Y)	Easting(X)	Elev(Z)	Description	Existing Tanks, Press Pits, & Soil Sample Locations
5185	2336818.357	3178126.331	720.29	SB /soil sample 1a	
5186	2336815.207	3178095.386	720.17	sb /soil sample 1b	
5187	2336837.039	3178203.366	720.03	sb /soil sample 1c	
5188	2336779.880	3178214.135	719.90	sb /soil sample 1d	
5189	2336776.622	3178348.823	720.57	sb /soil sample 1e	
5236	2336795.578	3178056.761	721.20	SB soil sample s-09	
5237	2336800.159	3178053.474	717.30	SB soil sample s-07	
5238	2336801.771	3178045.375	717.90	SB soil sample s-06	
5239	2336806.094	3178057.172	720.90	SB soil sample s-08	
5240	2336807.112	3178040.013	722.50	SB soil sample s-04	
5241	2336812.452	3178047.971	717.30	SB soil sample s-02	
5242	2336811.670	3178054.380	717.30	SB soil sample s-01	
5243	2336817.133	3178050.541	721.90	SB soil sample s-03	
5244	2336797.403	3178039.544	723.10	SB soil sample s-05	
5251	2336785.937	3178055.161	717.60	SB soil sample s-10	
5252	2336777.133	3178052.936	718.90	SB soil sample s-12	
5253	2336777.735	3178056.022	720.70	SB soil sample s-15	
5254	2336772.327	3178046.784	721.40	SB soil sample s-14	
5255	2336781.197	3178041.664	718.70	SB soil sample s-13	
5256	2336777.467	3178035.804	723.30	SB soil sample s-16	
5257	2336789.336	3178042.286	718.20	SB soil sample s-11	

N: 2336937.65
E: 3178045.55



N: 2336947.96
E: 3178464.85



N: 2336524.68
E: 3178055.71

N: 2336534.99
E: 3178475.00



REV.	DESCRIPTION	DATE
1	Initial Construction & tank alignment, initial mobilization 2105-2103	06-21-06
2	Added Press Pit Locations	06-21-06

WIGHTMAN PETRIE
CONSULTING ENGINEERS & LAND SURVEYORS
713 South Scott Street, South Bend, IN 46601 P: 574.332.4388 F: 574.332.4333

Studebaker Area 'A' Demolition Phase I	
j and L Management	
DESIGNED BY:	APPROVED BY:
DRAWN BY:	REVIEWED BY:
TITLE CHECK:	DATE:
DATE: JUNE 2006	
JOB NUMBER: 206-2006	
SCALE:	

Sample Summary Report
Quenching Oil UST Removal


Table with columns for Laboratory ID, Client Sample ID, Date Collected, Analyte, Test Method, Units, and RISC. It lists various chemical compounds such as Acetone, Benzene, and Polynuclear Aromatic Hydrocarbons (PAHs) across multiple sampling locations (C-01 to C-04, BF-01 to BF-07).

Appendix C

Laboratory Report

Laboratory Handling Procedures

Calibration Documentation



STAT Analysis Corporation

2255 West Harrison St., Suite B, Chicago, IL 60612-3505

Tel: (312) 733-0551 Fax: (312) 733-2386 STATinfo@STATAnalysis.com

Accreditation Numbers: IEPA ELAP 100445; ORELAP IL300001; AIHA 101160; NVLAP LabCode 101202-0

June 19, 2006

Amereco Inc.
2503 Eisenhower Ave.
Valparaiso, IN 46383
Telephone: (219) 464-0460
Fax: (219) 464-0464

RE: 06.732b, 4 Quenching Oil Tank Removal, Studebaker

STAT Project No: 06060208

Dear John Blosky:


STAT Analysis received 28 samples for the referenced project on 6/8/2006. The analytical results are presented in the following report.

All analyses were performed in accordance with the requirements of 35 IAC Part 186 / NELAC standards. Analyses were performed in accordance with methods as referenced on the analytical report. Those analytical results expressed on a dry weight basis are also noted on the analytical report.

All analyses were performed within established holding time criteria, and all Quality Control criteria met EPA or laboratory specifications except when noted in the Case Narrative or Analytical Report. If required, an estimate of uncertainty for the analyses can be provided. A listing of accredited methods/parameters can also be provided.

Thank you for the opportunity to serve you and I look forward to working with you in the future. If you have any questions regarding the enclosed materials, please contact me at (312) 563-0371.


Sincerely,



Jennifer Glass

Project Manager

The information contained in this report and any attachments is confidential information intended only for the use of the individual or entities named above. The results of this report relate only to the samples tested. If you have received this report in error, please notify us immediately by phone. This report shall not be reproduced, except in its entirety, unless written approval has been obtained from the laboratory.



Client: Amereco Inc.

Project: 06.732b, 4 Quenching Oil Tank Removal, Studebaker

Work Order Sample Summary

Lab Order: 06060208

Lab Sample ID	Client Sample ID	Tag Number	Collection Date	Date Received
06060208-001A	C-01		6/7/2006 10:55:00 AM	6/8/2006
06060208-001B	C-01		6/7/2006 10:55:00 AM	6/8/2006
06060208-002A	C-02		6/7/2006 10:38:00 AM	6/8/2006
06060208-002B	C-02		6/7/2006 10:38:00 AM	6/8/2006
06060208-003A	S-01		6/7/2006 11:40:00 AM	6/8/2006
06060208-003B	S-01		6/7/2006 11:40:00 AM	6/8/2006
06060208-004A	S-02		6/7/2006 11:50:00 AM	6/8/2006
06060208-004B	S-02		6/7/2006 11:50:00 AM	6/8/2006
06060208-005A	S-03		6/7/2006 11:55:00 AM	6/8/2006
06060208-005B	S-03		6/7/2006 11:55:00 AM	6/8/2006
06060208-006A	S-04		6/7/2006 12:16:00 PM	6/8/2006
06060208-006B	S-04		6/7/2006 12:16:00 PM	6/8/2006
06060208-007A	S-05		6/7/2006 12:22:00 PM	6/8/2006
06060208-007B	S-05		6/7/2006 12:22:00 PM	6/8/2006
06060208-008A	S-06		6/7/2006 12:19:00 PM	6/8/2006
06060208-008B	S-06		6/7/2006 12:19:00 PM	6/8/2006
06060208-009A	S-07		6/7/2006 12:25:00 PM	6/8/2006
06060208-009B	S-07		6/7/2006 12:25:00 PM	6/8/2006
06060208-010A	S-08		6/7/2006 12:29:00 PM	6/8/2006
06060208-010B	S-08		6/7/2006 12:29:00 PM	6/8/2006
06060208-011A	S-09		6/7/2006 12:30:00 PM	6/8/2006
06060208-011B	S-09		6/7/2006 12:30:00 PM	6/8/2006
06060208-012A	S-10		6/7/2006 2:06:00 PM	6/8/2006
06060208-012B	S-10		6/7/2006 2:06:00 PM	6/8/2006
06060208-013A	S-11		6/7/2006 2:11:00 PM	6/8/2006
06060208-013B	S-11		6/7/2006 2:11:00 PM	6/8/2006
06060208-014A	S-12		6/7/2006 2:14:00 PM	6/8/2006
06060208-014B	S-12		6/7/2006 2:14:00 PM	6/8/2006
06060208-015A	S-13		6/7/2006 2:24:00 PM	6/8/2006
06060208-015B	S-13		6/7/2006 2:24:00 PM	6/8/2006
06060208-016A	S-14		6/7/2006 2:29:00 PM	6/8/2006
06060208-016B	S-14		6/7/2006 2:29:00 PM	6/8/2006
06060208-017A	S-15		6/7/2006 2:26:00 PM	6/8/2006
06060208-017B	S-15		6/7/2006 2:26:00 PM	6/8/2006
06060208-018A	S-16		6/7/2006 2:21:00 PM	6/8/2006
06060208-018B	S-16		6/7/2006 2:21:00 PM	6/8/2006
06060208-019A	S-17		6/7/2006 2:28:00 PM	6/8/2006
06060208-019B	S-17		6/7/2006 2:28:00 PM	6/8/2006

Client: Amereco Inc.

Project: 06.732b, 4 Quenching Oil Tank Removal, Studebaker

Work Order Sample Summary

Lab Order: 06060208

Lab Sample ID	Client Sample ID	Tag Number	Collection Date	Date Received
06060208-020A	BF-01		6/7/2006 1:44:00 PM	6/8/2006
06060208-020B	BF-01		6/7/2006 1:44:00 PM	6/8/2006
06060208-021A	BF-02		6/7/2006 1:48:00 PM	6/8/2006
06060208-021B	BF-02		6/7/2006 1:48:00 PM	6/8/2006
06060208-022A	BF-03		6/7/2006 1:55:00 PM	6/8/2006
06060208-022B	BF-03		6/7/2006 1:55:00 PM	6/8/2006
06060208-023A	BF-04		6/7/2006 1:57:00 PM	6/8/2006
06060208-023B	BF-04		6/7/2006 1:57:00 PM	6/8/2006
06060208-024A	BF-05		6/7/2006 2:00:00 PM	6/8/2006
06060208-024B	BF-05		6/7/2006 2:00:00 PM	6/8/2006
06060208-025A	BF-06		6/7/2006 2:02:00 PM	6/8/2006
06060208-025B	BF-06		6/7/2006 2:02:00 PM	6/8/2006
06060208-026A	BF-07		6/7/2006 2:15:00 PM	6/8/2006
06060208-026B	BF-07		6/7/2006 2:15:00 PM	6/8/2006
06060208-027A	C-03		6/7/2006 1:13:00 PM	6/8/2006
06060208-027B	C-03		6/7/2006 1:13:00 PM	6/8/2006
06060208-028A	C-04		6/7/2006 1:32:00 PM	6/8/2006
06060208-028B	C-04		6/7/2006 1:32:00 PM	6/8/2006

CLIENT: Amereco Inc.
Project: 06.732b, 4 Quenching Oil Tank Removal, Stude
Lab Order: 06060208

CASE NARRATIVE

For VOC soil samples analyzed at medium level, a weight of 5 grams was assumed for the following samples:

S-01 (06060208-003)
S-02 (06060208-004)
S-03 (06060208-005)
S-04 (06060208-006)
S-06 (06060208-008)
S-07 (06060208-009)
S-09 (06060208-011)
S-10 (06060208-012)
S-11 (06060208-013)
S-12 (06060208-014)
S-14 (06060208-016)

The VOC soil LCS analyzed 06/14/06 (VOA-2_060614A) had recovery for Chloromethane outside of control limits (139% recovery, QC Limits 70-130%).

The VOC soil LCS/LCSD analyzed 06/14/06 (VOA-4_060614B) had the following outside control limits:

Chloroethane: 136%/138% (LCS/LCSD) recovery (QC limits 70-130%)

Methylene Chloride: 152%/150% (LCS/LCSD) recovery (QC limits 70-130%)

This LCS/LCSD is associated with samples BF-04 (06060208-023), BF-07 (06060208-026), C-03 (06060208-027) and C-04 (06060208-028).

Sample S-03 (06060208-005) has Acetone reported with an "E" flag, exceeding the calibration curve range. The medium level dilution was below the reporting level. The detected value is reported.

Sample S-05 (06060208-007) had recovery for the following PNA soil surrogates outside of control limits:

Nitrobenzene-d5: 167% recovery (QC Limits 23-120%)

2-Fluorobiphenyl: 115 % recovery (QC Limits 30-115%)

Sample S-04 (06060208-006) had recovery for PNA surrogate Nitrobenzene-d5 outside of control limits (148% recovery, QC Limits 23-120%).

Sample S-06 (06060208-008) had recovery for the following PNA soil surrogates outside of control limits:

4-Terphenyl-d14: 164% recovery (QC Limits 18-137%)

2-Fluorobiphenyl: 116% recovery (QC Limits 30-115%)

CLIENT: Amereco Inc.
Project: 06.732b, 4 Quenching Oil Tank Removal, Stude
Lab Order: 06060208

CASE NARRATIVE

Sample S-16 (06060208-018) had recovery for the following PNA soil surrogates outside of control limits:

Nitrobenzene-d5: 123% recovery (QC Limits 23-120%)
2-Fluorobiphenyl: 131% recovery (QC Limits 30-115%)

Sample C-03 (06060208-027) had recovery for PNA surrogate 2-Fluorobiphenyl outside of control limits (125% recovery, QC Limits 30-115%).

Sample C-04 (06060208-028) had recovery for PNA surrogate Nitrobenzene-d5 outside of control limits (144% recovery, QC Limits 23-120%).

The TPH soil MS/MSD prepared from sample BF-02 (06060208-021) had recovery for TPH (ERO) outside control limits (176%/186% (MS/MSD) recovery, QC limits 30-150%).

The metals MS/MSD prepared from sample BF-01 (06060208-020) (Prep Batch 20966) had recoveries outside control limits for Barium and Lead. The sample, MS and MSD were re-digested in batch 21044 with recoveries still outside control limits. Results are reported from preparation batch 21044.

Barium: -14%/257% (MS/MSD) recovery (QC limits 75-125%); 26% RPD (QC Limit <20%)

Lead: 141% (MSD) recovery (QC limits 75-125%)

STAT Analysis Corporation

2255 West Harrison St., Suite B, Chicago, IL 60612-3505

Tel: (312) 733-0551 Fax: (312) 733-2386 STATinfo@STATAnalysis.com

Accreditation Numbers: IEPA ELAP 100445; ORELAP IL300001; AIHA 101160; NVLAP LabCode 101202-0

Date Reported: June 19, 2006

Date Printed: June 19, 2006

Client:	Ameresco Inc.	Client Sample ID:	C-01
Lab Order:	06060208	Collection Date:	6/7/2006 10:55:00 AM
Project:	06.732b, 4 Quenching Oil Tank Removal, Studebak	Matrix:	Soil
Lab ID:	06060208-001		

Analyses	Result	RL	Qualifier	Units	DF	Date Analyzed
PCBs						
	SW8082 (SW3550B)			Prep Date: 6/8/2006		Analyst: ERP
Aroclor 1016	ND	0.092		mg/Kg-dry	1	6/9/2006
Aroclor 1221	ND	0.092		mg/Kg-dry	1	6/9/2006
Aroclor 1232	ND	0.092		mg/Kg-dry	1	6/9/2006
Aroclor 1242	ND	0.092		mg/Kg-dry	1	6/9/2006
Aroclor 1248	ND	0.092		mg/Kg-dry	1	6/9/2006
Aroclor 1254	ND	0.092		mg/Kg-dry	1	6/9/2006
Aroclor 1260	ND	0.092		mg/Kg-dry	1	6/9/2006
Total Petroleum Hydrocarbons						
	SW8015M (SW3580A)			Prep Date: 6/13/2006		Analyst: DCW
TPH (GRO)	ND	22		mg/Kg-dry	1	6/13/2006
TPH (DRO)	ND	22		mg/Kg-dry	1	6/13/2006
TPH (ERO)	ND	22	*	mg/Kg-dry	1	6/13/2006
Mercury						
	SW7471A			Prep Date: 6/9/2006		Analyst: JG
Mercury	ND	0.027		mg/Kg-dry	1	6/9/2006
Metals by ICP/MS						
	SW6020 (SW3050B)			Prep Date: 6/9/2006		Analyst: JG
Arsenic	3.9	1.1		mg/Kg-dry	10	6/9/2006
Barium	20	1.1		mg/Kg-dry	10	6/9/2006
Cadmium	ND	0.56		mg/Kg-dry	10	6/9/2006
Chromium	12	1.1		mg/Kg-dry	10	6/9/2006
Lead	5.2	0.56		mg/Kg-dry	10	6/9/2006
Selenium	ND	1.1		mg/Kg-dry	10	6/9/2006
Silver	ND	1.1		mg/Kg-dry	10	6/9/2006
Polynuclear Aromatic Hydrocarbons						
	SW8270C-SIM (SW3550B)			Prep Date: 6/8/2006		Analyst: VS
Acenaphthene	ND	0.028		mg/Kg-dry	1	6/16/2006
Acenaphthylene	ND	0.028		mg/Kg-dry	1	6/16/2006
Anthracene	ND	0.028		mg/Kg-dry	1	6/16/2006
Benz(a)anthracene	ND	0.028		mg/Kg-dry	1	6/16/2006
Benzo(a)pyrene	ND	0.028		mg/Kg-dry	1	6/16/2006
Benzo(b)fluoranthene	ND	0.028		mg/Kg-dry	1	6/16/2006
Benzo(g,h,i)perylene	ND	0.028		mg/Kg-dry	1	6/16/2006
Benzo(k)fluoranthene	ND	0.028		mg/Kg-dry	1	6/16/2006
Chrysene	ND	0.028		mg/Kg-dry	1	6/16/2006
Dibenz(a,h)anthracene	ND	0.028		mg/Kg-dry	1	6/16/2006
Fluoranthene	ND	0.028		mg/Kg-dry	1	6/16/2006
Fluorene	ND	0.028		mg/Kg-dry	1	6/16/2006
Indeno(1,2,3-cd)pyrene	ND	0.028		mg/Kg-dry	1	6/16/2006
Naphthalene	ND	0.028		mg/Kg-dry	1	6/16/2006

Qualifiers:	ND - Not Detected at the Reporting Limit	RL - Reporting / Quantitation Limit for the analysis
	J - Analyte detected below quantitation limits	S - Spike Recovery outside accepted recovery limits
	B - Analyte detected in the associated Method Blank	R - RPD outside accepted recovery limits
	HT - Sample received past holding time	E - Value above quantitation range
	* - Non-accredited parameter	H - Holding time exceeded

STAT Analysis Corporation

2255 West Harrison St., Suite B, Chicago, IL 60612-3505

Tel: (312) 733-0551 Fax: (312) 733-2386 STATInfo@STATAnalysis.com

Accreditation Numbers: IEPA ELAP 100445; ORELAP IL300001; AIHA 101160; NVLAP LabCode 101202-0

Date Reported: June 19, 2006

Date Printed: June 19, 2006

Client:	Amereco Inc.	Client Sample ID:	C-01
Lab Order:	06060208	Collection Date:	6/7/2006 10:55:00 AM
Project:	06.732b, 4 Quenching Oil Tank Removal, Studebak	Matrix:	Soil
Lab ID:	06060208-001		

Analyses	Result	RL	Qualifier	Units	DF	Date Analyzed
Polynuclear Aromatic Hydrocarbons						
	SW8270C-SIM (SW3550B)			Prep Date: 6/8/2006		Analyst: VS
Phenanthrene	ND	0.028		mg/Kg-dry	1	6/16/2006
Pyrene	ND	0.028		mg/Kg-dry	1	6/16/2006
Volatile Organic Compounds by GC/MS						
	SW5035/8260B			Prep Date: 6/9/2006		Analyst: SK
Acetone	0.2	0.051		mg/Kg-dry	1	6/13/2006
Benzene	ND	0.0051		mg/Kg-dry	1	6/13/2006
Bromodichloromethane	ND	0.0051		mg/Kg-dry	1	6/13/2006
Bromoform	ND	0.0051		mg/Kg-dry	1	6/13/2006
Bromomethane	ND	0.01		mg/Kg-dry	1	6/13/2006
2-Butanone	0.023	0.01		mg/Kg-dry	1	6/13/2006
Carbon disulfide	ND	0.0051		mg/Kg-dry	1	6/13/2006
Carbon tetrachloride	ND	0.0051		mg/Kg-dry	1	6/13/2006
Chlorobenzene	ND	0.0051		mg/Kg-dry	1	6/13/2006
Dibromochloromethane	ND	0.0051		mg/Kg-dry	1	6/13/2006
Chloroethane	ND	0.01		mg/Kg-dry	1	6/13/2006
Chloroform	ND	0.0051		mg/Kg-dry	1	6/13/2006
Chloromethane	ND	0.01		mg/Kg-dry	1	6/13/2006
1,1-Dichloroethane	ND	0.0051		mg/Kg-dry	1	6/13/2006
1,2-Dichloroethane	ND	0.0051		mg/Kg-dry	1	6/13/2006
1,1-Dichloroethene	ND	0.0051		mg/Kg-dry	1	6/13/2006
cis-1,2-Dichloroethene	ND	0.0051		mg/Kg-dry	1	6/13/2006
trans-1,2-Dichloroethene	ND	0.0051		mg/Kg-dry	1	6/13/2006
1,2-Dichloropropane	ND	0.0051		mg/Kg-dry	1	6/13/2006
cis-1,3-Dichloropropene	ND	0.0051		mg/Kg-dry	1	6/13/2006
trans-1,3-Dichloropropene	ND	0.0051		mg/Kg-dry	1	6/13/2006
Ethylbenzene	ND	0.0051		mg/Kg-dry	1	6/13/2006
2-Hexanone	ND	0.01		mg/Kg-dry	1	6/13/2006
4-Methyl-2-pentanone	ND	0.01		mg/Kg-dry	1	6/13/2006
Methylene chloride	ND	0.01		mg/Kg-dry	1	6/13/2006
Methyl tert-butyl ether	ND	0.0051		mg/Kg-dry	1	6/13/2006
Styrene	ND	0.0051		mg/Kg-dry	1	6/13/2006
1,1,2,2-Tetrachloroethane	ND	0.0051		mg/Kg-dry	1	6/13/2006
Tetrachloroethene	ND	0.0051		mg/Kg-dry	1	6/13/2006
Toluene	ND	0.0051		mg/Kg-dry	1	6/13/2006
1,1,1-Trichloroethane	ND	0.0051		mg/Kg-dry	1	6/13/2006
1,1,2-Trichloroethane	ND	0.0051		mg/Kg-dry	1	6/13/2006
Trichloroethene	ND	0.0051		mg/Kg-dry	1	6/13/2006
Vinyl chloride	ND	0.0051		mg/Kg-dry	1	6/13/2006
Xylenes, Total	ND	0.015		mg/Kg-dry	1	6/13/2006

Qualifiers:

ND - Not Detected at the Reporting Limit

J - Analyte detected below quantitation limits

B - Analyte detected in the associated Method Blank

HT - Sample received past holding time

* - Non-accredited parameter

RL - Reporting / Quantitation Limit for the analysis

S - Spike Recovery outside accepted recovery limits

R - RPD outside accepted recovery limits

E - Value above quantitation range

H - Holding time exceeded

STAT Analysis Corporation

2255 West Harrison St., Suite B, Chicago, IL 60612-3505

Tel: (312) 733-0551 Fax: (312) 733-2386 STATinfo@STATAnalysis.com

Accreditation Numbers: IEPA ELAP 100445; ORELAP IL300001; AIHA 101160; NVLAP LabCode 101202-0

Date Reported: June 19, 2006

Date Printed: June 19, 2006

Client:	Amereco Inc.	Client Sample ID:	C-01
Lab Order:	06060208	Collection Date:	6/7/2006 10:55:00 AM
Project:	06.732b, 4 Quenching Oil Tank Removal, Studebak	Matrix:	Soil
Lab ID:	06060208-001		

Analyses	Result	RL	Qualifier	Units	DF	Date Analyzed
Percent Moisture	D2974				Prep Date: 6/8/2006	Analyst: RW
Percent Moisture	13.9	0.01	*	wt%	1	6/9/2006

Qualifiers:	ND - Not Detected at the Reporting Limit	RL - Reporting / Quantitation Limit for the analysis
	J - Analyte detected below quantitation limits	S - Spike Recovery outside accepted recovery limits
	B - Analyte detected in the associated Method Blank	R - RPD outside accepted recovery limits
	HT - Sample received past holding time	E - Value above quantitation range
	* - Non-accredited parameter	H - Holding time exceeded

STAT Analysis Corporation

2255 West Harrison St., Suite B, Chicago, IL 60612-3505

Tel: (312) 733-0551 Fax: (312) 733-2386 STATinfo@STATAnalysis.com

Accreditation Numbers: IEPA ELAP 100445; ORELAP IL300001; AIHA 101160; NVLAP LabCode 101202-0

Date Reported: June 19, 2006

Date Printed: June 19, 2006

Client:	Amereco Inc.	Client Sample ID:	C-02
Lab Order:	06060208	Collection Date:	6/7/2006 10:38:00 AM
Project:	06.732b, 4 Quenching Oil Tank Removal, Studebak	Matrix:	Soil
Lab ID:	06060208-002		

Analyses	Result	RL	Qualifier	Units	DF	Date Analyzed
PCBs						
	SW8082 (SW3550B)			Prep Date: 6/8/2006		Analyst: ERP
Aroclor 1016	ND	0.092		mg/Kg-dry	1	6/9/2006
Aroclor 1221	ND	0.092		mg/Kg-dry	1	6/9/2006
Aroclor 1232	ND	0.092		mg/Kg-dry	1	6/9/2006
Aroclor 1242	ND	0.092		mg/Kg-dry	1	6/9/2006
Aroclor 1248	ND	0.092		mg/Kg-dry	1	6/9/2006
Aroclor 1254	ND	0.092		mg/Kg-dry	1	6/9/2006
Aroclor 1260	ND	0.092		mg/Kg-dry	1	6/9/2006
Total Petroleum Hydrocarbons						
	SW8015M (SW3580A)			Prep Date: 6/13/2006		Analyst: DCW
TPH (GRO)	ND	21		mg/Kg-dry	1	6/13/2006
TPH (DRO)	ND	21		mg/Kg-dry	1	6/13/2006
TPH (ERO)	ND	21		mg/Kg-dry	1	6/13/2006
Mercury						
	SW7471A			Prep Date: 6/9/2006		Analyst: JG
Mercury	ND	0.029		mg/Kg-dry	1	6/9/2006
Metals by ICP/MS						
	SW6020 (SW3050B)			Prep Date: 6/9/2006		Analyst: JG
Arsenic	2.9	1.1		mg/Kg-dry	10	6/9/2006
Barium	19	1.1		mg/Kg-dry	10	6/9/2006
Cadmium	ND	0.57		mg/Kg-dry	10	6/9/2006
Chromium	6.7	1.1		mg/Kg-dry	10	6/9/2006
Lead	4.6	0.57		mg/Kg-dry	10	6/9/2006
Selenium	ND	1.1		mg/Kg-dry	10	6/9/2006
Silver	ND	1.1		mg/Kg-dry	10	6/9/2006
Polynuclear Aromatic Hydrocarbons						
	SW8270C-SIM (SW3550B)			Prep Date: 6/8/2006		Analyst: DCW
Acenaphthene	ND	0.029		mg/Kg-dry	1	6/16/2006
Acenaphthylene	ND	0.029		mg/Kg-dry	1	6/16/2006
Anthracene	ND	0.029		mg/Kg-dry	1	6/16/2006
Benz(a)anthracene	ND	0.029		mg/Kg-dry	1	6/16/2006
Benzo(a)pyrene	ND	0.029		mg/Kg-dry	1	6/16/2006
Benzo(b)fluoranthene	ND	0.029		mg/Kg-dry	1	6/16/2006
Benzo(g,h,i)perylene	ND	0.029		mg/Kg-dry	1	6/16/2006
Benzo(k)fluoranthene	ND	0.029		mg/Kg-dry	1	6/16/2006
Chrysene	ND	0.029		mg/Kg-dry	1	6/16/2006
Dibenz(a,h)anthracene	ND	0.029		mg/Kg-dry	1	6/16/2006
Fluoranthene	ND	0.029		mg/Kg-dry	1	6/16/2006
Fluorene	ND	0.029		mg/Kg-dry	1	6/16/2006
Indeno(1,2,3-cd)pyrene	ND	0.029		mg/Kg-dry	1	6/16/2006
Naphthalene	ND	0.029		mg/Kg-dry	1	6/16/2006

Qualifiers:
 ND - Not Detected at the Reporting Limit
 J - Analyte detected below quantitation limits
 B - Analyte detected in the associated Method Blank
 HT - Sample received past holding time
 * - Non-accredited parameter

RL - Reporting / Quantitation Limit for the analysis
 S - Spike Recovery outside accepted recovery limits
 R - RPD outside accepted recovery limits
 E - Value above quantitation range
 H - Holding time exceeded

STAT Analysis Corporation

2255 West Harrison St., Suite B, Chicago, IL 60612-3505

Tel: (312) 733-0551 Fax: (312) 733-2386 STATinfo@STATAnalysis.com

Accreditation Numbers: IEPA ELAP 100445; ORELAP IL300001; AIHA 101160; NVLAP LabCode 101202-0

Date Reported: June 19, 2006

Date Printed: June 19, 2006

Client: Amereco Inc.	Client Sample ID: C-02
Lab Order: 06060208	Collection Date: 6/7/2006 10:38:00 AM
Project: 06.732b, 4 Quenching Oil Tank Removal, Studebak	Matrix: Soil
Lab ID: 06060208-002	

Analyses	Result	RL	Qualifier	Units	DF	Date Analyzed
Polynuclear Aromatic Hydrocarbons	SW8270C-SIM (SW3550B)		Prep Date: 6/8/2006		Analyst: DCW	
Phenanthrene	ND	0.029		mg/Kg-dry	1	6/16/2006
Pyrene	ND	0.029		mg/Kg-dry	1	6/16/2006
Volatile Organic Compounds by GC/MS	SW5035/8260B		Prep Date: 6/9/2006		Analyst: SK	
Acetone	0.17	0.059		mg/Kg-dry	1	6/13/2006
Benzene	ND	0.0059		mg/Kg-dry	1	6/13/2006
Bromodichloromethane	ND	0.0059		mg/Kg-dry	1	6/13/2006
Bromoform	ND	0.0059		mg/Kg-dry	1	6/13/2006
Bromomethane	ND	0.012		mg/Kg-dry	1	6/13/2006
2-Butanone	0.022	0.012		mg/Kg-dry	1	6/13/2006
Carbon disulfide	ND	0.0059		mg/Kg-dry	1	6/13/2006
Carbon tetrachloride	ND	0.0059		mg/Kg-dry	1	6/13/2006
Chlorobenzene	ND	0.0059		mg/Kg-dry	1	6/13/2006
Dibromochloromethane	ND	0.0059		mg/Kg-dry	1	6/13/2006
Chloroethane	ND	0.012		mg/Kg-dry	1	6/13/2006
Chloroform	ND	0.0059		mg/Kg-dry	1	6/13/2006
Chloromethane	ND	0.012		mg/Kg-dry	1	6/13/2006
1,1-Dichloroethane	ND	0.0059		mg/Kg-dry	1	6/13/2006
1,2-Dichloroethane	ND	0.0059		mg/Kg-dry	1	6/13/2006
1,1-Dichloroethene	ND	0.0059		mg/Kg-dry	1	6/13/2006
cis-1,2-Dichloroethene	ND	0.0059		mg/Kg-dry	1	6/13/2006
trans-1,2-Dichloroethene	ND	0.0059		mg/Kg-dry	1	6/13/2006
1,2-Dichloropropane	ND	0.0059		mg/Kg-dry	1	6/13/2006
cis-1,3-Dichloropropene	ND	0.0059		mg/Kg-dry	1	6/13/2006
trans-1,3-Dichloropropene	ND	0.0059		mg/Kg-dry	1	6/13/2006
Ethylbenzene	ND	0.0059		mg/Kg-dry	1	6/13/2006
2-Hexanone	ND	0.012		mg/Kg-dry	1	6/13/2006
4-Methyl-2-pentanone	ND	0.012		mg/Kg-dry	1	6/13/2006
Methylene chloride	ND	0.012		mg/Kg-dry	1	6/13/2006
Methyl tert-butyl ether	ND	0.0059		mg/Kg-dry	1	6/13/2006
Styrene	ND	0.0059		mg/Kg-dry	1	6/13/2006
1,1,2,2-Tetrachloroethane	ND	0.0059		mg/Kg-dry	1	6/13/2006
Tetrachloroethene	ND	0.0059		mg/Kg-dry	1	6/13/2006
Toluene	ND	0.0059		mg/Kg-dry	1	6/13/2006
1,1,1-Trichloroethane	ND	0.0059		mg/Kg-dry	1	6/13/2006
1,1,2-Trichloroethane	ND	0.0059		mg/Kg-dry	1	6/13/2006
Trichloroethene	ND	0.0059		mg/Kg-dry	1	6/13/2006
Vinyl chloride	ND	0.0059		mg/Kg-dry	1	6/13/2006
Xylenes, Total	ND	0.018		mg/Kg-dry	1	6/13/2006

Qualifiers: ND - Not Detected at the Reporting Limit
 J - Analyte detected below quantitation limits
 B - Analyte detected in the associated Method Blank
 HT - Sample received past holding time
 * - Non-accredited parameter

RL - Reporting / Quantitation Limit for the analysis
 S - Spike Recovery outside accepted recovery limits
 R - RPD outside accepted recovery limits
 E - Value above quantitation range
 H - Holding time exceeded

STAT Analysis Corporation

2255 West Harrison St., Suite B, Chicago, IL 60612-3505

Tel: (312) 733-0551 Fax: (312) 733-2386 STATinfo@STATAnalysis.com

Accreditation Numbers: IEPA ELAP 100445; ORELAP IL300001; AIHA 101160; NVLAP LabCode 101202-0

Date Reported: June 19, 2006

Date Printed: June 19, 2006

Client:	Amereco Inc.	Client Sample ID:	C-02
Lab Order:	06060208	Collection Date:	6/7/2006 10:38:00 AM
Project:	06.732b, 4 Quenching Oil Tank Removal, Studebak	Matrix:	Soil
Lab ID:	06060208-002		

Analyses	Result	RL	Qualifier	Units	DF	Date Analyzed
Percent Moisture	D2974				Prep Date: 6/8/2006	Analyst: RW
Percent Moisture	15.9	0.01	*	wt%	1	6/9/2006

Qualifiers:	ND - Not Detected at the Reporting Limit	RL - Reporting / Quantitation Limit for the analysis
	J - Analyte detected below quantitation limits	S - Spike Recovery outside accepted recovery limits
	B - Analyte detected in the associated Method Blank	R - RPD outside accepted recovery limits
	HT - Sample received past holding time	E - Value above quantitation range
	* - Non-accredited parameter	H - Holding time exceeded

STAT Analysis Corporation

2255 West Harrison St., Suite B, Chicago, IL 60612-3505

Tel: (312) 733-0551 Fax: (312) 733-2386 STATinfo@STATAnalysis.com

Accreditation Numbers: IEPA ELAP 100445; ORELAP IL300001; AIHA 101160; NVLAP LabCode 101202-0

Date Reported: June 19, 2006

Date Printed: June 19, 2006

Client:	Amereco Inc.	Client Sample ID:	S-01
Lab Order:	06060208	Collection Date:	6/7/2006 11:40:00 AM
Project:	06.732b, 4 Quenching Oil Tank Removal, Studebak	Matrix:	Soil
Lab ID:	06060208-003		

Analyses	Result	RL	Qualifier	Units	DF	Date Analyzed
PCBs	SW8082 (SW3550B)				Prep Date: 6/8/2006	Analyst: ERP
Aroclor 1016	ND	0.094		mg/Kg-dry	1	6/9/2006
Aroclor 1221	ND	0.094		mg/Kg-dry	1	6/9/2006
Aroclor 1232	ND	0.094		mg/Kg-dry	1	6/9/2006
Aroclor 1242	ND	0.094		mg/Kg-dry	1	6/9/2006
Aroclor 1248	ND	0.094		mg/Kg-dry	1	6/9/2006
Aroclor 1254	ND	0.094		mg/Kg-dry	1	6/9/2006
Aroclor 1260	ND	0.094		mg/Kg-dry	1	6/9/2006
Total Petroleum Hydrocarbons	SW8015M (SW3580A)				Prep Date: 6/13/2006	Analyst: DCW
TPH (GRO)	ND	23		mg/Kg-dry	1	6/13/2006
TPH (DRO)	99	23		mg/Kg-dry	1	6/13/2006
TPH (ERO)	500	23	*	mg/Kg-dry	1	6/13/2006
Mercury	SW7471A				Prep Date: 6/9/2006	Analyst: JG
Mercury	1.2	0.14		mg/Kg-dry	5	6/9/2006
Metals by ICP/MS	SW6020 (SW3050B)				Prep Date: 6/9/2006	Analyst: JG
Arsenic	2.8	1.2		mg/Kg-dry	10	6/9/2006
Barium	46	1.2		mg/Kg-dry	10	6/9/2006
Cadmium	ND	0.59		mg/Kg-dry	10	6/9/2006
Chromium	7.6	1.2		mg/Kg-dry	10	6/9/2006
Lead	54	0.59		mg/Kg-dry	10	6/9/2006
Selenium	ND	1.2		mg/Kg-dry	10	6/9/2006
Silver	ND	1.2		mg/Kg-dry	10	6/9/2006
Polynuclear Aromatic Hydrocarbons	SW8270C-SIM (SW3550B)				Prep Date: 6/8/2006	Analyst: VS
Acenaphthene	1.5	0.04		mg/Kg-dry	10	6/11/2006
Acenaphthylene	0.3	0.04		mg/Kg-dry	10	6/11/2006
Anthracene	0.66	0.04		mg/Kg-dry	10	6/11/2006
Benz(a)anthracene	0.42	0.04		mg/Kg-dry	10	6/11/2006
Benzo(a)pyrene	0.12	0.04		mg/Kg-dry	10	6/11/2006
Benzo(b)fluoranthene	ND	0.04		mg/Kg-dry	10	6/11/2006
Benzo(g,h,i)perylene	0.065	0.04		mg/Kg-dry	10	6/11/2006
Benzo(k)fluoranthene	ND	0.04		mg/Kg-dry	10	6/11/2006
Chrysene	0.4	0.04		mg/Kg-dry	10	6/11/2006
Dibenz(a,h)anthracene	ND	0.04		mg/Kg-dry	10	6/11/2006
Fluoranthene	0.63	0.04		mg/Kg-dry	10	6/11/2006
Fluorene	0.78	0.04		mg/Kg-dry	10	6/11/2006
Indeno(1,2,3-cd)pyrene	0.056	0.04		mg/Kg-dry	10	6/11/2006
Naphthalene	10	0.4		mg/Kg-dry	100	6/16/2006

Qualifiers:

ND - Not Detected at the Reporting Limit
 J - Analyte detected below quantitation limits
 B - Analyte detected in the associated Method Blank
 HT - Sample received past holding time
 * - Non-accredited parameter

RL - Reporting / Quantitation Limit for the analysis
 S - Spike Recovery outside accepted recovery limits
 R - RPD outside accepted recovery limits
 E - Value above quantitation range
 H - Holding time exceeded

STAT Analysis Corporation

2255 West Harrison St., Suite B, Chicago, IL 60612-3505

Tel: (312) 733-0551 Fax: (312) 733-2386 STATinfo@STATAnalysis.com

Accreditation Numbers: IEPA ELAP 100445; ORELAP IL300001; AIHA 101160; NVLAP LabCode 101202-0

Date Reported: June 19, 2006

Date Printed: June 19, 2006

Client:	Amereco Inc.	Client Sample ID:	S-01
Lab Order:	06060208	Collection Date:	6/7/2006 11:40:00 AM
Project:	06.732b, 4 Quenching Oil Tank Removal, Studebak	Matrix:	Soil
Lab ID:	06060208-003		

Analyses	Result	RL	Qualifier	Units	DF	Date Analyzed
Polynuclear Aromatic Hydrocarbons						
	SW8270C-SIM (SW3550B)			Prep Date: 6/8/2006		Analyst: VS
Phenanthrene	2.1	0.04		mg/Kg-dry	10	6/11/2006
Pyrene	0.83	0.04		mg/Kg-dry	10	6/11/2006
Volatile Organic Compounds by GC/MS						
	SW5035/8260B			Prep Date: 6/9/2006		Analyst: SK
Acetone	ND	0.056		mg/Kg-dry	1	6/13/2006
Benzene	0.0082	0.0056		mg/Kg-dry	1	6/13/2006
Bromodichloromethane	ND	0.0056		mg/Kg-dry	1	6/13/2006
Bromoform	ND	0.0056		mg/Kg-dry	1	6/13/2006
Bromomethane	ND	0.011		mg/Kg-dry	1	6/13/2006
2-Butanone	ND	0.011		mg/Kg-dry	1	6/13/2006
Carbon disulfide	ND	0.0056		mg/Kg-dry	1	6/13/2006
Carbon tetrachloride	ND	0.0056		mg/Kg-dry	1	6/13/2006
Chlorobenzene	ND	0.0056		mg/Kg-dry	1	6/13/2006
Dibromochloromethane	ND	0.0056		mg/Kg-dry	1	6/13/2006
Chloroethane	ND	0.011		mg/Kg-dry	1	6/13/2006
Chloroform	ND	0.0056		mg/Kg-dry	1	6/13/2006
Chloromethane	ND	0.011		mg/Kg-dry	1	6/13/2006
1,1-Dichloroethane	ND	0.0056		mg/Kg-dry	1	6/13/2006
1,2-Dichloroethane	ND	0.0056		mg/Kg-dry	1	6/13/2006
1,1-Dichloroethene	ND	0.0056		mg/Kg-dry	1	6/13/2006
cis-1,2-Dichloroethene	0.033	0.0056		mg/Kg-dry	1	6/13/2006
trans-1,2-Dichloroethene	ND	0.0056		mg/Kg-dry	1	6/13/2006
1,2-Dichloropropane	ND	0.0056		mg/Kg-dry	1	6/13/2006
cis-1,3-Dichloropropene	ND	0.0056		mg/Kg-dry	1	6/13/2006
trans-1,3-Dichloropropene	ND	0.0056		mg/Kg-dry	1	6/13/2006
Ethylbenzene	ND	0.0056		mg/Kg-dry	1	6/13/2006
2-Hexanone	ND	0.011		mg/Kg-dry	1	6/13/2006
4-Methyl-2-pentanone	ND	0.011		mg/Kg-dry	1	6/13/2006
Methylene chloride	ND	0.011		mg/Kg-dry	1	6/13/2006
Methyl tert-butyl ether	ND	0.0056		mg/Kg-dry	1	6/13/2006
Styrene	ND	0.0056		mg/Kg-dry	1	6/13/2006
1,1,2,2-Tetrachloroethane	ND	0.0056		mg/Kg-dry	1	6/13/2006
Tetrachloroethene	4.2	0.3		mg/Kg-dry	50	6/14/2006
Toluene	ND	0.0056		mg/Kg-dry	1	6/13/2006
1,1,1-Trichloroethane	ND	0.0056		mg/Kg-dry	1	6/13/2006
1,1,2-Trichloroethane	ND	0.0056		mg/Kg-dry	1	6/13/2006
Trichloroethene	ND	0.0056		mg/Kg-dry	1	6/13/2006
Vinyl chloride	ND	0.0056		mg/Kg-dry	1	6/13/2006
Xylenes, Total	ND	0.017		mg/Kg-dry	1	6/13/2006

Qualifiers:
 ND - Not Detected at the Reporting Limit
 J - Analyte detected below quantitation limits
 B - Analyte detected in the associated Method Blank
 HT - Sample received past holding time
 * - Non-accredited parameter

RL - Reporting / Quantitation Limit for the analysis
 S - Spike Recovery outside accepted recovery limits
 R - RPD outside accepted recovery limits
 E - Value above quantitation range
 H - Holding time exceeded

STAT Analysis Corporation

2255 West Harrison St., Suite B, Chicago, IL 60612-3505

Tel: (312) 733-0551 Fax: (312) 733-2386 STATinfo@STATAnalysis.com

Accreditation Numbers: IEPA ELAP 100445; ORELAP IL300001; AIHA 101160; NVLAP LabCode 101202-0

Date Reported: June 19, 2006

Date Printed: June 19, 2006

Client:	Amereco Inc.	Client Sample ID:	S-01
Lab Order:	06060208	Collection Date:	6/7/2006 11:40:00 AM
Project:	06.732b, 4 Quenching Oil Tank Removal, Studebak	Matrix:	Soil
Lab ID:	06060208-003		

Analyses	Result	RL	Qualifier	Units	DF	Date Analyzed
Percent Moisture	D2974				Prep Date: 6/8/2006	Analyst: RW
Percent Moisture	17.7	0.01	*	wt%	1	6/9/2006

Qualifiers:	ND - Not Detected at the Reporting Limit	RL - Reporting / Quantitation Limit for the analysis
	J - Analyte detected below quantitation limits	S - Spike Recovery outside accepted recovery limits
	B - Analyte detected in the associated Method Blank	R - RPD outside accepted recovery limits
	HT - Sample received past holding time	E - Value above quantitation range
	* - Non-accredited parameter	H - Holding time exceeded

STAT Analysis Corporation

2255 West Harrison St., Suite B, Chicago, IL 60612-3505

Tel: (312) 733-0551 Fax: (312) 733-2386 STATInfo@STATAnalysis.com

Accreditation Numbers: IEPA ELAP 100445; ORELAP IL300001; AIHA 101160; NVLAP LabCode 101202-0

Date Reported: June 19, 2006

Date Printed: June 19, 2006

Client:	Amereco Inc.	Client Sample ID:	S-02
Lab Order:	06060208	Collection Date:	6/7/2006 11:50:00 AM
Project:	06.732b, 4 Quenching Oil Tank Removal, Studebak	Matrix:	Soil
Lab ID:	06060208-004		

Analyses	Result	RL	Qualifier	Units	DF	Date Analyzed
PCBs						
	SW8082 (SW3550B)			Prep Date: 6/8/2006		Analyst: ERP
Aroclor 1016	ND	0.095		mg/Kg-dry	1	6/9/2006
Aroclor 1221	ND	0.095		mg/Kg-dry	1	6/9/2006
Aroclor 1232	ND	0.095		mg/Kg-dry	1	6/9/2006
Aroclor 1242	ND	0.095		mg/Kg-dry	1	6/9/2006
Aroclor 1248	ND	0.095		mg/Kg-dry	1	6/9/2006
Aroclor 1254	ND	0.095		mg/Kg-dry	1	6/9/2006
Aroclor 1260	ND	0.095		mg/Kg-dry	1	6/9/2006
Total Petroleum Hydrocarbons						
	SW8015M (SW3580A)			Prep Date: 6/13/2006		Analyst: DCW
TPH (GRO)	ND	23		mg/Kg-dry	1	6/13/2006
TPH (DRO)	120	23		mg/Kg-dry	1	6/13/2006
TPH (ERO)	550	23		mg/Kg-dry	1	6/13/2006
Mercury						
	SW7471A			Prep Date: 6/9/2006		Analyst: JG
Mercury	0.063	0.029		mg/Kg-dry	1	6/9/2006
Metals by ICP/MS						
	SW6020 (SW3050B)			Prep Date: 6/9/2006		Analyst: JG
Arsenic	3.3	1.2		mg/Kg-dry	10	6/9/2006
Barium	24	1.2		mg/Kg-dry	10	6/9/2006
Cadmium	ND	0.59		mg/Kg-dry	10	6/9/2006
Chromium	6.7	1.2		mg/Kg-dry	10	6/9/2006
Lead	13	0.59		mg/Kg-dry	10	6/9/2006
Selenium	ND	1.2		mg/Kg-dry	10	6/9/2006
Silver	ND	1.2		mg/Kg-dry	10	6/9/2006
Polynuclear Aromatic Hydrocarbons						
	SW8270C-SIM (SW3550B)			Prep Date: 6/8/2006		Analyst: VS
Acenaphthene	0.051	0.039		mg/Kg-dry	10	6/11/2006
Acenaphthylene	ND	0.039		mg/Kg-dry	10	6/11/2006
Anthracene	ND	0.039		mg/Kg-dry	10	6/11/2006
Benz(a)anthracene	ND	0.039		mg/Kg-dry	10	6/11/2006
Benzo(a)pyrene	ND	0.039		mg/Kg-dry	10	6/11/2006
Benzo(b)fluoranthene	ND	0.039		mg/Kg-dry	10	6/11/2006
Benzo(g,h,i)perylene	ND	0.039		mg/Kg-dry	10	6/11/2006
Benzo(k)fluoranthene	ND	0.039		mg/Kg-dry	10	6/11/2006
Chrysene	ND	0.039		mg/Kg-dry	10	6/11/2006
Dibenz(a,h)anthracene	ND	0.039		mg/Kg-dry	10	6/11/2006
Fluoranthene	ND	0.039		mg/Kg-dry	10	6/11/2006
Fluorene	ND	0.039		mg/Kg-dry	10	6/11/2006
Indeno(1,2,3-cd)pyrene	ND	0.039		mg/Kg-dry	10	6/11/2006
Naphthalene	0.2	0.039		mg/Kg-dry	10	6/11/2006

Qualifiers:	ND - Not Detected at the Reporting Limit	RL - Reporting / Quantitation Limit for the analysis
	J - Analyte detected below quantitation limits	S - Spike Recovery outside accepted recovery limits
	B - Analyte detected in the associated Method Blank	R - RPD outside accepted recovery limits
	HT - Sample received past holding time	E - Value above quantitation range
	* - Non-accredited parameter	H - Holding time exceeded

STAT Analysis Corporation

2255 West Harrison St., Suite B, Chicago, IL 60612-3505

Tel: (312) 733-0551 Fax: (312) 733-2386 STATinfo@STATAnalysis.com

Accreditation Numbers: IEPA ELAP 100445; ORELAP IL300001; AIHA 101160; NVLAP LabCode 101202-0

Date Reported: June 19, 2006

Date Printed: June 19, 2006

Client:	Amereco Inc.	Client Sample ID:	S-02
Lab Order:	06060208	Collection Date:	6/7/2006 11:50:00 AM
Project:	06.732b, 4 Quenching Oil Tank Removal, Studebak	Matrix:	Soil
Lab ID:	06060208-004		

Analyses	Result	RL	Qualifier	Units	DF	Date Analyzed
Polynuclear Aromatic Hydrocarbons						
	SW8270C-SIM (SW3550B)			Prep Date: 6/8/2006		Analyst: VS
Phenanthrene	0.091	0.039		mg/Kg-dry	10	6/11/2006
Pyrene	0.043	0.039		mg/Kg-dry	10	6/11/2006
Volatile Organic Compounds by GC/MS						
	SW5035/8260B			Prep Date: 6/9/2006		Analyst: SK
Acetone	0.2	0.06		mg/Kg-dry	1	6/13/2006
Benzene	0.0061	0.006		mg/Kg-dry	1	6/13/2006
Bromodichloromethane	ND	0.006		mg/Kg-dry	1	6/13/2006
Bromoform	ND	0.006		mg/Kg-dry	1	6/13/2006
Bromomethane	ND	0.012		mg/Kg-dry	1	6/13/2006
2-Butanone	0.032	0.012		mg/Kg-dry	1	6/13/2006
Carbon disulfide	ND	0.006		mg/Kg-dry	1	6/13/2006
Carbon tetrachloride	ND	0.006		mg/Kg-dry	1	6/13/2006
Chlorobenzene	ND	0.006		mg/Kg-dry	1	6/13/2006
Dibromochloromethane	ND	0.006		mg/Kg-dry	1	6/13/2006
Chloroethane	ND	0.012		mg/Kg-dry	1	6/13/2006
Chloroform	ND	0.006		mg/Kg-dry	1	6/13/2006
Chloromethane	ND	0.012		mg/Kg-dry	1	6/13/2006
1,1-Dichloroethane	ND	0.006		mg/Kg-dry	1	6/13/2006
1,2-Dichloroethane	ND	0.006		mg/Kg-dry	1	6/13/2006
1,1-Dichloroethene	ND	0.006		mg/Kg-dry	1	6/13/2006
cis-1,2-Dichloroethene	ND	0.006		mg/Kg-dry	1	6/13/2006
trans-1,2-Dichloroethene	ND	0.006		mg/Kg-dry	1	6/13/2006
1,2-Dichloropropane	ND	0.006		mg/Kg-dry	1	6/13/2006
cis-1,3-Dichloropropene	ND	0.006		mg/Kg-dry	1	6/13/2006
trans-1,3-Dichloropropene	ND	0.006		mg/Kg-dry	1	6/13/2006
Ethylbenzene	ND	0.006		mg/Kg-dry	1	6/13/2006
2-Hexanone	ND	0.012		mg/Kg-dry	1	6/13/2006
4-Methyl-2-pentanone	ND	0.012		mg/Kg-dry	1	6/13/2006
Methylene chloride	ND	0.012		mg/Kg-dry	1	6/13/2006
Methyl tert-butyl ether	ND	0.006		mg/Kg-dry	1	6/13/2006
Styrene	ND	0.006		mg/Kg-dry	1	6/13/2006
1,1,2,2-Tetrachloroethane	ND	0.006		mg/Kg-dry	1	6/13/2006
Tetrachloroethene		1.2		mg/Kg-dry	200	6/15/2006
Toluene	0.007	0.006		mg/Kg-dry	1	6/13/2006
1,1,1-Trichloroethane	ND	0.006		mg/Kg-dry	1	6/13/2006
1,1,2-Trichloroethane	ND	0.006		mg/Kg-dry	1	6/13/2006
Trichloroethene	0.011	0.006		mg/Kg-dry	1	6/13/2006
Vinyl chloride	ND	0.006		mg/Kg-dry	1	6/13/2006
Xylenes, Total	ND	0.018		mg/Kg-dry	1	6/13/2006

Qualifiers:	ND - Not Detected at the Reporting Limit	RL - Reporting / Quantitation Limit for the analysis
	J - Analyte detected below quantitation limits	S - Spike Recovery outside accepted recovery limits
	B - Analyte detected in the associated Method Blank	R - RPD outside accepted recovery limits
	HT - Sample received past holding time	E - Value above quantitation range
	* - Non-accredited parameter	H - Holding time exceeded

STAT Analysis Corporation

2255 West Harrison St., Suite B, Chicago, IL 60612-3505

Tel: (312) 733-0551 Fax: (312) 733-2386 STATinfo@STATAnalysis.com

Accreditation Numbers: IEPA ELAP 100445; ORELAP IL300001; AIHA 101160; NYLAP LabCode 101202-0

Date Reported: June 19, 2006

Date Printed: June 19, 2006

Client:	Amereco Inc.	Client Sample ID:	S-02
Lab Order:	06060208	Collection Date:	6/7/2006 11:50:00 AM
Project:	06.732b, 4 Quenching Oil Tank Removal, Studebak	Matrix:	Soil
Lab ID:	06060208-004		

Analyses	Result	RL	Qualifier	Units	DF	Date Analyzed
Percent Moisture	D2974				Prep Date: 6/8/2006	Analyst: RW
Percent Moisture	18.0	0.01	*	wt%	1	6/9/2006

Qualifiers:	ND - Not Detected at the Reporting Limit	RL - Reporting / Quantitation Limit for the analysis
	J - Analyte detected below quantitation limits	S - Spike Recovery outside accepted recovery limits
	B - Analyte detected in the associated Method Blank	R - RPD outside accepted recovery limits
	HT - Sample received past holding time	E - Value above quantitation range
	* - Non-accredited parameter	FI - Holding time exceeded

STAT Analysis Corporation

2255 West Harrison St., Suite B, Chicago, IL 60612-3505

Tel: (312) 733-0551 Fax: (312) 733-2386 STATinfo@STATAnalysis.com

Accreditation Numbers: IEPA ELAP 100445; ORELAP IL300001; AIHA 101160; NVLAP LabCode 101202-0

Date Reported: June 19, 2006

Date Printed: June 19, 2006

Client:	Amereco Inc.	Client Sample ID:	S-03
Lab Order:	06060208	Collection Date:	6/7/2006 11:55:00 AM
Project:	06.732b, 4 Quenching Oil Tank Removal, Studebak	Matrix:	Soil
Lab ID:	06060208-005		

Analyses	Result	RL	Qualifier	Units	DF	Date Analyzed
PCBs	SW8082 (SW3550B)		Prep Date: 6/8/2006		Analyst: ERP	
Aroclor 1016	ND	0.089		mg/Kg-dry	1	6/9/2006
Aroclor 1221	ND	0.089		mg/Kg-dry	1	6/9/2006
Aroclor 1232	ND	0.089		mg/Kg-dry	1	6/9/2006
Aroclor 1242	ND	0.089		mg/Kg-dry	1	6/9/2006
Aroclor 1248	ND	0.089		mg/Kg-dry	1	6/9/2006
Aroclor 1254	ND	0.089		mg/Kg-dry	1	6/9/2006
Aroclor 1260	ND	0.089		mg/Kg-dry	1	6/9/2006
Total Petroleum Hydrocarbons	SW8015M (SW3580A)		Prep Date: 6/13/2006		Analyst: DCW	
TPH (GRO)	ND	21		mg/Kg-dry	1	6/13/2006
TPH (DRO)	140	21		mg/Kg-dry	1	6/13/2006
TPH (ERO)	640	21		mg/Kg-dry	1	6/13/2006
Mercury	SW7471A		Prep Date: 6/9/2006		Analyst: JG	
Mercury	ND	0.027		mg/Kg-dry	1	6/9/2006
Metals by ICP/MS	SW6020 (SW3050B)		Prep Date: 6/9/2006		Analyst: JG	
Arsenic	1.6	1.1		mg/Kg-dry	10	6/9/2006
Barium	18	1.1		mg/Kg-dry	10	6/9/2006
Cadmium	ND	0.55		mg/Kg-dry	10	6/9/2006
Chromium	3.7	1.1		mg/Kg-dry	10	6/9/2006
Lead	14	0.55		mg/Kg-dry	10	6/9/2006
Selenium	ND	1.1		mg/Kg-dry	10	6/9/2006
Silver	ND	1.1		mg/Kg-dry	10	6/9/2006
Polynuclear Aromatic Hydrocarbons	SW8270C-SIM (SW3550B)		Prep Date: 6/8/2006		Analyst: VS	
Acenaphthene	ND	0.036		mg/Kg-dry	10	6/11/2006
Acenaphthylene	ND	0.036		mg/Kg-dry	10	6/11/2006
Anthracene	ND	0.036		mg/Kg-dry	10	6/11/2006
Benz(a)anthracene	ND	0.036		mg/Kg-dry	10	6/11/2006
Benzo(a)pyrene	ND	0.036		mg/Kg-dry	10	6/11/2006
Benzo(b)fluoranthene	ND	0.036		mg/Kg-dry	10	6/11/2006
Benzo(g,h,i)perylene	ND	0.036		mg/Kg-dry	10	6/11/2006
Benzo(k)fluoranthene	ND	0.036		mg/Kg-dry	10	6/11/2006
Chrysene	ND	0.036		mg/Kg-dry	10	6/11/2006
Dibenz(a,h)anthracene	ND	0.036		mg/Kg-dry	10	6/11/2006
Fluoranthene	ND	0.036		mg/Kg-dry	10	6/11/2006
Fluorene	ND	0.036		mg/Kg-dry	10	6/11/2006
Indeno(1,2,3-cd)pyrene	ND	0.036		mg/Kg-dry	10	6/11/2006
Naphthalene	ND	0.036		mg/Kg-dry	10	6/11/2006

Qualifiers:
 ND - Not Detected at the Reporting Limit
 J - Analyte detected below quantitation limits
 B - Analyte detected in the associated Method Blank
 HT - Sample received past holding time
 * - Non-accredited parameter

RL - Reporting / Quantitation Limit for the analysis
 S - Spike Recovery outside accepted recovery limits
 R - RPD outside accepted recovery limits
 E - Value above quantitation range
 H - Holding time exceeded

STAT Analysis Corporation

2255 West Harrison St., Suite B, Chicago, IL 60612-3505

Tel: (312) 733-0551 Fax: (312) 733-2386 STATInfo@STATAnalysis.com

Accreditation Numbers: IEPA ELAP 100445; ORELAP IL300001; AIHA 101160; NVLAP LabCode 101202-0

Date Reported: June 19, 2006

Date Printed: June 19, 2006

Client:	Amereco Inc.	Client Sample ID:	S-03
Lab Order:	06060208	Collection Date:	6/7/2006 11:55:00 AM
Project:	06.732b, 4 Quenching Oil Tank Removal, Studebak	Matrix:	Soil
Lab ID:	06060208-005		

Analyses	Result	RL	Qualifier	Units	DF	Date Analyzed
Polynuclear Aromatic Hydrocarbons		SW8270C-SIM (SW3550B)		Prep Date:	6/8/2006	Analyst: VS
Phenanthrene	ND	0.036		mg/Kg-dry	10	6/11/2006
Pyrene	ND	0.036		mg/Kg-dry	10	6/11/2006
Volatile Organic Compounds by GC/MS		SW5035/8260B		Prep Date:	6/9/2006	Analyst: SK
Acetone	0.37	0.052	E	mg/Kg-dry	1	6/13/2006
Benzene	ND	0.0052		mg/Kg-dry	1	6/13/2006
Bromodichloromethane	ND	0.0052		mg/Kg-dry	1	6/13/2006
Bromoform	ND	0.0052		mg/Kg-dry	1	6/13/2006
Bromomethane	ND	0.01		mg/Kg-dry	1	6/13/2006
2-Butanone	0.069	0.01		mg/Kg-dry	1	6/13/2006
Carbon disulfide	ND	0.0052		mg/Kg-dry	1	6/13/2006
Carbon tetrachloride	ND	0.0052		mg/Kg-dry	1	6/13/2006
Chlorobenzene	ND	0.0052		mg/Kg-dry	1	6/13/2006
Dibromochloromethane	ND	0.0052		mg/Kg-dry	1	6/13/2006
Chloroethane	ND	0.01		mg/Kg-dry	1	6/13/2006
Chloroform	ND	0.0052		mg/Kg-dry	1	6/13/2006
Chloromethane	ND	0.01		mg/Kg-dry	1	6/13/2006
1,1-Dichloroethane	ND	0.0052		mg/Kg-dry	1	6/13/2006
1,2-Dichloroethane	ND	0.0052		mg/Kg-dry	1	6/13/2006
1,1-Dichloroethene	ND	0.0052		mg/Kg-dry	1	6/13/2006
cis-1,2-Dichloroethene	ND	0.0052		mg/Kg-dry	1	6/13/2006
trans-1,2-Dichloroethene	ND	0.0052		mg/Kg-dry	1	6/13/2006
1,2-Dichloropropane	ND	0.0052		mg/Kg-dry	1	6/13/2006
cis-1,3-Dichloropropene	ND	0.0052		mg/Kg-dry	1	6/13/2006
trans-1,3-Dichloropropene	ND	0.0052		mg/Kg-dry	1	6/13/2006
Ethylbenzene	ND	0.0052		mg/Kg-dry	1	6/13/2006
2-Hexanone	ND	0.01		mg/Kg-dry	1	6/13/2006
4-Methyl-2-pentanone	ND	0.01		mg/Kg-dry	1	6/13/2006
Methylene chloride	ND	0.01		mg/Kg-dry	1	6/13/2006
Methyl tert-butyl ether	ND	0.0052		mg/Kg-dry	1	6/13/2006
Styrene	ND	0.0052		mg/Kg-dry	1	6/13/2006
1,1,2,2-Tetrachloroethane	ND	0.0052		mg/Kg-dry	1	6/13/2006
Tetrachloroethene	3.4	0.28		mg/Kg-dry	50	6/15/2006
Toluene	ND	0.0052		mg/Kg-dry	1	6/13/2006
1,1,1-Trichloroethane	ND	0.0052		mg/Kg-dry	1	6/13/2006
1,1,2-Trichloroethane	ND	0.0052		mg/Kg-dry	1	6/13/2006
Trichloroethene	ND	0.0052		mg/Kg-dry	1	6/13/2006
Vinyl chloride	ND	0.0052		mg/Kg-dry	1	6/13/2006
Xylenes, Total	ND	0.016		mg/Kg-dry	1	6/13/2006

Qualifiers:	ND - Not Detected at the Reporting Limit	RL - Reporting / Quantitation Limit for the analysis
	J - Analyte detected below quantitation limits	S - Spike Recovery outside accepted recovery limits
	B - Analyte detected in the associated Method Blank	R - RPD outside accepted recovery limits
	HT - Sample received past holding time	E - Value above quantitation range
	* - Non-accredited parameter	H - Holding time exceeded

STAT Analysis Corporation

2255 West Harrison St., Suite B, Chicago, IL 60612-3505

Tel: (312) 733-0551 Fax: (312) 733-2386 STATinfo@STATAnalysis.com

Accreditation Numbers: IEPA ELAP 100445; ORELAP IL300001; AIHA 101160; NVLAP LabCode 101202-0

Date Reported: June 19, 2006

Date Printed: June 19, 2006

Client:	Amereco Inc.	Client Sample ID:	S-03
Lab Order:	06060208	Collection Date:	6/7/2006 11:55:00 AM
Project:	06.732b, 4 Quenching Oil Tank Removal, Studebak	Matrix:	Soil
Lab ID:	06060208-005		

Analyses	Result	RL	Qualifier	Units	DF	Date Analyzed
Percent Moisture	D2974				Prep Date: 6/8/2006	Analyst: RW
Percent Moisture	10.8	0.01	*	wt%	1	6/9/2006

Qualifiers:	ND - Not Detected at the Reporting Limit	RL - Reporting / Quantitation Limit for the analysis
	J - Analyte detected below quantitation limits	S - Spike Recovery outside accepted recovery limits
	B - Analyte detected in the associated Method Blank	R - RPD outside accepted recovery limits
	HT - Sample received past holding time	E - Value above quantitation range
	* - Non-accredited parameter	H - Holding time exceeded

STAT Analysis Corporation

2255 West Harrison St., Suite B, Chicago, IL 60612-3505

Tel: (312) 733-0551 Fax: (312) 733-2386 STATInfo@STATAnalysis.com

Accreditation Numbers: IEPA ELAP 100445; ORELAP IL300001; AIHA 101160; NVLAP LabCode 101202-0

Date Reported: June 19, 2006

Date Printed: June 19, 2006

Client:	Amereco Inc.	Client Sample ID:	S-04
Lab Order:	06060208	Collection Date:	6/7/2006 12:16:00 PM
Project:	06.732b, 4 Quenching Oil Tank Removal, Studebak	Matrix:	Soil
Lab ID:	06060208-006		

Analyses	Result	RL	Qualifier	Units	DF	Date Analyzed
PCBs	SW8082 (SW3550B)				Prep Date: 6/8/2006	Analyst: ERP
Aroclor 1016	ND	0.085		mg/Kg-dry	1	6/9/2006
Aroclor 1221	ND	0.085		mg/Kg-dry	1	6/9/2006
Aroclor 1232	ND	0.085		mg/Kg-dry	1	6/9/2006
Aroclor 1242	ND	0.085		mg/Kg-dry	1	6/9/2006
Aroclor 1248	ND	0.085		mg/Kg-dry	1	6/9/2006
Aroclor 1254	ND	0.085		mg/Kg-dry	1	6/9/2006
Aroclor 1260	ND	0.085		mg/Kg-dry	1	6/9/2006
Total Petroleum Hydrocarbons	SW8015M (SW3580A)				Prep Date: 6/13/2006	Analyst: DCW
TPH (GRO)	ND	20		mg/Kg-dry	1	6/13/2006
TPH (DRO)	ND	20		mg/Kg-dry	1	6/13/2006
TPH (ERO)	100	20	*	mg/Kg-dry	1	6/13/2006
Mercury	SW7471A				Prep Date: 6/9/2006	Analyst: JG
Mercury	ND	0.025		mg/Kg-dry	1	6/9/2006
Metals by ICP/MS	SW6020 (SW3050B)				Prep Date: 6/9/2006	Analyst: JG
Arsenic	1.3	1		mg/Kg-dry	10	6/9/2006
Barium	8.9	1		mg/Kg-dry	10	6/9/2006
Cadmium	ND	0.51		mg/Kg-dry	10	6/9/2006
Chromium	2.9	1		mg/Kg-dry	10	6/9/2006
Lead	2.2	0.51		mg/Kg-dry	10	6/9/2006
Selenium	ND	1		mg/Kg-dry	10	6/9/2006
Silver	ND	1		mg/Kg-dry	10	6/9/2006
Polynuclear Aromatic Hydrocarbons	SW8270C-SIM (SW3550B)				Prep Date: 6/8/2006	Analyst: DCW
Acenaphthene	ND	0.027		mg/Kg-dry	1	6/17/2006
Acenaphthylene	ND	0.027		mg/Kg-dry	1	6/17/2006
Anthracene	ND	0.027		mg/Kg-dry	1	6/17/2006
Benz(a)anthracene	ND	0.027		mg/Kg-dry	1	6/17/2006
Benzo(a)pyrene	ND	0.027		mg/Kg-dry	1	6/17/2006
Benzo(b)fluoranthene	ND	0.027		mg/Kg-dry	1	6/17/2006
Benzo(g,h,i)perylene	ND	0.027		mg/Kg-dry	1	6/17/2006
Benzo(k)fluoranthene	ND	0.027		mg/Kg-dry	1	6/17/2006
Chrysene	ND	0.027		mg/Kg-dry	1	6/17/2006
Dibenz(a,h)anthracene	ND	0.027		mg/Kg-dry	1	6/17/2006
Fluoranthene	ND	0.027		mg/Kg-dry	1	6/17/2006
Fluorene	ND	0.027		mg/Kg-dry	1	6/17/2006
Indeno(1,2,3-cd)pyrene	ND	0.027		mg/Kg-dry	1	6/17/2006
Naphthalene	ND	0.027		mg/Kg-dry	1	6/17/2006

Qualifiers:
 ND - Not Detected at the Reporting Limit
 J - Analyte detected below quantitation limits
 B - Analyte detected in the associated Method Blank
 HT - Sample received past holding time
 * - Non-accredited parameter

RL - Reporting / Quantitation Limit for the analysis
 S - Spike Recovery outside accepted recovery limits
 R - RPD outside accepted recovery limits
 E - Value above quantitation range
 H - Holding time exceeded

STAT Analysis Corporation

2255 West Harrison St., Suite B, Chicago, IL 60612-3505

Tel: (312) 733-0551 Fax: (312) 733-2386 STATinfo@STATAnalysis.com

Accreditation Numbers: IEPA ELAP 100445; ORELAP IL300001; AIHA 101160; NVLAP LabCode 101202-0

Date Reported: June 19, 2006

Date Printed: June 19, 2006

Client: Amereco Inc.

Lab Order: 06060208

Project: 06.732b, 4 Quenching Oil Tank Removal, Studebak

Lab ID: 06060208-006

Client Sample ID: S-04

Collection Date: 6/7/2006 12:16:00 PM

Matrix: Soil

Analyses	Result	RL	Qualifier	Units	DF	Date Analyzed
Polynuclear Aromatic Hydrocarbons						
	SW8270C-SIM (SW3550B)			Prep Date: 6/8/2006	Analyst: DCW	
Phenanthrene	ND	0.027		mg/Kg-dry	1	6/17/2006
Pyrene	ND	0.027		mg/Kg-dry	1	6/17/2006
Volatile Organic Compounds by GC/MS						
	SW5035/8260B			Prep Date: 6/9/2006	Analyst: SK	
Acetone	0.16	0.056		mg/Kg-dry	1	6/13/2006
Benzene	ND	0.0056		mg/Kg-dry	1	6/13/2006
Bromodichloromethane	ND	0.0056		mg/Kg-dry	1	6/13/2006
Bromoform	ND	0.0056		mg/Kg-dry	1	6/13/2006
Bromomethane	ND	0.011		mg/Kg-dry	1	6/13/2006
2-Butanone	0.03	0.011		mg/Kg-dry	1	6/13/2006
Carbon disulfide	ND	0.0056		mg/Kg-dry	1	6/13/2006
Carbon tetrachloride	ND	0.0056		mg/Kg-dry	1	6/13/2006
Chlorobenzene	ND	0.0056		mg/Kg-dry	1	6/13/2006
Dibromochloromethane	ND	0.0056		mg/Kg-dry	1	6/13/2006
Chloroethane	ND	0.011		mg/Kg-dry	1	6/13/2006
Chloroform	ND	0.0056		mg/Kg-dry	1	6/13/2006
Chloromethane	ND	0.011		mg/Kg-dry	1	6/13/2006
1,1-Dichloroethane	ND	0.0056		mg/Kg-dry	1	6/13/2006
1,2-Dichloroethane	ND	0.0056		mg/Kg-dry	1	6/13/2006
1,1-Dichloroethene	ND	0.0056		mg/Kg-dry	1	6/13/2006
cis-1,2-Dichloroethene	ND	0.0056		mg/Kg-dry	1	6/13/2006
trans-1,2-Dichloroethene	ND	0.0056		mg/Kg-dry	1	6/13/2006
1,2-Dichloropropane	ND	0.0056		mg/Kg-dry	1	6/13/2006
cis-1,3-Dichloropropene	ND	0.0056		mg/Kg-dry	1	6/13/2006
trans-1,3-Dichloropropene	ND	0.0056		mg/Kg-dry	1	6/13/2006
Ethylbenzene	ND	0.0056		mg/Kg-dry	1	6/13/2006
2-Hexanone	ND	0.011		mg/Kg-dry	1	6/13/2006
4-Methyl-2-pentanone	ND	0.011		mg/Kg-dry	1	6/13/2006
Methylene chloride	ND	0.011		mg/Kg-dry	1	6/13/2006
Methyl tert-butyl ether	ND	0.0056		mg/Kg-dry	1	6/13/2006
Styrene	ND	0.0056		mg/Kg-dry	1	6/13/2006
1,1,2,2-Tetrachloroethane	ND	0.0056		mg/Kg-dry	1	6/13/2006
Tetrachloroethene	1.2	0.27		mg/Kg-dry	50	6/15/2006
Toluene	ND	0.0056		mg/Kg-dry	1	6/13/2006
1,1,1-Trichloroethane	ND	0.0056		mg/Kg-dry	1	6/13/2006
1,1,2-Trichloroethane	ND	0.0056		mg/Kg-dry	1	6/13/2006
Trichloroethene	0.0057	0.0056		mg/Kg-dry	1	6/13/2006
Vinyl chloride	ND	0.0056		mg/Kg-dry	1	6/13/2006
Xylenes, Total	ND	0.017		mg/Kg-dry	1	6/13/2006

Qualifiers: ND - Not Detected at the Reporting Limit
 J - Analyte detected below quantitation limits
 B - Analyte detected in the associated Method Blank
 HT - Sample received past holding time
 * - Non-accredited parameter

RL - Reporting / Quantitation Limit for the analysis
 S - Spike Recovery outside accepted recovery limits
 R - RPD outside accepted recovery limits
 E - Value above quantitation range
 H - Holding time exceeded

STAT Analysis Corporation

2255 West Harrison St., Suite B, Chicago, IL 60612-3505

Tel: (312) 733-0551 Fax: (312) 733-2386 STATinfo@STATAnalysis.com

Accreditation Numbers: IEPA ELAP 100445; ORELAP IL300001; AIHA 101160; NVLAP LabCode 101202-0

Date Reported: June 19, 2006

Date Printed: June 19, 2006

Client:	Amereco Inc.	Client Sample ID:	S-04
Lab Order:	06060208	Collection Date:	6/7/2006 12:16:00 PM
Project:	06.732b, 4 Quenching Oil Tank Removal, Studebak	Matrix:	Soil
Lab ID:	06060208-006		

Analyses	Result	RL	Qualifier	Units	DF	Date Analyzed
Percent Moisture	D2974				Prep Date: 6/8/2006	Analyst: RW
Percent Moisture	7.1	0.01	*	wt%	1	6/9/2006

Qualifiers:

ND - Not Detected at the Reporting Limit
 J - Analyte detected below quantitation limits
 B - Analyte detected in the associated Method Blank
 HT - Sample received past holding time
 * - Non-accredited parameter

RL - Reporting / Quantitation Limit for the analysis
 S - Spike Recovery outside accepted recovery limits
 R - RPD outside accepted recovery limits
 E - Value above quantitation range
 H - Holding time exceeded

STAT Analysis Corporation

2255 West Harrison St., Suite B, Chicago, IL 60612-3505

Tel: (312) 733-0551 Fax: (312) 733-2386 STATinfo@STATAnalysis.com

Accreditation Numbers: IEPA ELAP 100445; ORELAP IL300001; AIHA 101160; NVLAP LabCode 101202-0

Date Reported: June 19, 2006

Date Printed: June 19, 2006

Client:	Amereco Inc.	Client Sample ID:	S-05
Lab Order:	06060208	Collection Date:	6/7/2006 12:22:00 PM
Project:	06.732b, 4 Quenching Oil Tank Removal, Studebak	Matrix:	Soil
Lab ID:	06060208-007		

Analyses	Result	RL	Qualifier	Units	DF	Date Analyzed
PCBs	SW8082 (SW3550B)				Prep Date: 6/8/2006	Analyst: ERP
Aroclor 1016	ND	0.089		mg/Kg-dry	1	6/9/2006
Aroclor 1221	ND	0.089		mg/Kg-dry	1	6/9/2006
Aroclor 1232	ND	0.089		mg/Kg-dry	1	6/9/2006
Aroclor 1242	ND	0.089		mg/Kg-dry	1	6/9/2006
Aroclor 1248	ND	0.089		mg/Kg-dry	1	6/9/2006
Aroclor 1254	ND	0.089		mg/Kg-dry	1	6/9/2006
Aroclor 1260	ND	0.089		mg/Kg-dry	1	6/9/2006
Total Petroleum Hydrocarbons	SW8015M (SW3580A)				Prep Date: 6/13/2006	Analyst: DCW
TPH (GRO)	ND	22		mg/Kg-dry	1	6/14/2006
TPH (DRO)	ND	22		mg/Kg-dry	1	6/14/2006
TPH (ERO)	ND	22	*	mg/Kg-dry	1	6/14/2006
Mercury	SW7471A				Prep Date: 6/9/2006	Analyst: JG
Mercury	ND	0.026		mg/Kg-dry	1	6/9/2006
Metals by ICP/MS	SW6020 (SW3050B)				Prep Date: 6/9/2006	Analyst: JG
Arsenic	2	1		mg/Kg-dry	10	6/9/2006
Barium	12	1		mg/Kg-dry	10	6/9/2006
Cadmium	ND	0.52		mg/Kg-dry	10	6/9/2006
Chromium	4.7	1		mg/Kg-dry	10	6/9/2006
Lead	3.2	0.52		mg/Kg-dry	10	6/9/2006
Selenium	ND	1		mg/Kg-dry	10	6/9/2006
Silver	ND	1		mg/Kg-dry	10	6/9/2006
Polynuclear Aromatic Hydrocarbons	SW8270C-SIM (SW3550B)				Prep Date: 6/8/2006	Analyst: VS
Acenaphthene	ND	0.027		mg/Kg-dry	1	6/16/2006
Acenaphthylene	ND	0.027		mg/Kg-dry	1	6/16/2006
Anthracene	ND	0.027		mg/Kg-dry	1	6/16/2006
Benz(a)anthracene	ND	0.027		mg/Kg-dry	1	6/16/2006
Benzo(a)pyrene	ND	0.027		mg/Kg-dry	1	6/16/2006
Benzo(b)fluoranthene	ND	0.027		mg/Kg-dry	1	6/16/2006
Benzo(g,h,i)perylene	ND	0.027		mg/Kg-dry	1	6/16/2006
Benzo(k)fluoranthene	ND	0.027		mg/Kg-dry	1	6/16/2006
Chrysene	ND	0.027		mg/Kg-dry	1	6/16/2006
Dibenz(a,h)anthracene	ND	0.027		mg/Kg-dry	1	6/16/2006
Fluoranthene	ND	0.027		mg/Kg-dry	1	6/16/2006
Fluorene	ND	0.027		mg/Kg-dry	1	6/16/2006
Indeno(1,2,3-cd)pyrene	ND	0.027		mg/Kg-dry	1	6/16/2006
Naphthalene	ND	0.027		mg/Kg-dry	1	6/16/2006

Qualifiers:
 ND - Not Detected at the Reporting Limit
 J - Analyte detected below quantitation limits
 B - Analyte detected in the associated Method Blank
 HT - Sample received past holding time
 * - Non-accredited parameter

RL - Reporting / Quantitation Limit for the analysis
 S - Spike Recovery outside accepted recovery limits
 R - RPD outside accepted recovery limits
 E - Value above quantitation range
 H - Holding time exceeded

STAT Analysis Corporation

2255 West Harrison St., Suite B, Chicago, IL 60612-3505

Tel: (312) 733-0551 Fax: (312) 733-2386 STATinfo@STATAnalysis.com

Accreditation Numbers: IEPA ELAP 100445; ORELAP IL300001; AIHA 101160; NVLAP LabCode 101202-0

Date Reported: June 19, 2006

Date Printed: June 19, 2006

Client:	Amereco Inc.	Client Sample ID:	S-05
Lab Order:	06060208	Collection Date:	6/7/2006 12:22:00 PM
Project:	06.732b, 4 Quenching Oil Tank Removal, Studebak	Matrix:	Soil
Lab ID:	06060208-007		

Analyses	Result	RL	Qualifier	Units	DF	Date Analyzed
Polynuclear Aromatic Hydrocarbons						
	SW8270C-SIM (SW3550B)			Prep Date: 6/8/2006		Analyst: VS
Phenanthrene	ND	0.027		mg/Kg-dry	1	6/16/2006
Pyrene	ND	0.027		mg/Kg-dry	1	6/16/2006
Volatile Organic Compounds by GC/MS						
	SW5035/8260B			Prep Date: 6/9/2006		Analyst: SK
Acetone	ND	0.089		mg/Kg-dry	1	6/13/2006
Benzene	ND	0.0089		mg/Kg-dry	1	6/13/2006
Bromodichloromethane	ND	0.0089		mg/Kg-dry	1	6/13/2006
Bromoform	ND	0.0089		mg/Kg-dry	1	6/13/2006
Bromomethane	ND	0.018		mg/Kg-dry	1	6/13/2006
2-Butanone	ND	0.018		mg/Kg-dry	1	6/13/2006
Carbon disulfide	ND	0.0089		mg/Kg-dry	1	6/13/2006
Carbon tetrachloride	ND	0.0089		mg/Kg-dry	1	6/13/2006
Chlorobenzene	ND	0.0089		mg/Kg-dry	1	6/13/2006
Dibromochloromethane	ND	0.0089		mg/Kg-dry	1	6/13/2006
Chloroethane	ND	0.018		mg/Kg-dry	1	6/13/2006
Chloroform	ND	0.0089		mg/Kg-dry	1	6/13/2006
Chloromethane	ND	0.018		mg/Kg-dry	1	6/13/2006
1,1-Dichloroethane	ND	0.0089		mg/Kg-dry	1	6/13/2006
1,2-Dichloroethane	ND	0.0089		mg/Kg-dry	1	6/13/2006
1,1-Dichloroethene	ND	0.0089		mg/Kg-dry	1	6/13/2006
cis-1,2-Dichloroethene	ND	0.0089		mg/Kg-dry	1	6/13/2006
trans-1,2-Dichloroethene	ND	0.0089		mg/Kg-dry	1	6/13/2006
1,2-Dichloropropane	ND	0.0089		mg/Kg-dry	1	6/13/2006
cis-1,3-Dichloropropene	ND	0.0089		mg/Kg-dry	1	6/13/2006
trans-1,3-Dichloropropene	ND	0.0089		mg/Kg-dry	1	6/13/2006
Ethylbenzene	ND	0.0089		mg/Kg-dry	1	6/13/2006
2-Hexanone	ND	0.018		mg/Kg-dry	1	6/13/2006
4-Methyl-2-pentanone	ND	0.018		mg/Kg-dry	1	6/13/2006
Methylene chloride	ND	0.018		mg/Kg-dry	1	6/13/2006
Methyl tert-butyl ether	ND	0.0089		mg/Kg-dry	1	6/13/2006
Styrene	ND	0.0089		mg/Kg-dry	1	6/13/2006
1,1,2,2-Tetrachloroethane	ND	0.0089		mg/Kg-dry	1	6/13/2006
Tetrachloroethene	0.24	0.0059		mg/Kg-dry	1	6/15/2006
Toluene	ND	0.0089		mg/Kg-dry	1	6/13/2006
1,1,1-Trichloroethane	ND	0.0089		mg/Kg-dry	1	6/13/2006
1,1,2-Trichloroethane	ND	0.0089		mg/Kg-dry	1	6/13/2006
Trichloroethene	ND	0.0089		mg/Kg-dry	1	6/13/2006
Vinyl chloride	ND	0.0089		mg/Kg-dry	1	6/13/2006
Xylenes, Total	ND	0.027		mg/Kg-dry	1	6/13/2006

Qualifiers:	ND - Not Detected at the Reporting Limit	RL - Reporting / Quantitation Limit for the analysis
	J - Analyte detected below quantitation limits	S - Spike Recovery outside accepted recovery limits
	B - Analyte detected in the associated Method Blank	R - RPD outside accepted recovery limits
	HT - Sample received past holding time	E - Value above quantitation range
	* - Non-accredited parameter	H - Holding time exceeded

STAT Analysis Corporation

2255 West Harrison St., Suite B, Chicago, IL 60612-3505

Tel: (312) 733-0551 Fax: (312) 733-2386 STATinfo@STATAnalysis.com

Accreditation Numbers: IEPA ELAP 100445; ORELAP IL300001; AIHA 101160; NVLAP LabCode 101202-0

Date Reported: June 19, 2006

Date Printed: June 19, 2006

Client:	Amereco Inc.	Client Sample ID:	S-05
Lab Order:	06060208	Collection Date:	6/7/2006 12:22:00 PM
Project:	06.732b, 4 Quenching Oil Tank Removal, Studebak	Matrix:	Soil
Lab ID:	06060208-007		

Analyses	Result	RL	Qualifier	Units	DF	Date Analyzed
Percent Moisture	D2974				Prep Date: 6/8/2006	Analyst: RW
Percent Moisture	10.7	0.01	*	wt%	1	6/9/2006

Qualifiers:

ND - Not Detected at the Reporting Limit
 J - Analyte detected below quantitation limits
 B - Analyte detected in the associated Method Blank
 HT - Sample received past holding time
 * - Non-accredited parameter

RL - Reporting / Quantitation Limit for the analysis
 S - Spike Recovery outside accepted recovery limits
 R - RPD outside accepted recovery limits
 E - Value above quantitation range
 H - Holding time exceeded

STAT Analysis Corporation

2255 West Harrison St., Suite B, Chicago, IL 60612-3505

Tel: (312) 733-0551 Fax: (312) 733-2386 STATinfo@STATAnalysis.com

Accreditation Numbers: IEPA ELAP 100445; ORELAP IL300001; AIHA 101160; NVLAP LabCode 101202-0

Date Reported: June 19, 2006

Date Printed: June 19, 2006

Client:	Amereco Inc.	Client Sample ID:	S-06
Lab Order:	06060208	Collection Date:	6/7/2006 12:19:00 PM
Project:	06.732b, 4 Quenching Oil Tank Removal, Studebak	Matrix:	Soil
Lab ID:	06060208-008		

Analyses	Result	RL	Qualifier	Units	DF	Date Analyzed
PCBs						
	SW8082 (SW3550B)			Prep Date: 6/8/2006		Analyst: ERP
Aroclor 1016	ND	0.098		mg/Kg-dry	1	6/9/2006
Aroclor 1221	ND	0.098		mg/Kg-dry	1	6/9/2006
Aroclor 1232	ND	0.098		mg/Kg-dry	1	6/9/2006
Aroclor 1242	ND	0.098		mg/Kg-dry	1	6/9/2006
Aroclor 1248	ND	0.098		mg/Kg-dry	1	6/9/2006
Aroclor 1254	ND	0.098		mg/Kg-dry	1	6/9/2006
Aroclor 1260	ND	0.098		mg/Kg-dry	1	6/9/2006
Total Petroleum Hydrocarbons						
	SW8015M (SW3580A)			Prep Date: 6/13/2006		Analyst: DCW
TPH (GRO)	ND	21		mg/Kg-dry	1	6/14/2006
TPH (DRO)	180	21		mg/Kg-dry	1	6/14/2006
TPH (ERO)	600	21		mg/Kg-dry	1	6/14/2006
Mercury						
	SW7471A			Prep Date: 6/9/2006		Analyst: JG
Mercury	0.12	0.028		mg/Kg-dry	1	6/9/2006
Metals by ICP/MS						
	SW6020 (SW3050B)			Prep Date: 6/9/2006		Analyst: JG
Arsenic	3.4	1.1		mg/Kg-dry	10	6/9/2006
Barium	34	1.1		mg/Kg-dry	10	6/9/2006
Cadmium	ND	0.57		mg/Kg-dry	10	6/9/2006
Chromium	6.5	1.1		mg/Kg-dry	10	6/9/2006
Lead	22	0.57		mg/Kg-dry	10	6/9/2006
Selenium	ND	1.1		mg/Kg-dry	10	6/9/2006
Silver	ND	1.1		mg/Kg-dry	10	6/9/2006
Polynuclear Aromatic Hydrocarbons						
	SW8270C-SIM (SW3550B)			Prep Date: 6/8/2006		Analyst: VS
Acenaphthene	ND	0.04		mg/Kg-dry	10	6/15/2006
Acenaphthylene	ND	0.04		mg/Kg-dry	10	6/15/2006
Anthracene	ND	0.04		mg/Kg-dry	10	6/15/2006
Benz(a)anthracene	ND	0.04		mg/Kg-dry	10	6/15/2006
Benzo(a)pyrene	0.048	0.04		mg/Kg-dry	10	6/15/2006
Benzo(b)fluoranthene	ND	0.04		mg/Kg-dry	10	6/15/2006
Benzo(g,h,i)perylene	0.053	0.04		mg/Kg-dry	10	6/15/2006
Benzo(k)fluoranthene	ND	0.04		mg/Kg-dry	10	6/15/2006
Chrysene	0.081	0.04		mg/Kg-dry	10	6/15/2006
Dibenz(a,h)anthracene	ND	0.04		mg/Kg-dry	10	6/15/2006
Fluoranthene	0.14	0.04		mg/Kg-dry	10	6/15/2006
Fluorene	ND	0.04		mg/Kg-dry	10	6/15/2006
Indeno(1,2,3-cd)pyrene	ND	0.04		mg/Kg-dry	10	6/15/2006
Naphthalene	ND	0.04		mg/Kg-dry	10	6/15/2006

Qualifiers:
 ND - Not Detected at the Reporting Limit
 J - Analyte detected below quantitation limits
 B - Analyte detected in the associated Method Blank
 HT - Sample received past holding time
 * - Non-accredited parameter

RL - Reporting / Quantitation Limit for the analysis
 S - Spike Recovery outside accepted recovery limits
 R - RPD outside accepted recovery limits
 E - Value above quantitation range
 H - Holding time exceeded

STAT Analysis Corporation

2255 West Harrison St., Suite B, Chicago, IL 60612-3505

Tel: (312) 733-0551 Fax: (312) 733-2386 STATinfo@STATAnalysis.com

Accreditation Numbers: IEPA ELAP 100445; ORELAP IL300001; AIHA 101160; NVLAP LabCode 101202-0

Date Reported: June 19, 2006

Date Printed: June 19, 2006

Client:	Amerco Inc.	Client Sample ID:	S-06
Lab Order:	06060208	Collection Date:	6/7/2006 12:19:00 PM
Project:	06.732b, 4 Quenching Oil Tank Removal, Studebak	Matrix:	Soil
Lab ID:	06060208-008		

Analyses	Result	RL	Qualifier	Units	DF	Date Analyzed
Polynuclear Aromatic Hydrocarbons						
	SW8270C-SIM (SW3550B)			Prep Date: 6/8/2006		Analyst: VS
Phenanthrene	0.093	0.04		mg/Kg-dry	10	6/15/2006
Pyrene	0.13	0.04		mg/Kg-dry	10	6/15/2006
Volatile Organic Compounds by GC/MS						
	SW5035/8260B			Prep Date: 6/9/2006		Analyst: SK
Acetone	0.11	0.06		mg/Kg-dry	1	6/14/2006
Benzene	0.0094	0.006		mg/Kg-dry	1	6/14/2006
Bromodichloromethane	ND	0.006		mg/Kg-dry	1	6/14/2006
Bromoform	ND	0.006		mg/Kg-dry	1	6/14/2006
Bromomethane	ND	0.012		mg/Kg-dry	1	6/14/2006
2-Butanone	0.015	0.012		mg/Kg-dry	1	6/14/2006
Carbon disulfide	ND	0.006		mg/Kg-dry	1	6/14/2006
Carbon tetrachloride	ND	0.006		mg/Kg-dry	1	6/14/2006
Chlorobenzene	ND	0.006		mg/Kg-dry	1	6/14/2006
Dibromochloromethane	ND	0.006		mg/Kg-dry	1	6/14/2006
Chloroethane	ND	0.012		mg/Kg-dry	1	6/14/2006
Chloroform	ND	0.006		mg/Kg-dry	1	6/14/2006
Chloromethane	ND	0.012		mg/Kg-dry	1	6/14/2006
1,1-Dichloroethane	ND	0.006		mg/Kg-dry	1	6/14/2006
1,2-Dichloroethane	ND	0.006		mg/Kg-dry	1	6/14/2006
1,1-Dichloroethene	ND	0.006		mg/Kg-dry	1	6/14/2006
cis-1,2-Dichloroethene	0.024	0.006		mg/Kg-dry	1	6/14/2006
trans-1,2-Dichloroethene	ND	0.006		mg/Kg-dry	1	6/14/2006
1,2-Dichloropropane	ND	0.006		mg/Kg-dry	1	6/14/2006
cis-1,3-Dichloropropene	ND	0.006		mg/Kg-dry	1	6/14/2006
trans-1,3-Dichloropropene	ND	0.006		mg/Kg-dry	1	6/14/2006
Ethylbenzene	ND	0.006		mg/Kg-dry	1	6/14/2006
2-Hexanone	ND	0.012		mg/Kg-dry	1	6/14/2006
4-Methyl-2-pentanone	ND	0.012		mg/Kg-dry	1	6/14/2006
Methylene chloride	ND	0.012		mg/Kg-dry	1	6/14/2006
Methyl tert-butyl ether	ND	0.006		mg/Kg-dry	1	6/14/2006
Styrene	ND	0.006		mg/Kg-dry	1	6/14/2006
1,1,2,2-Tetrachloroethane	ND	0.006		mg/Kg-dry	1	6/14/2006
Tetrachloroethene	2.1	0.31		mg/Kg-dry	50	6/14/2006
Toluene	ND	0.006		mg/Kg-dry	1	6/14/2006
1,1,1-Trichloroethane	ND	0.006		mg/Kg-dry	1	6/14/2006
1,1,2-Trichloroethane	ND	0.006		mg/Kg-dry	1	6/14/2006
Trichloroethene	0.0066	0.006		mg/Kg-dry	1	6/14/2006
Vinyl chloride	ND	0.006		mg/Kg-dry	1	6/14/2006
Xylenes, Total	ND	0.018		mg/Kg-dry	1	6/14/2006

Qualifiers:	ND - Not Detected at the Reporting Limit	RL - Reporting / Quantitation Limit for the analysis
	J - Analyte detected below quantitation limits	S - Spike Recovery outside accepted recovery limits
	B - Analyte detected in the associated Method Blank	R - RPD outside accepted recovery limits
	HT - Sample received past holding time	E - Value above quantitation range
	* - Non-accredited parameter	H - Holding time exceeded

STAT Analysis Corporation

2255 West Harrison St., Suite B, Chicago, IL 60612-3505

Tel: (312) 733-0551 Fax: (312) 733-2386 STATinfo@STATAnalysis.com

Accreditation Numbers: IEPA ELAP 100445; ORELAP IL300001; AIHA 101160; NVLAP LabCode 101202-0

Date Reported: June 19, 2006

Date Printed: June 19, 2006

Client:	Amereco Inc.	Client Sample ID:	S-06
Lab Order:	06060208	Collection Date:	6/7/2006 12:19:00 PM
Project:	06.732b, 4 Quenching Oil Tank Removal, Studebak	Matrix:	Soil
Lab ID:	06060208-008		

Analyses	Result	RL	Qualifier	Units	DF	Date Analyzed
Percent Moisture	D2974				Prep Date: 6/8/2006	Analyst: RW
Percent Moisture	18.5	0.01	*	wt%	1	6/9/2006

Qualifiers:

ND - Not Detected at the Reporting Limit
 J - Analyte detected below quantitation limits
 B - Analyte detected in the associated Method Blank
 HT - Sample received past holding time
 * - Non-accredited parameter

RL - Reporting / Quantitation Limit for the analysis
 S - Spike Recovery outside accepted recovery limits
 R - RPD outside accepted recovery limits
 E - Value above quantitation range
 H - Holding time exceeded

STAT Analysis Corporation

2255 West Harrison St., Suite B, Chicago, IL 60612-3505

Tel: (312) 733-0551 Fax: (312) 733-2386 STATinfo@STATAnalysis.com

Accreditation Numbers: IEPA ELAP 100445; ORELAP IL300001; AIHA 101160; NYLAP LabCode 101202-0

Date Reported: June 19, 2006

Date Printed: June 19, 2006

Client:	Amereco Inc.	Client Sample ID:	S-07
Lab Order:	06060208	Collection Date:	6/7/2006 12:25:00 PM
Project:	06.732b, 4 Quenching Oil Tank Removal, Studebak	Matrix:	Soil
Lab ID:	06060208-009		

Analyses	Result	RL	Qualifier	Units	DF	Date Analyzed
PCBs						
	SW8082 (SW3550B)		Prep Date: 6/8/2006		Analyst: ERP	
Aroclor 1016	ND	0.085		mg/Kg-dry	1	6/9/2006
Aroclor 1221	ND	0.085		mg/Kg-dry	1	6/9/2006
Aroclor 1232	ND	0.085		mg/Kg-dry	1	6/9/2006
Aroclor 1242	ND	0.085		mg/Kg-dry	1	6/9/2006
Aroclor 1248	ND	0.085		mg/Kg-dry	1	6/9/2006
Aroclor 1254	ND	0.085		mg/Kg-dry	1	6/9/2006
Aroclor 1260	ND	0.085		mg/Kg-dry	1	6/9/2006
Total Petroleum Hydrocarbons						
	SW8015M (SW3580A)		Prep Date: 6/13/2006		Analyst: DCW	
TPH (GRO)	ND	21		mg/Kg-dry	1	6/14/2006
TPH (DRO)	2300	21		mg/Kg-dry	1	6/14/2006
TPH (ERO)	5400	100		mg/Kg-dry	5	6/15/2006
Mercury						
	SW7471A		Prep Date: 6/9/2006		Analyst: JG	
Mercury	ND	0.026		mg/Kg-dry	1	6/9/2006
Metals by ICP/MS						
	SW6020 (SW3050B)		Prep Date: 6/9/2006		Analyst: JG	
Arsenic	2	1		mg/Kg-dry	10	6/9/2006
Barium	23	1		mg/Kg-dry	10	6/9/2006
Cadmium	ND	0.5		mg/Kg-dry	10	6/9/2006
Chromium	5.3	1		mg/Kg-dry	10	6/9/2006
Lead	35	0.5		mg/Kg-dry	10	6/9/2006
Selenium	ND	1		mg/Kg-dry	10	6/9/2006
Silver	ND	1		mg/Kg-dry	10	6/9/2006
Polynuclear Aromatic Hydrocarbons						
	SW8270C-SIM (SW3550B)		Prep Date: 6/8/2006		Analyst: VS	
Acenaphthene	ND	0.035		mg/Kg-dry	10	6/16/2006
Acenaphthylene	ND	0.035		mg/Kg-dry	10	6/16/2006
Anthracene	ND	0.035		mg/Kg-dry	10	6/16/2006
Benz(a)anthracene	0.14	0.035		mg/Kg-dry	10	6/16/2006
Benzo(a)pyrene	0.089	0.035		mg/Kg-dry	10	6/16/2006
Benzo(b)fluoranthene	ND	0.035		mg/Kg-dry	10	6/16/2006
Benzo(g,h,i)perylene	ND	0.035		mg/Kg-dry	10	6/16/2006
Benzo(k)fluoranthene	ND	0.035		mg/Kg-dry	10	6/16/2006
Chrysene	0.57	0.035		mg/Kg-dry	10	6/16/2006
Dibenz(a,h)anthracene	ND	0.035		mg/Kg-dry	10	6/16/2006
Fluoranthene	0.036	0.035		mg/Kg-dry	10	6/16/2006
Fluorene	0.05	0.035		mg/Kg-dry	10	6/16/2006
Indeno(1,2,3-cd)pyrene	ND	0.035		mg/Kg-dry	10	6/16/2006
Naphthalene	ND	0.035		mg/Kg-dry	10	6/16/2006

Qualifiers: ND - Not Detected at the Reporting Limit
 J - Analyte detected below quantitation limits
 B - Analyte detected in the associated Method Blank
 HT - Sample received past holding time
 * - Non-accredited parameter

RL - Reporting / Quantitation Limit for the analysis
 S - Spike Recovery outside accepted recovery limits
 R - RPD outside accepted recovery limits
 E - Value above quantitation range
 H - Holding time exceeded

STAT Analysis Corporation

2255 West Harrison St., Suite B, Chicago, IL 60612-3505

Tel: (312) 733-0551 Fax: (312) 733-2386 STATInfo@STATAnalysis.com

Accreditation Numbers: IEPA ELAP 100445; ORELAP IL300001; AIHA 101160; NVLAP LabCode 101202-0

Date Reported: June 19, 2006

Date Printed: June 19, 2006

Client:	Amereco Inc.	Client Sample ID:	S-07
Lab Order:	06060208	Collection Date:	6/7/2006 12:25:00 PM
Project:	06.732b, 4 Quenching Oil Tank Removal, Studebak	Matrix:	Soil
Lab ID:	06060208-009		

Analyses	Result	RL	Qualifier	Units	DF	Date Analyzed
Percent Moisture	D2974				Prep Date: 6/8/2006	Analyst: RW
Percent Moisture	7.36	0.01	*	wt%	1	6/9/2006

Qualifiers:	ND - Not Detected at the Reporting Limit	RL - Reporting / Quantitation Limit for the analysis
	I - Analyte detected below quantitation limits	S - Spike Recovery outside accepted recovery limits
	B - Analyte detected in the associated Method Blank	R - RPD outside accepted recovery limits
	HT - Sample received past holding time	E - Value above quantitation range
	* - Non-accredited parameter	H - Holding time exceeded

STAT Analysis Corporation

2255 West Harrison St., Suite B, Chicago, IL 60612-3505

Tel: (312) 733-0551 Fax: (312) 733-2386 STATinfo@STATAnalysis.com

Accreditation Numbers: IEPA ELAP 100445; ORELAP IL300001; AIHA 101160; NVLAP LabCode 101202-0

Date Reported: June 19, 2006

Date Printed: June 19, 2006

Client:	Ameresco Inc.	Client Sample ID:	S-08
Lab Order:	06060208	Collection Date:	6/7/2006 12:29:00 PM
Project:	06.732b, 4 Quenching Oil Tank Removal, Studebak	Matrix:	Soil
Lab ID:	06060208-010		

Analyses	Result	RL	Qualifier	Units	DF	Date Analyzed
PCBs	SW8082 (SW3550B)			Prep Date: 6/8/2006		Analyst: ERP
Aroclor 1016	ND	0.086		mg/Kg-dry	1	6/9/2006
Aroclor 1221	ND	0.086		mg/Kg-dry	1	6/9/2006
Aroclor 1232	ND	0.086		mg/Kg-dry	1	6/9/2006
Aroclor 1242	ND	0.086		mg/Kg-dry	1	6/9/2006
Aroclor 1248	ND	0.086		mg/Kg-dry	1	6/9/2006
Aroclor 1254	ND	0.086		mg/Kg-dry	1	6/9/2006
Aroclor 1260	ND	0.086		mg/Kg-dry	1	6/9/2006
Total Petroleum Hydrocarbons	SW8015M (SW3580A)			Prep Date: 6/13/2006		Analyst: DCW
TPH (GRO)	ND	19		mg/Kg-dry	1	6/14/2006
TPH (DRO)	60	19		mg/Kg-dry	1	6/14/2006
TPH (ERO)	270	19	*	mg/Kg-dry	1	6/14/2006
Mercury	SW7471A			Prep Date: 6/9/2006		Analyst: JG
Mercury	0.066	0.026		mg/Kg-dry	1	6/9/2006
Metals by ICP/MS	SW6020 (SW3050B)			Prep Date: 6/9/2006		Analyst: JG
Arsenic	2.8	1		mg/Kg-dry	10	6/9/2006
Barium	35	1		mg/Kg-dry	10	6/9/2006
Cadmium	ND	0.5		mg/Kg-dry	10	6/9/2006
Chromium	8.7	1		mg/Kg-dry	10	6/9/2006
Lead	29	0.5		mg/Kg-dry	10	6/9/2006
Selenium	ND	1		mg/Kg-dry	10	6/9/2006
Silver	ND	1		mg/Kg-dry	10	6/9/2006
Polynuclear Aromatic Hydrocarbons	SW8270C-SIM (SW3550B)			Prep Date: 6/8/2006		Analyst: VS
Acenaphthene	0.057	0.035		mg/Kg-dry	10	6/11/2006
Acenaphthylene	ND	0.035		mg/Kg-dry	10	6/11/2006
Anthracene	0.16	0.035		mg/Kg-dry	10	6/11/2006
Benzo(a)anthracene	0.35	0.035		mg/Kg-dry	10	6/11/2006
Benzo(a)pyrene	0.13	0.035		mg/Kg-dry	10	6/11/2006
Benzo(b)fluoranthene	0.22	0.035		mg/Kg-dry	10	6/11/2006
Benzo(g,h,i)perylene	0.079	0.035		mg/Kg-dry	10	6/11/2006
Benzo(k)fluoranthene	0.1	0.035		mg/Kg-dry	10	6/11/2006
Chrysene	0.36	0.035		mg/Kg-dry	10	6/11/2006
Dibenz(a,h)anthracene	ND	0.035		mg/Kg-dry	10	6/11/2006
Fluoranthene	0.79	0.035		mg/Kg-dry	10	6/11/2006
Fluorene	0.061	0.035		mg/Kg-dry	10	6/11/2006
Indeno(1,2,3-cd)pyrene	0.079	0.035		mg/Kg-dry	10	6/11/2006
Naphthalene	0.036	0.035		mg/Kg-dry	10	6/11/2006

Qualifiers: ND - Not Detected at the Reporting Limit
 J - Analyte detected below quantitation limits
 B - Analyte detected in the associated Method Blank
 HT - Sample received past holding time
 * - Non-accredited parameter

RL - Reporting / Quantitation Limit for the analysis
 S - Spike Recovery outside accepted recovery limits
 R - RPD outside accepted recovery limits
 E - Value above quantitation range
 H - Holding time exceeded

STAT Analysis Corporation

2255 West Harrison St., Suite B, Chicago, IL 60612-3505

Tel: (312) 733-0551 Fax: (312) 733-2386 STATinfo@STATAnalysis.com

Accreditation Numbers: IEPA ELAP 100445; ORELAP IL300001; AIHA 101160; NVLAP LabCode 101202-0

Date Reported: June 19, 2006

Date Printed: June 19, 2006

Client:	Amereco Inc.	Client Sample ID:	S-08
Lab Order:	06060208	Collection Date:	6/7/2006 12:29:00 PM
Project:	06.732b, 4 Quenching Oil Tank Removal, Studebak	Matrix:	Soil
Lab ID:	06060208-010		

Analyses	Result	RL	Qualifier	Units	DF	Date Analyzed
Polynuclear Aromatic Hydrocarbons						
	SW8270C-SIM (SW3550B)			Prep Date:	6/8/2006	Analyst: VS
Phenanthrene	0.6	0.035		mg/Kg-dry	10	6/11/2006
Pyrene	0.64	0.035		mg/Kg-dry	10	6/11/2006
Volatile Organic Compounds by GC/MS						
	SW5035/8260B			Prep Date:	6/9/2006	Analyst: SK
Acetone	ND	0.05		mg/Kg-dry	1	6/14/2006
Benzene	0.007	0.005		mg/Kg-dry	1	6/14/2006
Bromodichloromethane	ND	0.005		mg/Kg-dry	1	6/14/2006
Bromoform	ND	0.005		mg/Kg-dry	1	6/14/2006
Bromomethane	ND	0.01		mg/Kg-dry	1	6/14/2006
2-Butanone	ND	0.01		mg/Kg-dry	1	6/14/2006
Carbon disulfide	ND	0.005		mg/Kg-dry	1	6/14/2006
Carbon tetrachloride	ND	0.005		mg/Kg-dry	1	6/14/2006
Chlorobenzene	ND	0.005		mg/Kg-dry	1	6/14/2006
Dibromochloromethane	ND	0.005		mg/Kg-dry	1	6/14/2006
Chloroethane	ND	0.01		mg/Kg-dry	1	6/14/2006
Chloroform	ND	0.005		mg/Kg-dry	1	6/14/2006
Chloromethane	ND	0.01		mg/Kg-dry	1	6/14/2006
1,1-Dichloroethane	ND	0.005		mg/Kg-dry	1	6/14/2006
1,2-Dichloroethane	ND	0.005		mg/Kg-dry	1	6/14/2006
1,1-Dichloroethene	ND	0.005		mg/Kg-dry	1	6/14/2006
cis-1,2-Dichloroethene	ND	0.005		mg/Kg-dry	1	6/14/2006
trans-1,2-Dichloroethene	ND	0.005		mg/Kg-dry	1	6/14/2006
1,2-Dichloropropane	ND	0.005		mg/Kg-dry	1	6/14/2006
cis-1,3-Dichloropropene	ND	0.005		mg/Kg-dry	1	6/14/2006
trans-1,3-Dichloropropene	ND	0.005		mg/Kg-dry	1	6/14/2006
Ethylbenzene	ND	0.005		mg/Kg-dry	1	6/14/2006
2-Hexanone	ND	0.01		mg/Kg-dry	1	6/14/2006
4-Methyl-2-pentanone	ND	0.01		mg/Kg-dry	1	6/14/2006
Methylene chloride	ND	0.01		mg/Kg-dry	1	6/14/2006
Methyl tert-butyl ether	ND	0.005		mg/Kg-dry	1	6/14/2006
Styrene	ND	0.005		mg/Kg-dry	1	6/14/2006
1,1,2,2-Tetrachloroethane	ND	0.005		mg/Kg-dry	1	6/14/2006
Tetrachloroethene	0.22	0.005		mg/Kg-dry	1	6/14/2006
Toluene	ND	0.005		mg/Kg-dry	1	6/14/2006
1,1,1-Trichloroethane	ND	0.005		mg/Kg-dry	1	6/14/2006
1,1,2-Trichloroethane	ND	0.005		mg/Kg-dry	1	6/14/2006
Trichloroethene	ND	0.005		mg/Kg-dry	1	6/14/2006
Vinyl chloride	ND	0.005		mg/Kg-dry	1	6/14/2006
Xylenes, Total	ND	0.015		mg/Kg-dry	1	6/14/2006

Qualifiers:

ND - Not Detected at the Reporting Limit

J - Analyte detected below quantitation limits

B - Analyte detected in the associated Method Blank

HT - Sample received past holding time

* - Non-accredited parameter

RL - Reporting / Quantitation Limit for the analysis

S - Spike Recovery outside accepted recovery limits

R - RPD outside accepted recovery limits

E - Value above quantitation range

H - Holding time exceeded

STAT Analysis Corporation

2255 West Harrison St., Suite B, Chicago, IL 60612-3505

Tel: (312) 733-0551 Fax: (312) 733-2386 STATinfo@STATAnalysis.com

Accreditation Numbers: IEPA ELAP 100445; ORELAP IL300001; AIHA 101160; NYLAP LabCode 101202-0

Date Reported: June 19, 2006

Date Printed: June 19, 2006

Client:	Amereco Inc.	Client Sample ID:	S-08
Lab Order:	06060208	Collection Date:	6/7/2006 12:29:00 PM
Project:	06.732b, 4 Quenching Oil Tank Removal, Studebak	Matrix:	Soil
Lab ID:	06060208-010		

Analyses	Result	RL	Qualifier	Units	DF	Date Analyzed
Percent Moisture	D2974				Prep Date: 6/8/2006	Analyst: RW
Percent Moisture	8.21	0.01	*	wt%	1	6/9/2006

Qualifiers:

ND - Not Detected at the Reporting Limit
 J - Analyte detected below quantitation limits
 B - Analyte detected in the associated Method Blank
 HT - Sample received past holding time
 * - Non-accredited parameter

RL - Reporting / Quantitation Limit for the analysis
 S - Spike Recovery outside accepted recovery limits
 R - RPD outside accepted recovery limits
 E - Value above quantitation range
 H - Holding time exceeded

STAT Analysis Corporation

2255 West Harrison St., Suite B, Chicago, IL 60612-3505

Tel: (312) 733-0551 Fax: (312) 733-2386 STATinfo@STATAnalysis.com

Accreditation Numbers: IEPA ELAP 100445; ORELAP IL300001; AIHA 101160; NVLAP LabCode 101202-0

Date Reported: June 19, 2006

Date Printed: June 19, 2006

Client:	Ameresco Inc.	Client Sample ID:	S-09
Lab Order:	06060208	Collection Date:	6/7/2006 12:30:00 PM
Project:	06.732b, 4 Quenching Oil Tank Removal, Studebak	Matrix:	Soil
Lab ID:	06060208-011		

Analyses	Result	RL	Qualifier	Units	DF	Date Analyzed
PCBs						
	SW8082 (SW3550B)			Prep Date: 6/8/2006		Analyst: ERP
Aroclor 1016	ND	0.091		mg/Kg-dry	1	6/9/2006
Aroclor 1221	ND	0.091		mg/Kg-dry	1	6/9/2006
Aroclor 1232	ND	0.091		mg/Kg-dry	1	6/9/2006
Aroclor 1242	ND	0.091		mg/Kg-dry	1	6/9/2006
Aroclor 1248	ND	0.091		mg/Kg-dry	1	6/9/2006
Aroclor 1254	ND	0.091		mg/Kg-dry	1	6/9/2006
Aroclor 1260	ND	0.091		mg/Kg-dry	1	6/9/2006
Total Petroleum Hydrocarbons						
	SW8015M (SW3580A)			Prep Date: 6/13/2006		Analyst: DCW
TPH (GRO)	ND	22		mg/Kg-dry	1	6/14/2006
TPH (DRO)	190	22		mg/Kg-dry	1	6/14/2006
TPH (ERO)	820	22		mg/Kg-dry	1	6/14/2006
Mercury						
	SW7471A			Prep Date: 6/9/2006		Analyst: JG
Mercury	0.038	0.028		mg/Kg-dry	1	6/9/2006
Metals by ICP/MS						
	SW6020 (SW3050B)			Prep Date: 6/9/2006		Analyst: JG
Arsenic	2.8	1.1		mg/Kg-dry	10	6/9/2006
Barium	31	1.1		mg/Kg-dry	10	6/9/2006
Cadmium	ND	0.54		mg/Kg-dry	10	6/9/2006
Chromium	7	1.1		mg/Kg-dry	10	6/9/2006
Lead	38	0.54		mg/Kg-dry	10	6/9/2006
Selenium	ND	1.1		mg/Kg-dry	10	6/9/2006
Silver	ND	1.1		mg/Kg-dry	10	6/9/2006
Polynuclear Aromatic Hydrocarbons						
	SW8270C-SIM (SW3550B)			Prep Date: 6/8/2006		Analyst: VS
Acenaphthene	ND	0.037		mg/Kg-dry	10	6/10/2006
Acenaphthylene	0.041	0.037		mg/Kg-dry	10	6/10/2006
Anthracene	0.18	0.037		mg/Kg-dry	10	6/10/2006
Benz(a)anthracene	0.3	0.037		mg/Kg-dry	10	6/10/2006
Benzo(a)pyrene	0.12	0.037		mg/Kg-dry	10	6/10/2006
Benzo(b)fluoranthene	ND	0.037		mg/Kg-dry	10	6/10/2006
Benzo(g,h,i)perylene	0.11	0.037		mg/Kg-dry	10	6/10/2006
Benzo(k)fluoranthene	ND	0.037		mg/Kg-dry	10	6/10/2006
Chrysene	0.37	0.037		mg/Kg-dry	10	6/10/2006
Dibenz(a,h)anthracene	0.037	0.037		mg/Kg-dry	10	6/10/2006
Fluoranthene	0.72	0.037		mg/Kg-dry	10	6/10/2006
Fluorene	0.041	0.037		mg/Kg-dry	10	6/10/2006
Indeno(1,2,3-cd)pyrene	0.094	0.037		mg/Kg-dry	10	6/10/2006
Naphthalene	0.35	0.037		mg/Kg-dry	10	6/10/2006

Qualifiers:
 ND - Not Detected at the Reporting Limit
 J - Analyte detected below quantitation limits
 B - Analyte detected in the associated Method Blank
 HT - Sample received past holding time
 * - Non-accredited parameter

RL - Reporting / Quantitation Limit for the analysis
 S - Spike Recovery outside accepted recovery limits
 R - RPD outside accepted recovery limits
 E - Value above quantitation range
 H - Holding time exceeded

STAT Analysis Corporation

2255 West Harrison St., Suite B, Chicago, IL 60612-3505

Tel: (312) 733-0551 Fax: (312) 733-2386 STATinfo@STATAnalysis.com

Accreditation Numbers: IEPA ELAP 100445; ORELAP IL300001; AIHA 101160; NVLAP LabCode 101202-0

Date Reported: June 19, 2006

Date Printed: June 19, 2006

Client:	Ameresco Inc.	Client Sample ID:	S-09
Lab Order:	06060208	Collection Date:	6/7/2006 12:30:00 PM
Project:	06.732b, 4 Quenching Oil Tank Removal, Studebak	Matrix:	Soil
Lab ID:	06060208-011		

Analyses	Result	RL	Qualifier	Units	DF	Date Analyzed
Polynuclear Aromatic Hydrocarbons						
	SW8270C-SIM (SW3550B)			Prep Date: 6/8/2006		Analyst: VS
Phenanthrene	1.2	0.037		mg/Kg-dry	10	6/10/2006
Pyrene	0.63	0.037		mg/Kg-dry	10	6/10/2006
Volatile Organic Compounds by GC/MS						
	SW5035/8260B			Prep Date: 6/9/2006		Analyst: SK
Acetone	0.092	0.059		mg/Kg-dry	1	6/14/2006
Benzene	ND	0.0059		mg/Kg-dry	1	6/14/2006
Bromodichloromethane	ND	0.0059		mg/Kg-dry	1	6/14/2006
Bromoform	ND	0.0059		mg/Kg-dry	1	6/14/2006
Bromomethane	ND	0.012		mg/Kg-dry	1	6/14/2006
2-Butanone	0.015	0.012		mg/Kg-dry	1	6/14/2006
Carbon disulfide	ND	0.0059		mg/Kg-dry	1	6/14/2006
Carbon tetrachloride	ND	0.0059		mg/Kg-dry	1	6/14/2006
Chlorobenzene	ND	0.0059		mg/Kg-dry	1	6/14/2006
Dibromochloromethane	ND	0.0059		mg/Kg-dry	1	6/14/2006
Chloroethane	ND	0.012		mg/Kg-dry	1	6/14/2006
Chloroform	ND	0.0059		mg/Kg-dry	1	6/14/2006
Chloromethane	ND	0.012		mg/Kg-dry	1	6/14/2006
1,1-Dichloroethane	ND	0.0059		mg/Kg-dry	1	6/14/2006
1,2-Dichloroethane	ND	0.0059		mg/Kg-dry	1	6/14/2006
1,1-Dichloroethene	ND	0.0059		mg/Kg-dry	1	6/14/2006
cis-1,2-Dichloroethene	0.3	0.28		mg/Kg-dry	50	6/14/2006
trans-1,2-Dichloroethene	ND	0.0059		mg/Kg-dry	1	6/14/2006
1,2-Dichloropropane	ND	0.0059		mg/Kg-dry	1	6/14/2006
cis-1,3-Dichloropropene	ND	0.0059		mg/Kg-dry	1	6/14/2006
trans-1,3-Dichloropropene	ND	0.0059		mg/Kg-dry	1	6/14/2006
Ethylbenzene	ND	0.0059		mg/Kg-dry	1	6/14/2006
2-Hexanone	ND	0.012		mg/Kg-dry	1	6/14/2006
4-Methyl-2-pentanone	ND	0.012		mg/Kg-dry	1	6/14/2006
Methylene chloride	ND	0.012		mg/Kg-dry	1	6/14/2006
Methyl tert-butyl ether	ND	0.0059		mg/Kg-dry	1	6/14/2006
Styrene	ND	0.0059		mg/Kg-dry	1	6/14/2006
1,1,2,2-Tetrachloroethane	ND	0.0059		mg/Kg-dry	1	6/14/2006
Tetrachloroethene	9.3	0.28		mg/Kg-dry	50	6/14/2006
Toluene	ND	0.0059		mg/Kg-dry	1	6/14/2006
1,1,1-Trichloroethane	ND	0.0059		mg/Kg-dry	1	6/14/2006
1,1,2-Trichloroethane	ND	0.0059		mg/Kg-dry	1	6/14/2006
Trichloroethene	0.32	0.28		mg/Kg-dry	50	6/14/2006
Vinyl chloride	ND	0.0059		mg/Kg-dry	1	6/14/2006
Xylenes, Total	ND	0.018		mg/Kg-dry	1	6/14/2006

Qualifiers:	ND - Not Detected at the Reporting Limit	RL - Reporting / Quantitation Limit for the analysis
	J - Analyte detected below quantitation limits	S - Spike Recovery outside accepted recovery limits
	B - Analyte detected in the associated Method Blank	R - RPD outside accepted recovery limits
	HT - Sample received past holding time	E - Value above quantitation range
	* - Non-accredited parameter	H - Holding time exceeded

STAT Analysis Corporation

2255 West Harrison St., Suite B, Chicago, IL 60612-3505

Tel: (312) 733-0551 Fax: (312) 733-2386 STATInfo@STATAnalysis.com

Accreditation Numbers: IEPA ELAP 100445; ORELAP IL300001; AIHA 101160; NYLAP LabCode 101202-0

Date Reported: June 19, 2006

Date Printed: June 19, 2006

Client:	Amereco Inc.	Client Sample ID:	S-09
Lab Order:	06060208	Collection Date:	6/7/2006 12:30:00 PM
Project:	06.732b, 4 Quenching Oil Tank Removal, Studebak	Matrix:	Soil
Lab ID:	06060208-011		

Analyses	Result	RL	Qualifier	Units	DF	Date Analyzed
Percent Moisture	D2974				Prep Date: 6/9/2006	Analyst: RW
Percent Moisture	12.2	0.01	*	wt%	1	6/10/2006

Qualifiers:	ND - Not Detected at the Reporting Limit	RL - Reporting / Quantitation Limit for the analysis
	J - Analyte detected below quantitation limits	S - Spike Recovery outside accepted recovery limits
	B - Analyte detected in the associated Method Blank	R - RPD outside accepted recovery limits
	HT - Sample received past holding time	E - Value above quantitation range
	* - Non-accredited parameter	II - Holding time exceeded

STAT Analysis Corporation

2255 West Harrison St., Suite B, Chicago, IL 60612-3505

Tel: (312) 733-0551 Fax: (312) 733-2386 STATinfo@STATAnalysis.com

Accreditation Numbers: IEPA ELAP 100445; ORELAP IL300001; AIHA 101160; NVLAP LabCode 101202-0

Date Reported: June 19, 2006

Date Printed: June 19, 2006

Client:	Amereco Inc.	Client Sample ID:	S-10
Lab Order:	06060208	Collection Date:	6/7/2006 2:06:00 PM
Project:	06.732b, 4 Quenching Oil Tank Removal, Studebak	Matrix:	Soil
Lab ID:	06060208-012		

Analyses	Result	RL	Qualifier	Units	DF	Date Analyzed
PCBs						
	SW8082 (SW3550B)			Prep Date: 6/8/2006		Analyst: ERP
Aroclor 1016	ND	0.099		mg/Kg-dry	1	6/9/2006
Aroclor 1221	ND	0.099		mg/Kg-dry	1	6/9/2006
Aroclor 1232	ND	0.099		mg/Kg-dry	1	6/9/2006
Aroclor 1242	ND	0.099		mg/Kg-dry	1	6/9/2006
Aroclor 1248	ND	0.099		mg/Kg-dry	1	6/9/2006
Aroclor 1254	ND	0.099		mg/Kg-dry	1	6/9/2006
Aroclor 1260	ND	0.099		mg/Kg-dry	1	6/9/2006
Total Petroleum Hydrocarbons						
	SW8015M (SW3580A)			Prep Date: 6/13/2006		Analyst: DCW
TPH (GRO)	ND	22		mg/Kg-dry	1	6/14/2006
TPH (DRO)	450	22		mg/Kg-dry	1	6/14/2006
TPH (ERO)	1300	22		mg/Kg-dry	1	6/14/2006
Mercury						
	SW7471A			Prep Date: 6/9/2006		Analyst: JG
Mercury	0.067	0.03		mg/Kg-dry	1	6/9/2006
Metals by ICP/MS						
	SW6020 (SW3050B)			Prep Date: 6/9/2006		Analyst: JG
Arsenic	2.7	1.2		mg/Kg-dry	10	6/9/2006
Barium	44	1.2		mg/Kg-dry	10	6/9/2006
Cadmium	ND	0.6		mg/Kg-dry	10	6/9/2006
Chromium	6.6	1.2		mg/Kg-dry	10	6/9/2006
Lead	45	0.6		mg/Kg-dry	10	6/9/2006
Selenium	ND	1.2		mg/Kg-dry	10	6/9/2006
Silver	ND	1.2		mg/Kg-dry	10	6/9/2006
Polynuclear Aromatic Hydrocarbons						
	SW8270C-SIM (SW3550B)			Prep Date: 6/8/2006		Analyst: VS
Acenaphthene	ND	0.04		mg/Kg-dry	10	6/10/2006
Acenaphthylene	ND	0.04		mg/Kg-dry	10	6/10/2006
Anthracene	0.065	0.04		mg/Kg-dry	10	6/10/2006
Benz(a)anthracene	0.13	0.04		mg/Kg-dry	10	6/10/2006
Benzo(a)pyrene	0.069	0.04		mg/Kg-dry	10	6/10/2006
Benzo(b)fluoranthene	ND	0.04		mg/Kg-dry	10	6/10/2006
Benzo(g,h,i)perylene	0.049	0.04		mg/Kg-dry	10	6/10/2006
Benzo(k)fluoranthene	ND	0.04		mg/Kg-dry	10	6/10/2006
Chrysene	0.23	0.04		mg/Kg-dry	10	6/10/2006
Dibenz(a,h)anthracene	ND	0.04		mg/Kg-dry	10	6/10/2006
Fluoranthene	0.26	0.04		mg/Kg-dry	10	6/10/2006
Fluorene	ND	0.04		mg/Kg-dry	10	6/10/2006
Indeno(1,2,3-cd)pyrene	0.045	0.04		mg/Kg-dry	10	6/10/2006
Naphthalene	ND	0.04		mg/Kg-dry	10	6/10/2006

Qualifiers: ND - Not Detected at the Reporting Limit
 J - Analyte detected below quantitation limits
 B - Analyte detected in the associated Method Blank
 HT - Sample received past holding time
 * - Non-accredited parameter

RL - Reporting / Quantitation Limit for the analysis
 S - Spike Recovery outside accepted recovery limits
 R - RPD outside accepted recovery limits
 E - Value above quantitation range
 H - Holding time exceeded

STAT Analysis Corporation

2255 West Harrison St., Suite B, Chicago, IL 60612-3505

Tel: (312) 733-0551 Fax: (312) 733-2386 STATinfo@STATAnalysis.com

Accreditation Numbers: IEPA ELAP 100445; ORELAP IL300001; AIHA 101160; NYLAP LabCode 101202-0

Date Reported: June 19, 2006

Date Printed: June 19, 2006

Client:	Amereco Inc.	Client Sample ID:	S-10
Lab Order:	06060208	Collection Date:	6/7/2006 2:06:00 PM
Project:	06.732b, 4 Quenching Oil Tank Removal, Studebak	Matrix:	Soil
Lab ID:	06060208-012		

Analyses	Result	RL	Qualifier	Units	DF	Date Analyzed
Polynuclear Aromatic Hydrocarbons						
	SW8270C-SIM (SW3550B)			Prep Date: 6/8/2006		Analyst: VS
Phenanthrene	0.23	0.04		mg/Kg-dry	10	6/10/2006
Pyrene	0.38	0.04		mg/Kg-dry	10	6/10/2006
Volatile Organic Compounds by GC/MS						
	SW5035/8260B			Prep Date: 6/9/2006		Analyst: SK
Acetone	0.096	0.064		mg/Kg-dry	1	6/14/2006
Benzene	0.0079	0.0064		mg/Kg-dry	1	6/14/2006
Bromodichloromethane	ND	0.0064		mg/Kg-dry	1	6/14/2006
Bromoform	ND	0.0064		mg/Kg-dry	1	6/14/2006
Bromomethane	ND	0.013		mg/Kg-dry	1	6/14/2006
2-Butanone	0.015	0.013		mg/Kg-dry	1	6/14/2006
Carbon disulfide	ND	0.0064		mg/Kg-dry	1	6/14/2006
Carbon tetrachloride	ND	0.0064		mg/Kg-dry	1	6/14/2006
Chlorobenzene	ND	0.0064		mg/Kg-dry	1	6/14/2006
Dibromochloromethane	ND	0.0064		mg/Kg-dry	1	6/14/2006
Chloroethane	ND	0.013		mg/Kg-dry	1	6/14/2006
Chloroform	ND	0.0064		mg/Kg-dry	1	6/14/2006
Chloromethane	ND	0.013		mg/Kg-dry	1	6/14/2006
1,1-Dichloroethane	ND	0.0064		mg/Kg-dry	1	6/14/2006
1,2-Dichloroethane	ND	0.0064		mg/Kg-dry	1	6/14/2006
1,1-Dichloroethene	ND	0.0064		mg/Kg-dry	1	6/14/2006
cis-1,2-Dichloroethene	ND	0.0064		mg/Kg-dry	1	6/14/2006
trans-1,2-Dichloroethene	ND	0.0064		mg/Kg-dry	1	6/14/2006
1,2-Dichloropropane	ND	0.0064		mg/Kg-dry	1	6/14/2006
cis-1,3-Dichloropropene	ND	0.0064		mg/Kg-dry	1	6/14/2006
trans-1,3-Dichloropropene	ND	0.0064		mg/Kg-dry	1	6/14/2006
Ethylbenzene	ND	0.0064		mg/Kg-dry	1	6/14/2006
2-Hexanone	ND	0.013		mg/Kg-dry	1	6/14/2006
4-Methyl-2-pentanone	ND	0.013		mg/Kg-dry	1	6/14/2006
Methylene chloride	ND	0.013		mg/Kg-dry	1	6/14/2006
Methyl tert-butyl ether	ND	0.0064		mg/Kg-dry	1	6/14/2006
Styrene	ND	0.0064		mg/Kg-dry	1	6/14/2006
1,1,2,2-Tetrachloroethane	ND	0.0064		mg/Kg-dry	1	6/14/2006
Tetrachloroethene	1.6	0.31		mg/Kg-dry	50	6/14/2006
Toluene	0.0082	0.0064		mg/Kg-dry	1	6/14/2006
1,1,1-Trichloroethane	ND	0.0064		mg/Kg-dry	1	6/14/2006
1,1,2-Trichloroethane	ND	0.0064		mg/Kg-dry	1	6/14/2006
Trichloroethene	ND	0.0064		mg/Kg-dry	1	6/14/2006
Vinyl chloride	ND	0.0064		mg/Kg-dry	1	6/14/2006
Xylenes, Total	ND	0.019		mg/Kg-dry	1	6/14/2006

Qualifiers:	ND - Not Detected at the Reporting Limit	RL - Reporting / Quantitation Limit for the analysis
	J - Analyte detected below quantitation limits	S - Spike Recovery outside accepted recovery limits
	B - Analyte detected in the associated Method Blank	R - RPD outside accepted recovery limits
	HT - Sample received past holding time	E - Value above quantitation range
	* - Non-accredited parameter	H - Holding time exceeded

STAT Analysis Corporation

2255 West Harrison St., Suite B, Chicago, IL 60612-3505

Tel: (312) 733-0551 Fax: (312) 733-2386 STATinfo@STATAnalysis.com

Accreditation Numbers: IEPA ELAP 100445; ORELAP IL300001; AIHA 101160; NVLAP LabCode 101202-0

Date Reported: June 19, 2006

Date Printed: June 19, 2006

Client:	Amereco Inc.	Client Sample ID:	S-10
Lab Order:	06060208	Collection Date:	6/7/2006 2:06:00 PM
Project:	06.732b, 4 Quenching Oil Tank Removal, Studebak	Matrix:	Soil
Lab ID:	06060208-012		

Analyses	Result	RL	Qualifier	Units	DF	Date Analyzed
Percent Moisture	D2974				Prep Date: 6/9/2006	Analyst: RW
Percent Moisture	19.9	0.01	*	wt%	1	6/10/2006

Qualifiers:

- ND - Not Detected at the Reporting Limit
- J - Analyte detected below quantitation limits
- B - Analyte detected in the associated Method Blank
- HT - Sample received past holding time
- * - Non-accredited parameter

- RL - Reporting / Quantitation Limit for the analysis
- S - Spike Recovery outside accepted recovery limits
- R - RPD outside accepted recovery limits
- E - Value above quantitation range
- H - Holding time exceeded

STAT Analysis Corporation

2255 West Harrison St., Suite B, Chicago, IL 60612-3505

Tel: (312) 733-0551 Fax: (312) 733-2386 STATinfo@STATAnalysis.com

Accreditation Numbers: IEPA ELAP 100445; ORELAP IL300001; AIHA 101160; NVLAP LabCode 101202-0

Date Reported: June 19, 2006

Date Printed: June 19, 2006

Client:	Amereco Inc.	Client Sample ID:	S-11
Lab Order:	06060208	Collection Date:	6/7/2006 2:11:00 PM
Project:	06.732b, 4 Quenching Oil Tank Removal, Studebak	Matrix:	Soil
Lab ID:	06060208-013		

Analyses	Result	RL	Qualifier	Units	DF	Date Analyzed
PCBs	SW8082 (SW3550B)			Prep Date: 6/8/2006		Analyst: ERP
Aroclor 1016	ND	0.095		mg/Kg-dry	1	6/9/2006
Aroclor 1221	ND	0.095		mg/Kg-dry	1	6/9/2006
Aroclor 1232	ND	0.095		mg/Kg-dry	1	6/9/2006
Aroclor 1242	ND	0.095		mg/Kg-dry	1	6/9/2006
Aroclor 1248	ND	0.095		mg/Kg-dry	1	6/9/2006
Aroclor 1254	ND	0.095		mg/Kg-dry	1	6/9/2006
Aroclor 1260	ND	0.095		mg/Kg-dry	1	6/9/2006
Total Petroleum Hydrocarbons	SW8015M (SW3580A)			Prep Date: 6/13/2006		Analyst: DCW
TPH (GRO)	23	22		mg/Kg-dry	1	6/14/2006
TPH (DRO)	89	22		mg/Kg-dry	1	6/14/2006
TPH (ERO)	300	22	*	mg/Kg-dry	1	6/14/2006
Mercury	SW7471A			Prep Date: 6/9/2006		Analyst: JG
Mercury	ND	0.028		mg/Kg-dry	1	6/9/2006
Metals by ICP/MS	SW6020 (SW3050B)			Prep Date: 6/9/2006		Analyst: JG
Arsenic	2.5	1.2		mg/Kg-dry	10	6/9/2006
Barium	21	1.2		mg/Kg-dry	10	6/9/2006
Cadmium	ND	0.58		mg/Kg-dry	10	6/9/2006
Chromium	4.8	1.2		mg/Kg-dry	10	6/9/2006
Lead	13	0.58		mg/Kg-dry	10	6/9/2006
Selenium	ND	1.2		mg/Kg-dry	10	6/9/2006
Silver	ND	1.2		mg/Kg-dry	10	6/9/2006
Polynuclear Aromatic Hydrocarbons	SW8270C-SIM (SW3550B)			Prep Date: 6/8/2006		Analyst: VS
Acenaphthene	ND	0.039		mg/Kg-dry	10	6/10/2006
Acenaphthylene	ND	0.039		mg/Kg-dry	10	6/10/2006
Anthracene	ND	0.039		mg/Kg-dry	10	6/10/2006
Benz(a)anthracene	ND	0.039		mg/Kg-dry	10	6/10/2006
Benzo(a)pyrene	ND	0.039		mg/Kg-dry	10	6/10/2006
Benzo(b)fluoranthene	ND	0.039		mg/Kg-dry	10	6/10/2006
Benzo(g,h,i)perylene	ND	0.039		mg/Kg-dry	10	6/10/2006
Benzo(k)fluoranthene	ND	0.039		mg/Kg-dry	10	6/10/2006
Chrysene	0.11	0.039		mg/Kg-dry	10	6/10/2006
Dibenz(a,h)anthracene	ND	0.039		mg/Kg-dry	10	6/10/2006
Fluoranthene	0.15	0.039		mg/Kg-dry	10	6/10/2006
Fluorene	ND	0.039		mg/Kg-dry	10	6/10/2006
Indeno(1,2,3-cd)pyrene	ND	0.039		mg/Kg-dry	10	6/10/2006
Naphthalene	ND	0.039		mg/Kg-dry	10	6/10/2006

Qualifiers:
 ND - Not Detected at the Reporting Limit
 J - Analyte detected below quantitation limits
 B - Analyte detected in the associated Method Blank
 HT - Sample received past holding time
 * - Non-accredited parameter

RL - Reporting / Quantitation Limit for the analysis
 S - Spike Recovery outside accepted recovery limits
 R - RPD outside accepted recovery limits
 E - Value above quantitation range
 H - Holding time exceeded

STAT Analysis Corporation

2255 West Harrison St., Suite B, Chicago, IL 60612-3505

Tel: (312) 733-0551 Fax: (312) 733-2386 STATinfo@STATAnalysis.com

Accreditation Numbers: IEPA ELAP 100445; ORELAP IL300001; AIHA 101160; NVLAP LabCode 101202-0

Date Reported: June 19, 2006

Date Printed: June 19, 2006

Client:	Amereco Inc.	Client Sample ID:	S-11
Lab Order:	06060208	Collection Date:	6/7/2006 2:11:00 PM
Project:	06.732b, 4 Quenching Oil Tank Removal, Studebak	Matrix:	Soil
Lab ID:	06060208-013		

Analyses	Result	RL	Qualifier	Units	DF	Date Analyzed
Polynuclear Aromatic Hydrocarbons						
	SW8270C-SIM (SW3550B)			Prep Date: 6/8/2006		Analyst: VS
Phenanthrene	0.095	0.039		mg/Kg-dry	10	6/10/2006
Pyrene	0.2	0.039		mg/Kg-dry	10	6/10/2006
Volatile Organic Compounds by GC/MS						
	SW5035/8260B			Prep Date: 6/9/2006		Analyst: SK
Acetone	ND	0.058		mg/Kg-dry	1	6/14/2006
Benzene	ND	0.0058		mg/Kg-dry	1	6/14/2006
Bromodichloromethane	ND	0.0058		mg/Kg-dry	1	6/14/2006
Bromoform	ND	0.0058		mg/Kg-dry	1	6/14/2006
Bromomethane	ND	0.012		mg/Kg-dry	1	6/14/2006
2-Butanone	ND	0.012		mg/Kg-dry	1	6/14/2006
Carbon disulfide	ND	0.0058		mg/Kg-dry	1	6/14/2006
Carbon tetrachloride	ND	0.0058		mg/Kg-dry	1	6/14/2006
Chlorobenzene	ND	0.0058		mg/Kg-dry	1	6/14/2006
Dibromochloromethane	ND	0.0058		mg/Kg-dry	1	6/14/2006
Chloroethane	ND	0.012		mg/Kg-dry	1	6/14/2006
Chloroform	ND	0.0058		mg/Kg-dry	1	6/14/2006
Chloromethane	ND	0.012		mg/Kg-dry	1	6/14/2006
1,1-Dichloroethane	ND	0.0058		mg/Kg-dry	1	6/14/2006
1,2-Dichloroethane	ND	0.0058		mg/Kg-dry	1	6/14/2006
1,1-Dichloroethene	ND	0.0058		mg/Kg-dry	1	6/14/2006
cis-1,2-Dichloroethene	ND	0.0058		mg/Kg-dry	1	6/14/2006
trans-1,2-Dichloroethene	ND	0.0058		mg/Kg-dry	1	6/14/2006
1,2-Dichloropropane	ND	0.0058		mg/Kg-dry	1	6/14/2006
cis-1,3-Dichloropropene	ND	0.0058		mg/Kg-dry	1	6/14/2006
trans-1,3-Dichloropropene	ND	0.0058		mg/Kg-dry	1	6/14/2006
Ethylbenzene	ND	0.0058		mg/Kg-dry	1	6/14/2006
2-Hexanone	ND	0.012		mg/Kg-dry	1	6/14/2006
4-Methyl-2-pentanone	ND	0.012		mg/Kg-dry	1	6/14/2006
Methylene chloride	ND	0.012		mg/Kg-dry	1	6/14/2006
Methyl tert-butyl ether	ND	0.0058		mg/Kg-dry	1	6/14/2006
Styrene	ND	0.0058		mg/Kg-dry	1	6/14/2006
1,1,2,2-Tetrachloroethane	ND	0.0058		mg/Kg-dry	1	6/14/2006
Tetrachloroethene	8.8	0.61		mg/Kg-dry	100	6/14/2006
Toluene	ND	0.0058		mg/Kg-dry	1	6/14/2006
1,1,1-Trichloroethane	ND	0.0058		mg/Kg-dry	1	6/14/2006
1,1,2-Trichloroethane	ND	0.0058		mg/Kg-dry	1	6/14/2006
Trichloroethene	ND	0.0058		mg/Kg-dry	1	6/14/2006
Vinyl chloride	ND	0.0058		mg/Kg-dry	1	6/14/2006
Xylenes, Total	ND	0.017		mg/Kg-dry	1	6/14/2006

Qualifiers:

ND - Not Detected at the Reporting Limit

J - Analyte detected below quantitation limits

B - Analyte detected in the associated Method Blank

HT - Sample received past holding time

* - Non-accredited parameter

RL - Reporting / Quantitation Limit for the analysis

S - Spike Recovery outside accepted recovery limits

R - RPD outside accepted recovery limits

E - Value above quantitation range

H - Holding time exceeded

STAT Analysis Corporation

2255 West Harrison St., Suite B, Chicago, IL 60612-3505

Tel: (312) 733-0551 Fax: (312) 733-2386 STATinfo@STATAnalysis.com

Accreditation Numbers: IEPA ELAP 100445; ORELAP IL300001; AIHA 101160; NVLAP LabCode 101202-0

Date Reported: June 19, 2006

Date Printed: June 19, 2006

Client:	Amereco Inc.	Client Sample ID:	S-11
Lab Order:	06060208	Collection Date:	6/7/2006 2:11:00 PM
Project:	06.732b, 4 Quenching Oil Tank Removal, Studebak	Matrix:	Soil
Lab ID:	06060208-013		

Analyses	Result	RL	Qualifier	Units	DF	Date Analyzed
Percent Moisture	D2974				Prep Date: 6/9/2006	Analyst: RW
Percent Moisture	17.8	0.01	*	wt%	1	6/10/2006

Qualifiers:

- ND - Not Detected at the Reporting Limit
- J - Analyte detected below quantitation limits
- B - Analyte detected in the associated Method Blank
- HT - Sample received past holding time
- * - Non-accredited parameter

- RL - Reporting / Quantitation Limit for the analysis
- S - Spike Recovery outside accepted recovery limits
- R - RPD outside accepted recovery limits
- E - Value above quantitation range
- H - Holding time exceeded

STAT Analysis Corporation

2255 West Harrison St., Suite B, Chicago, IL 60612-3505

Tel: (312) 733-0551 Fax: (312) 733-2386 STATinfo@STATAnalysis.com

Accreditation Numbers: IEPA ELAP 100445; ORELAP IL300001; AIHA 101160; NVLAP LabCode 101202-0

Date Reported: June 19, 2006

Date Printed: June 19, 2006

Client:	Amereco Inc.	Client Sample ID:	S-12
Lab Order:	06060208	Collection Date:	6/7/2006 2:14:00 PM
Project:	06.732b, 4 Quenching Oil Tank Removal, Studebak	Matrix:	Soil
Lab ID:	06060208-014		

Analyses	Result	RL	Qualifier	Units	DF	Date Analyzed
PCBs						
	SW8082 (SW3550B)			Prep Date: 6/8/2006		Analyst: ERP
Aroclor 1016	ND	0.088		mg/Kg-dry	1	6/9/2006
Aroclor 1221	ND	0.088		mg/Kg-dry	1	6/9/2006
Aroclor 1232	ND	0.088		mg/Kg-dry	1	6/9/2006
Aroclor 1242	ND	0.088		mg/Kg-dry	1	6/9/2006
Aroclor 1248	ND	0.088		mg/Kg-dry	1	6/9/2006
Aroclor 1254	ND	0.088		mg/Kg-dry	1	6/9/2006
Aroclor 1260	ND	0.088		mg/Kg-dry	1	6/9/2006
Total Petroleum Hydrocarbons						
	SW8015M (SW3580A)			Prep Date: 6/13/2006		Analyst: DCW
TPH (GRO)	22	21		mg/Kg-dry	1	6/14/2006
TPH (DRO)	150	21		mg/Kg-dry	1	6/14/2006
TPH (ERO)	570	21		mg/Kg-dry	1	6/14/2006
Mercury						
	SW7471A			Prep Date: 6/9/2006		Analyst: JG
Mercury	0.087	0.028		mg/Kg-dry	1	6/9/2006
Metals by ICP/MS						
	SW6020 (SW3050B)			Prep Date: 6/9/2006		Analyst: JG
Arsenic	2.9	1.1		mg/Kg-dry	10	6/9/2006
Barium	63	1.1		mg/Kg-dry	10	6/9/2006
Cadmium	ND	0.56		mg/Kg-dry	10	6/9/2006
Chromium	7.1	1.1		mg/Kg-dry	10	6/9/2006
Lead	52	0.56		mg/Kg-dry	10	6/9/2006
Selenium	ND	1.1		mg/Kg-dry	10	6/9/2006
Silver	ND	1.1		mg/Kg-dry	10	6/9/2006
Polynuclear Aromatic Hydrocarbons						
	SW8270C-SIM (SW3550B)			Prep Date: 6/8/2006		Analyst: DCW
Acenaphthene	ND	0.37		mg/Kg-dry	10	6/16/2006
Acenaphthylene	ND	0.37		mg/Kg-dry	10	6/16/2006
Anthracene	0.45	0.37		mg/Kg-dry	10	6/16/2006
Benz(a)anthracene	ND	0.37		mg/Kg-dry	10	6/16/2006
Benzo(a)pyrene	0.56	0.37		mg/Kg-dry	10	6/16/2006
Benzo(b)fluoranthene	ND	0.37		mg/Kg-dry	10	6/16/2006
Benzo(g,h,i)perylene	ND	0.37		mg/Kg-dry	10	6/16/2006
Benzo(k)fluoranthene	ND	0.37		mg/Kg-dry	10	6/16/2006
Chrysene	0.41	0.37		mg/Kg-dry	10	6/16/2006
Dibenz(a,h)anthracene	ND	0.37		mg/Kg-dry	10	6/16/2006
Fluoranthene	0.52	0.37		mg/Kg-dry	10	6/16/2006
Fluorene	ND	0.37		mg/Kg-dry	10	6/16/2006
Indeno(1,2,3-cd)pyrene	ND	0.37		mg/Kg-dry	10	6/16/2006
Naphthalene	ND	0.37		mg/Kg-dry	10	6/16/2006

Qualifiers:	ND - Not Detected at the Reporting Limit	RL - Reporting / Quantitation Limit for the analysis
	J - Analyte detected below quantitation limits	S - Spike Recovery outside accepted recovery limits
	B - Analyte detected in the associated Method Blank	R - RPD outside accepted recovery limits
	HT - Sample received past holding time	E - Value above quantitation range
	* - Non-accredited parameter	H - Holding time exceeded

STAT Analysis Corporation

2255 West Harrison St., Suite B, Chicago, IL 60612-3505

Tel: (312) 733-0551 Fax: (312) 733-2386 STATinfo@STATAnalysis.com

Accreditation Numbers: IEPA ELAP 100445; ORELAP IL300001; AIHA 101160; NVLAP LabCode 101202-0

Date Reported: June 19, 2006

Date Printed: June 19, 2006

Client:	Amereco Inc.	Client Sample ID:	S-12
Lab Order:	06060208	Collection Date:	6/7/2006 2:14:00 PM
Project:	06.732b, 4 Quenching Oil Tank Removal, Studebak	Matrix:	Soil
Lab ID:	06060208-014		

Analyses	Result	RL	Qualifier	Units	DF	Date Analyzed
Polynuclear Aromatic Hydrocarbons						
	SW8270C-SIM (SW3550B)			Prep Date: 6/8/2006		Analyst: DCW
Phenanthrene	0.45	0.37		mg/Kg-dry	10	6/16/2006
Pyrene	0.52	0.37		mg/Kg-dry	10	6/16/2006
Volatile Organic Compounds by GC/MS						
	SW5035/8260B			Prep Date: 6/9/2006		Analyst: SK
Acelone	0.13	0.054		mg/Kg-dry	1	6/15/2006
Benzene	ND	0.0054		mg/Kg-dry	1	6/15/2006
Bromodichloromethane	ND	0.0054		mg/Kg-dry	1	6/15/2006
Bromoform	ND	0.0054		mg/Kg-dry	1	6/15/2006
Bromomethane	ND	0.011		mg/Kg-dry	1	6/15/2006
2-Butanone	0.019	0.011		mg/Kg-dry	1	6/15/2006
Carbon disulfide	ND	0.0054		mg/Kg-dry	1	6/15/2006
Carbon tetrachloride	ND	0.0054		mg/Kg-dry	1	6/15/2006
Chlorobenzene	ND	0.0054		mg/Kg-dry	1	6/15/2006
Dibromochloromethane	ND	0.0054		mg/Kg-dry	1	6/15/2006
Chloroethane	ND	0.011		mg/Kg-dry	1	6/15/2006
Chloroform	ND	0.0054		mg/Kg-dry	1	6/15/2006
Chloromethane	ND	0.011		mg/Kg-dry	1	6/15/2006
1,1-Dichloroethane	ND	0.0054		mg/Kg-dry	1	6/15/2006
1,2-Dichloroethane	ND	0.0054		mg/Kg-dry	1	6/15/2006
1,1-Dichloroethene	ND	0.0054		mg/Kg-dry	1	6/15/2006
cis-1,2-Dichloroethene	ND	0.0054		mg/Kg-dry	1	6/15/2006
trans-1,2-Dichloroethene	ND	0.0054		mg/Kg-dry	1	6/15/2006
1,2-Dichloropropane	ND	0.0054		mg/Kg-dry	1	6/15/2006
cis-1,3-Dichloropropene	ND	0.0054		mg/Kg-dry	1	6/15/2006
trans-1,3-Dichloropropene	ND	0.0054		mg/Kg-dry	1	6/15/2006
Ethylbenzene	ND	0.0054		mg/Kg-dry	1	6/15/2006
2-Hexanone	ND	0.011		mg/Kg-dry	1	6/15/2006
4-Methyl-2-pentanone	ND	0.011		mg/Kg-dry	1	6/15/2006
Methylene chloride	ND	0.011		mg/Kg-dry	1	6/15/2006
Methyl tert-butyl ether	ND	0.0054		mg/Kg-dry	1	6/15/2006
Styrene	ND	0.0054		mg/Kg-dry	1	6/15/2006
1,1,2,2-Tetrachloroethane	ND	0.0054		mg/Kg-dry	1	6/15/2006
Tetrachloroethene	32	1.1		mg/Kg-dry	200	6/16/2006
Toluene	ND	0.0054		mg/Kg-dry	1	6/15/2006
1,1,1-Trichloroethane	ND	0.0054		mg/Kg-dry	1	6/15/2006
1,1,2-Trichloroethane	ND	0.0054		mg/Kg-dry	1	6/15/2006
Trichloroethene	0.0065	0.0054		mg/Kg-dry	1	6/15/2006
Vinyl chloride	ND	0.0054		mg/Kg-dry	1	6/15/2006
Xylenes, Total	ND	0.016		mg/Kg-dry	1	6/15/2006

Qualifiers:	ND - Not Detected at the Reporting Limit	RL - Reporting / Quantitation Limit for the analysis
	J - Analyte detected below quantitation limits	S - Spike Recovery outside accepted recovery limits
	B - Analyte detected in the associated Method Blank	R - RPD outside accepted recovery limits
	HT - Sample received past holding time	E - Value above quantitation range
	* - Non-accredited parameter	H - Holding time exceeded

STAT Analysis Corporation

2255 West Harrison St., Suite B, Chicago, IL 60612-3505

Tel: (312) 733-0551 Fax: (312) 733-2386 STATinfo@STATAnalysis.com

Accreditation Numbers: IEPA ELAP 100445; ORELAP IL300001; AIHA 101160; NVLAP LabCode 101202-0

Date Reported: June 19, 2006

Date Printed: June 19, 2006

Client:	Amereco Inc.	Client Sample ID:	S-12
Lab Order:	06060208	Collection Date:	6/7/2006 2:14:00 PM
Project:	06.732b, 4 Quenching Oil Tank Removal, Studebak	Matrix:	Soil
Lab ID:	06060208-014		

Analyses	Result	RL	Qualifier	Units	DF	Date Analyzed
Percent Moisture	D2974				Prep Date: 6/9/2006	Analyst: RW
Percent Moisture	11.8	0.01	*	wt%	1	6/10/2006

Qualifiers:	ND - Not Detected at the Reporting Limit	RL - Reporting / Quantitation Limit for the analysis
	J - Analyte detected below quantitation limits	S - Spike Recovery outside accepted recovery limits
	B - Analyte detected in the associated Method Blank	R - RPD outside accepted recovery limits
	HT - Sample received past holding time	E - Value above quantitation range
	* - Non-accredited parameter	H - Holding time exceeded

STAT Analysis Corporation

2255 West Harrison St., Suite B, Chicago, IL 60612-3505

Tel: (312) 733-0551 Fax: (312) 733-2386 STATInfo@STATAnalysis.com

Accreditation Numbers: IEPA ELAP 100445; ORELAP IL300001; AIHA 101160; NVLAP LabCode 101202-0

Date Reported: June 19, 2006

Date Printed: June 19, 2006

Client:	Amereco Inc.	Client Sample ID:	S-13
Lab Order:	06060208	Collection Date:	6/7/2006 2:24:00 PM
Project:	06.732b, 4 Quenching Oil Tank Removal, Studebak	Matrix:	Soil
Lab ID:	06060208-015		

Analyses	Result	RL	Qualifier	Units	DF	Date Analyzed
PCBs						
	SW8082 (SW3550B)		Prep Date: 6/8/2006		Analyst: ERP	
Aroclor 1016	ND	0.094		mg/Kg-dry	1	6/9/2006
Aroclor 1221	ND	0.094		mg/Kg-dry	1	6/9/2006
Aroclor 1232	ND	0.094		mg/Kg-dry	1	6/9/2006
Aroclor 1242	ND	0.094		mg/Kg-dry	1	6/9/2006
Aroclor 1248	ND	0.094		mg/Kg-dry	1	6/9/2006
Aroclor 1254	ND	0.094		mg/Kg-dry	1	6/9/2006
Aroclor 1260	ND	0.094		mg/Kg-dry	1	6/9/2006
Total Petroleum Hydrocarbons						
	SW8015M (SW3580A)		Prep Date: 6/13/2006		Analyst: DCW	
TPH (GRO)	ND	20		mg/Kg-dry	1	6/14/2006
TPH (DRO)	ND	20		mg/Kg-dry	1	6/14/2006
TPH (ERO)	69	20	*	mg/Kg-dry	1	6/14/2006
Mercury						
	SW7471A		Prep Date: 6/9/2006		Analyst: JG	
Mercury	ND	0.03		mg/Kg-dry	1	6/9/2006
Metals by ICP/MS						
	SW6020 (SW3050B)		Prep Date: 6/9/2006		Analyst: JG	
Arsenic	2.1	1.2		mg/Kg-dry	10	6/9/2006
Barium	11	1.2		mg/Kg-dry	10	6/9/2006
Cadmium	ND	0.59		mg/Kg-dry	10	6/9/2006
Chromium	4.1	1.2		mg/Kg-dry	10	6/9/2006
Lead	3.6	0.59		mg/Kg-dry	10	6/9/2006
Selenium	ND	1.2		mg/Kg-dry	10	6/9/2006
Silver	ND	1.2		mg/Kg-dry	10	6/9/2006
Polynuclear Aromatic Hydrocarbons						
	SW8270C-SIM (SW3550B)		Prep Date: 6/8/2006		Analyst: VS	
Acenaphthene	ND	0.029		mg/Kg-dry	1	6/16/2006
Acenaphthylene	ND	0.029		mg/Kg-dry	1	6/16/2006
Anthracene	ND	0.029		mg/Kg-dry	1	6/16/2006
Benz(a)anthracene	ND	0.029		mg/Kg-dry	1	6/16/2006
Benzo(a)pyrene	ND	0.029		mg/Kg-dry	1	6/16/2006
Benzo(b)fluoranthene	ND	0.029		mg/Kg-dry	1	6/16/2006
Benzo(g,h,i)perylene	ND	0.029		mg/Kg-dry	1	6/16/2006
Benzo(k)fluoranthene	ND	0.029		mg/Kg-dry	1	6/16/2006
Chrysene	ND	0.029		mg/Kg-dry	1	6/16/2006
Dibenz(a,h)anthracene	ND	0.029		mg/Kg-dry	1	6/16/2006
Fluoranthene	0.031	0.029		mg/Kg-dry	1	6/16/2006
Fluorene	ND	0.029		mg/Kg-dry	1	6/16/2006
Indeno(1,2,3-cd)pyrene	ND	0.029		mg/Kg-dry	1	6/16/2006
Naphthalene	ND	0.029		mg/Kg-dry	1	6/16/2006

Qualifiers:	ND - Not Detected at the Reporting Limit	RL - Reporting / Quantitation Limit for the analysis
	J - Analyte detected below quantitation limits	S - Spike Recovery outside accepted recovery limits
	B - Analyte detected in the associated Method Blank	R - RPD outside accepted recovery limits
	HT - Sample received past holding time	E - Value above quantitation range
	* - Non-accredited parameter	H - Holding time exceeded

STAT Analysis Corporation

2255 West Harrison St., Suite B, Chicago, IL 60612-3505

Tel: (312) 733-0551 Fax: (312) 733-2386 STATinfo@STATAnalysis.com

Accreditation Numbers: IEPA ELAP 100445; ORELAP IL300001; AIHA 101160; NVLAP LabCode 101202-0

Date Reported: June 19, 2006

Date Printed: June 19, 2006

Client: Amereco Inc.

Lab Order: 06060208

Project: 06.732b, 4 Quenching Oil Tank Removal, Studebak

Lab ID: 06060208-015

Client Sample ID: S-13

Collection Date: 6/7/2006 2:24:00 PM

Matrix: Soil

Analyses	Result	RL	Qualifier	Units	DF	Date Analyzed
Polynuclear Aromatic Hydrocarbons						
	SW8270C-SIM (SW3550B)			Prep Date: 6/8/2006		Analyst: VS
Phenanthrene	ND	0.029		mg/Kg-dry	1	6/16/2006
Pyrene	0.032	0.029		mg/Kg-dry	1	6/16/2006
Volatile Organic Compounds by GC/MS						
	SW5035/8260B			Prep Date: 6/9/2006		Analyst: SK
Acetone	0.071	0.059		mg/Kg-dry	1	6/14/2006
Benzene	ND	0.0059		mg/Kg-dry	1	6/14/2006
Bromodichloromethane	ND	0.0059		mg/Kg-dry	1	6/14/2006
Bromoform	ND	0.0059		mg/Kg-dry	1	6/14/2006
Bromomethane	ND	0.012		mg/Kg-dry	1	6/14/2006
2-Butanone	0.013	0.012		mg/Kg-dry	1	6/14/2006
Carbon disulfide	ND	0.0059		mg/Kg-dry	1	6/14/2006
Carbon tetrachloride	ND	0.0059		mg/Kg-dry	1	6/14/2006
Chlorobenzene	ND	0.0059		mg/Kg-dry	1	6/14/2006
Dibromochloromethane	ND	0.0059		mg/Kg-dry	1	6/14/2006
Chloroethane	ND	0.012		mg/Kg-dry	1	6/14/2006
Chloroform	ND	0.0059		mg/Kg-dry	1	6/14/2006
Chloromethane	ND	0.012		mg/Kg-dry	1	6/14/2006
1,1-Dichloroethane	ND	0.0059		mg/Kg-dry	1	6/14/2006
1,2-Dichloroethane	ND	0.0059		mg/Kg-dry	1	6/14/2006
1,1-Dichloroethene	ND	0.0059		mg/Kg-dry	1	6/14/2006
cis-1,2-Dichloroethene	ND	0.0059		mg/Kg-dry	1	6/14/2006
trans-1,2-Dichloroethene	ND	0.0059		mg/Kg-dry	1	6/14/2006
1,2-Dichloropropane	ND	0.0059		mg/Kg-dry	1	6/14/2006
cis-1,3-Dichloropropene	ND	0.0059		mg/Kg-dry	1	6/14/2006
trans-1,3-Dichloropropene	ND	0.0059		mg/Kg-dry	1	6/14/2006
Ethylbenzene	ND	0.0059		mg/Kg-dry	1	6/14/2006
2-Hexanone	ND	0.012		mg/Kg-dry	1	6/14/2006
4-Methyl-2-pentanone	ND	0.012		mg/Kg-dry	1	6/14/2006
Methylene chloride	ND	0.012		mg/Kg-dry	1	6/14/2006
Methyl tert-butyl ether	ND	0.0059		mg/Kg-dry	1	6/14/2006
Styrene	ND	0.0059		mg/Kg-dry	1	6/14/2006
1,1,2,2-Tetrachloroethane	ND	0.0059		mg/Kg-dry	1	6/14/2006
Tetrachloroethene	0.024	0.0063		mg/Kg-dry	1	6/15/2006
Toluene	ND	0.0059		mg/Kg-dry	1	6/14/2006
1,1,1-Trichloroethane	ND	0.0059		mg/Kg-dry	1	6/14/2006
1,1,2-Trichloroethane	ND	0.0059		mg/Kg-dry	1	6/14/2006
Trichloroethene	ND	0.0059		mg/Kg-dry	1	6/14/2006
Vinyl chloride	ND	0.0059		mg/Kg-dry	1	6/14/2006
Xylenes, Total	ND	0.018		mg/Kg-dry	1	6/14/2006

Qualifiers:	ND - Not Detected at the Reporting Limit	RL - Reporting / Quantitation Limit for the analysis
	J - Analyte detected below quantitation limits	S - Spike Recovery outside accepted recovery limits
	B - Analyte detected in the associated Method Blank	R - RPD outside accepted recovery limits
	HT - Sample received past holding time	E - Value above quantitation range
	* - Non-accredited parameter	H - Holding time exceeded

STAT Analysis Corporation

2255 West Harrison St., Suite B, Chicago, IL 60612-3505

Tel: (312) 733-0551 Fax: (312) 733-2386 STATinfo@STATAnalysis.com

Accreditation Numbers: IEPA ELAP 100445; ORELAP IL300001; AIHA 101160; NVLAP LabCode 101202-0

Date Reported: June 19, 2006

Date Printed: June 19, 2006

Client:	Amereco Inc.	Client Sample ID:	S-13
Lab Order:	06060208	Collection Date:	6/7/2006 2:24:00 PM
Project:	06.732b, 4 Quenching Oil Tank Removal, Studebak	Matrix:	Soil
Lab ID:	06060208-015		

Analyses	Result	RL	Qualifier	Units	DF	Date Analyzed
Percent Moisture	D2974					Prep Date: 6/9/2006 Analyst: RW
Percent Moisture	16.8	0.01	*	wt%	1	6/10/2006

Qualifiers:	ND - Not Detected at the Reporting Limit	RL - Reporting / Quantitation Limit for the analysis
	J - Analyte detected below quantitation limits	S - Spike Recovery outside accepted recovery limits
	B - Analyte detected in the associated Method Blank	R - RPD outside accepted recovery limits
	HT - Sample received past holding time	E - Value above quantitation range
	* - Non-accredited parameter	H - Holding time exceeded

STAT Analysis Corporation

2255 West Harrison St., Suite B, Chicago, IL 60612-3505

Tel: (312) 733-0551 Fax: (312) 733-2386 STATinfo@STATAnalysis.com

Accreditation Numbers: IEPA ELAP 100445; ORELAP IL300001; AIHA 101160; NVLAP LabCode 101202-0

Date Reported: June 19, 2006

Date Printed: June 19, 2006

Client:	Amereco Inc.	Client Sample ID:	S-14
Lab Order:	06060208	Collection Date:	6/7/2006 2:29:00 PM
Project:	06.732b, 4 Quenching Oil Tank Removal, Studebak	Matrix:	Soil
Lab ID:	06060208-016		

Analyses	Result	RL	Qualifier	Units	DF	Date Analyzed
PCBs						
	SW8082 (SW3550B)			Prep Date: 6/8/2006		Analyst: ERP
Aroclor 1016	ND	0.094		mg/Kg-dry	1	6/9/2006
Aroclor 1221	ND	0.094		mg/Kg-dry	1	6/9/2006
Aroclor 1232	ND	0.094		mg/Kg-dry	1	6/9/2006
Aroclor 1242	ND	0.094		mg/Kg-dry	1	6/9/2006
Aroclor 1248	ND	0.094		mg/Kg-dry	1	6/9/2006
Aroclor 1254	ND	0.094		mg/Kg-dry	1	6/9/2006
Aroclor 1260	ND	0.094		mg/Kg-dry	1	6/9/2006
Total Petroleum Hydrocarbons						
	SW8015M (SW3580A)			Prep Date: 6/13/2006		Analyst: DCW
TPH (GRO)	ND	22		mg/Kg-dry	1	6/14/2006
TPH (DRO)	270	22		mg/Kg-dry	1	6/14/2006
TPH (ERO)	1000	22		mg/Kg-dry	1	6/14/2006
Mercury						
	SW7471A			Prep Date: 6/9/2006		Analyst: JG
Mercury	0.079	0.029		mg/Kg-dry	1	6/9/2006
Metals by ICP/MS						
	SW6020 (SW3050B)			Prep Date: 6/9/2006		Analyst: JG
Arsenic	3.9	1.1		mg/Kg-dry	10	6/9/2006
Barium	51	1.1		mg/Kg-dry	10	6/9/2006
Cadmium	ND	0.57		mg/Kg-dry	10	6/9/2006
Chromium	7.8	1.1		mg/Kg-dry	10	6/9/2006
Lead	52	0.57		mg/Kg-dry	10	6/9/2006
Selenium	ND	1.1		mg/Kg-dry	10	6/9/2006
Silver	ND	1.1		mg/Kg-dry	10	6/9/2006
Polynuclear Aromatic Hydrocarbons						
	SW8270C-SIM (SW3550B)			Prep Date: 6/8/2006		Analyst: VS
Acenaphthene	ND	0.04		mg/Kg-dry	10	6/11/2006
Acenaphthylene	0.044	0.04		mg/Kg-dry	10	6/11/2006
Anthracene	0.092	0.04		mg/Kg-dry	10	6/11/2006
Benz(a)anthracene	0.23	0.04		mg/Kg-dry	10	6/11/2006
Benzo(a)pyrene	0.11	0.04		mg/Kg-dry	10	6/11/2006
Benzo(b)fluoranthene	ND	0.04		mg/Kg-dry	10	6/11/2006
Benzo(g,h,i)perylene	0.13	0.04		mg/Kg-dry	10	6/11/2006
Benzo(k)fluoranthene	ND	0.04		mg/Kg-dry	10	6/11/2006
Chrysene	0.28	0.04		mg/Kg-dry	10	6/11/2006
Dibenz(a,h)anthracene	ND	0.04		mg/Kg-dry	10	6/11/2006
Fluoranthene	0.53	0.04		mg/Kg-dry	10	6/11/2006
Fluorene	0.048	0.04		mg/Kg-dry	10	6/11/2006
Indeno(1,2,3-cd)pyrene	0.11	0.04		mg/Kg-dry	10	6/11/2006
Naphthalene	0.072	0.04		mg/Kg-dry	10	6/11/2006

Qualifiers:	ND - Not Detected at the Reporting Limit	RL - Reporting / Quantitation Limit for the analysis
	J - Analyte detected below quantitation limits	S - Spike Recovery outside accepted recovery limits
	B - Analyte detected in the associated Method Blank	R - RPD outside accepted recovery limits
	HT - Sample received past holding time	E - Value above quantitation range
	* - Non-accredited parameter	H - Holding time exceeded

STAT Analysis Corporation

2255 West Harrison St., Suite B, Chicago, IL 60612-3505

Tel: (312) 733-0551 Fax: (312) 733-2386 STATinfo@STATAnalysis.com

Accreditation Numbers: IEPA ELAP 100445; ORELAP IL300001; AIHA 101160; NVLAP LabCode 101202-0

Date Reported: June 19, 2006

Date Printed: June 19, 2006

Client:	Amereco Inc.	Client Sample ID:	S-14
Lab Order:	06060208	Collection Date:	6/7/2006 2:29:00 PM
Project:	06.732b, 4 Quenching Oil Tank Removal, Studebak	Matrix:	Soil
Lab ID:	06060208-016		

Analyses	Result	RL	Qualifier	Units	DF	Date Analyzed
Polynuclear Aromatic Hydrocarbons						
	SW8270C-SIM (SW3550B)			Prep Date: 6/8/2006		Analyst: VS
Phenanthrene	0.4	0.04		mg/Kg-dry	10	6/11/2006
Pyrene	0.54	0.04		mg/Kg-dry	10	6/11/2006
Volatile Organic Compounds by GC/MS						
	SW5035/8260B			Prep Date: 6/9/2006		Analyst: SK
Acetone	0.18	0.057		mg/Kg-dry	1	6/14/2006
Benzene	ND	0.0057		mg/Kg-dry	1	6/14/2006
Bromodichloromethane	ND	0.0057		mg/Kg-dry	1	6/14/2006
Bromoform	ND	0.0057		mg/Kg-dry	1	6/14/2006
Bromomethane	ND	0.011		mg/Kg-dry	1	6/14/2006
2-Butanone	0.022	0.011		mg/Kg-dry	1	6/14/2006
Carbon disulfide	ND	0.0057		mg/Kg-dry	1	6/14/2006
Carbon tetrachloride	ND	0.0057		mg/Kg-dry	1	6/14/2006
Chlorobenzene	ND	0.0057		mg/Kg-dry	1	6/14/2006
Dibromochloromethane	ND	0.0057		mg/Kg-dry	1	6/14/2006
Chloroethane	ND	0.011		mg/Kg-dry	1	6/14/2006
Chloroform	ND	0.0057		mg/Kg-dry	1	6/14/2006
Chloromethane	ND	0.011		mg/Kg-dry	1	6/14/2006
1,1-Dichloroethane	ND	0.0057		mg/Kg-dry	1	6/14/2006
1,2-Dichloroethane	ND	0.0057		mg/Kg-dry	1	6/14/2006
1,1-Dichloroethene	ND	0.0057		mg/Kg-dry	1	6/14/2006
cis-1,2-Dichloroethene	ND	0.0057		mg/Kg-dry	1	6/14/2006
trans-1,2-Dichloroethene	ND	0.0057		mg/Kg-dry	1	6/14/2006
1,2-Dichloropropane	ND	0.0057		mg/Kg-dry	1	6/14/2006
cis-1,3-Dichloropropene	ND	0.0057		mg/Kg-dry	1	6/14/2006
trans-1,3-Dichloropropene	ND	0.0057		mg/Kg-dry	1	6/14/2006
Ethylbenzene	ND	0.0057		mg/Kg-dry	1	6/14/2006
2-Hexanone	ND	0.011		mg/Kg-dry	1	6/14/2006
4-Methyl-2-pentanone	ND	0.011		mg/Kg-dry	1	6/14/2006
Methylene chloride	ND	0.011		mg/Kg-dry	1	6/14/2006
Methyl tert-butyl ether	ND	0.0057		mg/Kg-dry	1	6/14/2006
Styrene	ND	0.0057		mg/Kg-dry	1	6/14/2006
1,1,2,2-Tetrachloroethane	ND	0.0057		mg/Kg-dry	1	6/14/2006
Tetrachloroethene	5	0.3		mg/Kg-dry	50	6/14/2006
Toluene	ND	0.0057		mg/Kg-dry	1	6/14/2006
1,1,1-Trichloroethane	ND	0.0057		mg/Kg-dry	1	6/14/2006
1,1,2-Trichloroethane	ND	0.0057		mg/Kg-dry	1	6/14/2006
Trichloroethene	0.013	0.0057		mg/Kg-dry	1	6/14/2006
Vinyl chloride	ND	0.0057		mg/Kg-dry	1	6/14/2006
Xylenes, Total	ND	0.017		mg/Kg-dry	1	6/14/2006

Qualifiers:	ND - Not Detected at the Reporting Limit	RL - Reporting / Quantitation Limit for the analysis
	J - Analyte detected below quantitation limits	S - Spike Recovery outside accepted recovery limits
	B - Analyte detected in the associated Method Blank	R - RPD outside accepted recovery limits
	HT - Sample received past holding time	E - Value above quantitation range
	* - Non-accredited parameter	H - Holding time exceeded

STAT Analysis Corporation

2255 West Harrison St., Suite B, Chicago, IL 60612-3505

Tel: (312) 733-0551 Fax: (312) 733-2386 STATinfo@STATAnalysis.com

Accreditation Numbers: IEPA ELAP 100445; ORELAP IL300001; AIHA 101160; NVLAP LabCode 101202-0

Date Reported: June 19, 2006

Date Printed: June 19, 2006

Client:	Amereco Inc.	Client Sample ID:	S-14
Lab Order:	06060208	Collection Date:	6/7/2006 2:29:00 PM
Project:	06.732b, 4 Quenching Oil Tank Removal, Studebak	Matrix:	Soil
Lab ID:	06060208-016		

Analyses	Result	RL	Qualifier	Units	DF	Date Analyzed
Percent Moisture	D2974				Prep Date: 6/9/2006	Analyst: RW
Percent Moisture	17.5	0.01	*	wt%	1	6/10/2006

Qualifiers:	ND - Not Detected at the Reporting Limit	RL - Reporting / Quantitation Limit for the analysis
	J - Analyte detected below quantitation limits	S - Spike Recovery outside accepted recovery limits
	B - Analyte detected in the associated Method Blank	R - RPD outside accepted recovery limits
	HT - Sample received past holding time	E - Value above quantitation range
	* - Non-accredited parameter	H - Holding time exceeded

STAT Analysis Corporation

2255 West Harrison St., Suite B, Chicago, IL 60612-3505

Tel: (312) 733-0551 Fax: (312) 733-2386 STATinfo@STATAnalysis.com

Accreditation Numbers: IEPA ELAP 100445; ORELAP IL300001; AIHA 101160; NVLAP LabCode 101202-0

Date Reported: June 19, 2006

Date Printed: June 19, 2006

Client:	Amereco Inc.	Client Sample ID:	S-15
Lab Order:	06060208	Collection Date:	6/7/2006 2:26:00 PM
Project:	06.732b, 4 Quenching Oil Tank Removal, Studebak	Matrix:	Soil
Lab ID:	06060208-017		

Analyses	Result	RL	Qualifier	Units	DF	Date Analyzed
PCBs						
	SW8082 (SW3550B)		Prep Date: 6/8/2006		Analyst: ERP	
Aroclor 1016	ND	0.094		mg/Kg-dry	1	6/9/2006
Aroclor 1221	ND	0.094		mg/Kg-dry	1	6/9/2006
Aroclor 1232	ND	0.094		mg/Kg-dry	1	6/9/2006
Aroclor 1242	ND	0.094		mg/Kg-dry	1	6/9/2006
Aroclor 1248	ND	0.094		mg/Kg-dry	1	6/9/2006
Aroclor 1254	ND	0.094		mg/Kg-dry	1	6/9/2006
Aroclor 1260	ND	0.094		mg/Kg-dry	1	6/9/2006
Total Petroleum Hydrocarbons						
	SW8015M (SW3580A)		Prep Date: 6/13/2006		Analyst: DCW	
TPH (GRO)	ND	22		mg/Kg-dry	1	6/14/2006
TPH (DRO)	250	22		mg/Kg-dry	1	6/14/2006
TPH (ERO)	800	22		mg/Kg-dry	1	6/14/2006
Mercury						
	SW7471A		Prep Date: 6/9/2006		Analyst: JG	
Mercury	0.18	0.028		mg/Kg-dry	1	6/9/2006
Metals by ICP/MS						
	SW6020 (SW3050B)		Prep Date: 6/9/2006		Analyst: JG	
Arsenic	3.2	1.2		mg/Kg-dry	10	6/9/2006
Barium	43	1.2		mg/Kg-dry	10	6/9/2006
Cadmium	ND	0.58		mg/Kg-dry	10	6/9/2006
Chromium	7.5	1.2		mg/Kg-dry	10	6/9/2006
Lead	50	0.58		mg/Kg-dry	10	6/9/2006
Selenium	ND	1.2		mg/Kg-dry	10	6/9/2006
Silver	ND	1.2		mg/Kg-dry	10	6/9/2006
Polynuclear Aromatic Hydrocarbons						
	SW8270C-SIM (SW3550B)		Prep Date: 6/8/2006		Analyst: VS	
Acenaphthene	ND	0.039		mg/Kg-dry	10	6/11/2006
Acenaphthylene	ND	0.039		mg/Kg-dry	10	6/11/2006
Anthracene	0.086	0.039		mg/Kg-dry	10	6/11/2006
Benz(a)anthracene	0.26	0.039		mg/Kg-dry	10	6/11/2006
Benzo(a)pyrene	0.11	0.039		mg/Kg-dry	10	6/11/2006
Benzo(b)fluoranthene	0.17	0.039		mg/Kg-dry	10	6/11/2006
Benzo(g,h,i)perylene	0.078	0.039		mg/Kg-dry	10	6/11/2006
Benzo(k)fluoranthene	0.094	0.039		mg/Kg-dry	10	6/11/2006
Chrysene	0.28	0.039		mg/Kg-dry	10	6/11/2006
Dibenz(a,h)anthracene	ND	0.039		mg/Kg-dry	10	6/11/2006
Fluoranthene	0.53	0.039		mg/Kg-dry	10	6/11/2006
Fluorene	ND	0.039		mg/Kg-dry	10	6/11/2006
Indeno(1,2,3-cd)pyrene	0.078	0.039		mg/Kg-dry	10	6/11/2006
Naphthalene	ND	0.039		mg/Kg-dry	10	6/11/2006

Qualifiers:
 ND - Not Detected at the Reporting Limit
 J - Analyte detected below quantitation limits
 B - Analyte detected in the associated Method Blank
 HT - Sample received past holding time
 * - Non-accredited parameter

RL - Reporting / Quantitation Limit for the analysis
 S - Spike Recovery outside accepted recovery limits
 R - RPD outside accepted recovery limits
 E - Value above quantitation range
 H - Holding time exceeded

STAT Analysis Corporation

2255 West Harrison St., Suite B, Chicago, IL 60612-3505

Tel: (312) 733-0551 Fax: (312) 733-2386 STATinfo@STATAnalysis.com

Accreditation Numbers: IEPA ELAP 100445; ORELAP IL300001; AIHA 101160; NVLAP LabCode 101202-0

Date Reported: June 19, 2006

Date Printed: June 19, 2006

Client: Amereco Inc.

Lab Order: 06060208

Project: 06.732b, 4 Quenching Oil Tank Removal, Studebak

Lab ID: 06060208-017

Client Sample ID: S-15

Collection Date: 6/7/2006 2:26:00 PM

Matrix: Soil

Analyses	Result	RL	Qualifier	Units	DF	Date Analyzed
Polynuclear Aromatic Hydrocarbons	SW8270C-SIM (SW3550B)		Prep Date: 6/8/2006		Analyst: VS	
Phenanthrene	0.35	0.039		mg/Kg-dry	10	6/11/2006
Pyrene	0.52	0.039		mg/Kg-dry	10	6/11/2006
Volatile Organic Compounds by GC/MS	SW5035/8260B		Prep Date: 6/9/2006		Analyst: SK	
Acetone	0.061	0.055		mg/Kg-dry	1	6/14/2006
Benzene	ND	0.0055		mg/Kg-dry	1	6/14/2006
Bromodichloromethane	ND	0.0055		mg/Kg-dry	1	6/14/2006
Bromoform	ND	0.0055		mg/Kg-dry	1	6/14/2006
Bromomethane	ND	0.011		mg/Kg-dry	1	6/14/2006
2-Butanone	ND	0.011		mg/Kg-dry	1	6/14/2006
Carbon disulfide	ND	0.0055		mg/Kg-dry	1	6/14/2006
Carbon tetrachloride	ND	0.0055		mg/Kg-dry	1	6/14/2006
Chlorobenzene	ND	0.0055		mg/Kg-dry	1	6/14/2006
Dibromochloromethane	ND	0.0055		mg/Kg-dry	1	6/14/2006
Chloroethane	ND	0.011		mg/Kg-dry	1	6/14/2006
Chloroform	ND	0.0055		mg/Kg-dry	1	6/14/2006
Chloromethane	ND	0.011		mg/Kg-dry	1	6/14/2006
1,1-Dichloroethane	ND	0.0055		mg/Kg-dry	1	6/14/2006
1,2-Dichloroethane	ND	0.0055		mg/Kg-dry	1	6/14/2006
1,1-Dichloroethene	ND	0.0055		mg/Kg-dry	1	6/14/2006
cis-1,2-Dichloroethene	ND	0.0055		mg/Kg-dry	1	6/14/2006
trans-1,2-Dichloroethene	ND	0.0055		mg/Kg-dry	1	6/14/2006
1,2-Dichloropropane	ND	0.0055		mg/Kg-dry	1	6/14/2006
cis-1,3-Dichloropropene	ND	0.0055		mg/Kg-dry	1	6/14/2006
trans-1,3-Dichloropropene	ND	0.0055		mg/Kg-dry	1	6/14/2006
Ethylbenzene	ND	0.0055		mg/Kg-dry	1	6/14/2006
2-Hexanone	ND	0.011		mg/Kg-dry	1	6/14/2006
4-Methyl-2-pentanone	ND	0.011		mg/Kg-dry	1	6/14/2006
Methylene chloride	ND	0.011		mg/Kg-dry	1	6/14/2006
Methyl tert-butyl ether	ND	0.0055		mg/Kg-dry	1	6/14/2006
Styrene	ND	0.0055		mg/Kg-dry	1	6/14/2006
1,1,2,2-Tetrachloroethane	ND	0.0055		mg/Kg-dry	1	6/14/2006
Tetrachloroethene	0.25	0.0055		mg/Kg-dry	1	6/14/2006
Toluene	ND	0.0055		mg/Kg-dry	1	6/14/2006
1,1,1-Trichloroethane	ND	0.0055		mg/Kg-dry	1	6/14/2006
1,1,2-Trichloroethane	ND	0.0055		mg/Kg-dry	1	6/14/2006
Trichloroethene	ND	0.0055		mg/Kg-dry	1	6/14/2006
Vinyl chloride	ND	0.0055		mg/Kg-dry	1	6/14/2006
Xylenes, Total	ND	0.016		mg/Kg-dry	1	6/14/2006

Qualifiers: ND - Not Detected at the Reporting Limit
 J - Analyte detected below quantitation limits
 B - Analyte detected in the associated Method Blank
 HT - Sample received past holding time
 * - Non-accredited parameter

RL - Reporting / Quantitation Limit for the analysis
 S - Spike Recovery outside accepted recovery limits
 R - RPD outside accepted recovery limits
 E - Value above quantitation range
 H - Holding time exceeded

STAT Analysis Corporation

2255 West Harrison St., Suite B, Chicago, IL 60612-3505

Tel: (312) 733-0551 Fax: (312) 733-2386 STATinfo@STATAnalysis.com

Accreditation Numbers: IEPA ELAP 100445; ORELAP IL300001; AIHA 101160; NVLAP LabCode 101202-0

Date Reported: June 19, 2006

Date Printed: June 19, 2006

Client:	Amereco Inc.	Client Sample ID:	S-15
Lab Order:	06060208	Collection Date:	6/7/2006 2:26:00 PM
Project:	06.732b, 4 Quenching Oil Tank Removal, Studebak	Matrix:	Soil
Lab ID:	06060208-017		

Analyses	Result	RL	Qualifier	Units	DF	Date Analyzed
Percent Moisture	D2974				Prep Date: 6/9/2006	Analyst: RW
Percent Moisture	17.1	0.01	*	wt%	1	6/10/2006

Qualifiers:

ND - Not Detected at the Reporting Limit

J - Analyte detected below quantitation limits

B - Analyte detected in the associated Method Blank

HT - Sample received past holding time

* - Non-accredited parameter

RL - Reporting / Quantitation Limit for the analysis

S - Spike Recovery outside accepted recovery limits

R - RPD outside accepted recovery limits

E - Value above quantitation range

H - Holding time exceeded

STAT Analysis Corporation

2255 West Harrison St., Suite B, Chicago, IL 60612-3505

Tel: (312) 733-0551 Fax: (312) 733-2386 STATinfo@STATAnalysis.com

Accreditation Numbers: IEPA ELAP 100445; ORELAP IL300001; AIHA 101160; NVLAP LabCode 101202-0

Date Reported: June 19, 2006

Date Printed: June 19, 2006

Client:	Amereco Inc.	Client Sample ID:	S-16
Lab Order:	06060208	Collection Date:	6/7/2006 2:21:00 PM
Project:	06.732b, 4 Quenching Oil Tank Removal, Studebak	Matrix:	Soil
Lab ID:	06060208-018		

Analyses	Result	RL	Qualifier	Units	DF	Date Analyzed
PCBs	SW8082 (SW3550B)				Prep Date: 6/8/2006	Analyst: ERP
Aroclor 1016	ND	0.084		mg/Kg-dry	1	6/9/2006
Aroclor 1221	ND	0.084		mg/Kg-dry	1	6/9/2006
Aroclor 1232	ND	0.084		mg/Kg-dry	1	6/9/2006
Aroclor 1242	ND	0.084		mg/Kg-dry	1	6/9/2006
Aroclor 1248	ND	0.084		mg/Kg-dry	1	6/9/2006
Aroclor 1254	ND	0.084		mg/Kg-dry	1	6/9/2006
Aroclor 1260	ND	0.084		mg/Kg-dry	1	6/9/2006
Total Petroleum Hydrocarbons	SW8015M (SW3580A)				Prep Date: 6/13/2006	Analyst: DCW
TPH (GRO)	ND	19		mg/Kg-dry	1	6/14/2006
TPH (DRO)	ND	19		mg/Kg-dry	1	6/14/2006
TPH (ERO)	ND	19	*	mg/Kg-dry	1	6/14/2006
Mercury	SW7471A				Prep Date: 6/9/2006	Analyst: JG
Mercury	ND	0.026		mg/Kg-dry	1	6/9/2006
Metals by ICP/MS	SW6020 (SW3050B)				Prep Date: 6/9/2006	Analyst: JG
Arsenic	1.6	0.99		mg/Kg-dry	10	6/9/2006
Barium	8.6	0.99		mg/Kg-dry	10	6/9/2006
Cadmium	ND	0.5		mg/Kg-dry	10	6/9/2006
Chromium	3.7	0.99		mg/Kg-dry	10	6/9/2006
Lead	2.5	0.5		mg/Kg-dry	10	6/9/2006
Selenium	ND	0.99		mg/Kg-dry	10	6/9/2006
Silver	ND	0.99		mg/Kg-dry	10	6/9/2006
Polynuclear Aromatic Hydrocarbons	SW8270C-SIM (SW3550B)				Prep Date: 6/8/2006	Analyst: DCW
Acenaphthene	ND	0.026		mg/Kg-dry	1	6/16/2006
Acenaphthylene	ND	0.026		mg/Kg-dry	1	6/16/2006
Anthracene	ND	0.026		mg/Kg-dry	1	6/16/2006
Benzo(a)anthracene	ND	0.026		mg/Kg-dry	1	6/16/2006
Benzo(a)pyrene	ND	0.026		mg/Kg-dry	1	6/16/2006
Benzo(b)fluoranthene	ND	0.026		mg/Kg-dry	1	6/16/2006
Benzo(g,h,i)perylene	ND	0.026		mg/Kg-dry	1	6/16/2006
Benzo(k)fluoranthene	ND	0.026		mg/Kg-dry	1	6/16/2006
Chrysene	ND	0.026		mg/Kg-dry	1	6/16/2006
Dibenz(a,h)anthracene	ND	0.026		mg/Kg-dry	1	6/16/2006
Fluoranthene	ND	0.026		mg/Kg-dry	1	6/16/2006
Fluorene	ND	0.026		mg/Kg-dry	1	6/16/2006
Indeno(1,2,3-cd)pyrene	ND	0.026		mg/Kg-dry	1	6/16/2006
Naphthalene	ND	0.026		mg/Kg-dry	1	6/16/2006

Qualifiers:
 ND - Not Detected at the Reporting Limit
 J - Analyte detected below quantitation limits
 B - Analyte detected in the associated Method Blank
 HT - Sample received past holding time
 * - Non-accredited parameter

RL - Reporting / Quantitation Limit for the analysis
 S - Spike Recovery outside accepted recovery limits
 R - RPD outside accepted recovery limits
 E - Value above quantitation range
 H - Holding time exceeded

STAT Analysis Corporation

2255 West Harrison St., Suite B, Chicago, IL 60612-3505

Tel: (312) 733-0551 Fax: (312) 733-2386 STATinfo@STATAnalysis.com

Accreditation Numbers: IEPA ELAP 100445; ORELAP IL300001; AIHA 101160; NVLAP LabCode 101202-0

Date Reported: June 19, 2006

Date Printed: June 19, 2006

Client:	Amereco Inc.	Client Sample ID:	S-16
Lab Order:	06060208	Collection Date:	6/7/2006 2:21:00 PM
Project:	06.732b, 4 Quenching Oil Tank Removal, Studebak	Matrix:	Soil
Lab ID:	06060208-018		

Analyses	Result	RL	Qualifier	Units	DF	Date Analyzed
Polynuclear Aromatic Hydrocarbons	SW8270C-SIM (SW3550B)		Prep Date: 6/8/2006		Analyst: DCW	
Phenanthrene	ND	0.026		mg/Kg-dry	1	6/16/2006
Pyrene	ND	0.026		mg/Kg-dry	1	6/16/2006
Volatile Organic Compounds by GC/MS	SW5035/8260B		Prep Date: 6/9/2006		Analyst: SK	
Acetone	ND	0.06		mg/Kg-dry	1	6/14/2006
Benzene	ND	0.006		mg/Kg-dry	1	6/14/2006
Bromodichloromethane	ND	0.006		mg/Kg-dry	1	6/14/2006
Bromoform	ND	0.006		mg/Kg-dry	1	6/14/2006
Bromomethane	ND	0.012		mg/Kg-dry	1	6/14/2006
2-Butanone	ND	0.012		mg/Kg-dry	1	6/14/2006
Carbon disulfide	ND	0.006		mg/Kg-dry	1	6/14/2006
Carbon tetrachloride	ND	0.006		mg/Kg-dry	1	6/14/2006
Chlorobenzene	ND	0.006		mg/Kg-dry	1	6/14/2006
Dibromochloromethane	ND	0.006		mg/Kg-dry	1	6/14/2006
Chloroethane	ND	0.012		mg/Kg-dry	1	6/14/2006
Chloroform	ND	0.006		mg/Kg-dry	1	6/14/2006
Chloromethane	ND	0.012		mg/Kg-dry	1	6/14/2006
1,1-Dichloroethane	ND	0.006		mg/Kg-dry	1	6/14/2006
1,2-Dichloroethane	ND	0.006		mg/Kg-dry	1	6/14/2006
1,1-Dichloroethene	ND	0.006		mg/Kg-dry	1	6/14/2006
cis-1,2-Dichloroethene	ND	0.006		mg/Kg-dry	1	6/14/2006
trans-1,2-Dichloroethene	ND	0.006		mg/Kg-dry	1	6/14/2006
1,2-Dichloropropane	ND	0.006		mg/Kg-dry	1	6/14/2006
cis-1,3-Dichloropropene	ND	0.006		mg/Kg-dry	1	6/14/2006
trans-1,3-Dichloropropene	ND	0.006		mg/Kg-dry	1	6/14/2006
Ethylbenzene	ND	0.006		mg/Kg-dry	1	6/14/2006
2-Hexanone	ND	0.012		mg/Kg-dry	1	6/14/2006
4-Methyl-2-pentanone	ND	0.012		mg/Kg-dry	1	6/14/2006
Methylene chloride	ND	0.012		mg/Kg-dry	1	6/14/2006
Methyl tert-butyl ether	ND	0.006		mg/Kg-dry	1	6/14/2006
Styrene	ND	0.006		mg/Kg-dry	1	6/14/2006
1,1,2,2-Tetrachloroethane	ND	0.006		mg/Kg-dry	1	6/14/2006
Tetrachloroethene	ND	0.0056		mg/Kg-dry	1	6/15/2006
Toluene	ND	0.006		mg/Kg-dry	1	6/14/2006
1,1,1-Trichloroethane	ND	0.006		mg/Kg-dry	1	6/14/2006
1,1,2-Trichloroethane	ND	0.006		mg/Kg-dry	1	6/14/2006
Trichloroethene	ND	0.006		mg/Kg-dry	1	6/14/2006
Vinyl chloride	ND	0.006		mg/Kg-dry	1	6/14/2006
Xylenes, Total	ND	0.018		mg/Kg-dry	1	6/14/2006

Qualifiers:
 ND - Not Detected at the Reporting Limit
 J - Analyte detected below quantitation limits
 B - Analyte detected in the associated Method Blank
 HT - Sample received past holding time
 * - Non-accredited parameter

RL - Reporting / Quantitation Limit for the analysis
 S - Spike Recovery outside accepted recovery limits
 R - RPD outside accepted recovery limits
 E - Value above quantitation range
 H - Holding time exceeded

STAT Analysis Corporation

2255 West Harrison St., Suite B, Chicago, IL 60612-3505

Tel: (312) 733-0551 Fax: (312) 733-2386 STATinfo@STATAnalysis.com

Accreditation Numbers: IEPA ELAP 100445; ORELAP IL300001; AIHA 101160; NVLAP LabCode 101202-0

Date Reported: June 19, 2006

Date Printed: June 19, 2006

Client:	Amereco Inc.	Client Sample ID:	S-16
Lab Order:	06060208	Collection Date:	6/7/2006 2:21:00 PM
Project:	06.732b, 4 Quenching Oil Tank Removal, Studebak	Matrix:	Soil
Lab ID:	06060208-018		

Analyses	Result	RL	Qualifier	Units	DF	Date Analyzed
Percent Moisture	D2974				Prep Date: 6/9/2006	Analyst: RW
Percent Moisture	6.0	0.01	*	wt%	1	6/10/2006

Qualifiers:	ND - Not Detected at the Reporting Limit	RL - Reporting / Quantitation Limit for the analysis
	J - Analyte detected below quantitation limits	S - Spike Recovery outside accepted recovery limits
	B - Analyte detected in the associated Method Blank	R - RPD outside accepted recovery limits
	HT - Sample received past holding time	E - Value above quantitation range
	* - Non-accredited parameter	H - Holding time exceeded

STAT Analysis Corporation

2255 West Harrison St., Suite B, Chicago, IL 60612-3505

Tel: (312) 733-0551 Fax: (312) 733-2386 STATInfo@STATAnalysis.com

Accreditation Numbers: IEPA ELAP 100445; ORELAP IL300001; AIHA 101160; NVLAP LabCode 101202-0

Date Reported: June 19, 2006

Date Printed: June 19, 2006

Client: Amereco Inc.	Client Sample ID: S-17
Lab Order: 06060208	Collection Date: 6/7/2006 2:28:00 PM
Project: 06.732b, 4 Quenching Oil Tank Removal, Studebak	Matrix: Soil
Lab ID: 06060208-019	

Analyses	Result	RL	Qualifier	Units	DF	Date Analyzed
PCBs						
	SW8082 (SW3550B)				Prep Date: 6/8/2006	Analyst: ERP
Aroclor 1016	ND	0.085		mg/Kg-dry	1	6/10/2006
Aroclor 1221	ND	0.085		mg/Kg-dry	1	6/10/2006
Aroclor 1232	ND	0.085		mg/Kg-dry	1	6/10/2006
Aroclor 1242	ND	0.085		mg/Kg-dry	1	6/10/2006
Aroclor 1248	ND	0.085		mg/Kg-dry	1	6/10/2006
Aroclor 1254	ND	0.085		mg/Kg-dry	1	6/10/2006
Aroclor 1260	ND	0.085		mg/Kg-dry	1	6/10/2006
Total Petroleum Hydrocarbons						
	SW8015M (SW3580A)				Prep Date: 6/13/2006	Analyst: DCW
TPH (GRO)	ND	21		mg/Kg-dry	1	6/14/2006
TPH (DRO)	3300	21		mg/Kg-dry	1	6/14/2006
TPH (ERO)	9300	100		mg/Kg-dry	5	6/15/2006
Mercury						
	SW7471A				Prep Date: 6/9/2006	Analyst: JG
Mercury	0.036	0.025		mg/Kg-dry	1	6/9/2006
Metals by ICP/MS						
	SW6020 (SW3050B)				Prep Date: 6/9/2006	Analyst: JG
Arsenic	2	1.1		mg/Kg-dry	10	6/9/2006
Barium	21	1.1		mg/Kg-dry	10	6/9/2006
Cadmium	ND	0.53		mg/Kg-dry	10	6/9/2006
Chromium	5.2	1.1		mg/Kg-dry	10	6/9/2006
Lead	16	0.53		mg/Kg-dry	10	6/9/2006
Selenium	ND	1.1		mg/Kg-dry	10	6/9/2006
Silver	ND	1.1		mg/Kg-dry	10	6/9/2006
Polynuclear Aromatic Hydrocarbons						
	SW8270C-SIM (SW3550B)				Prep Date: 6/8/2006	Analyst: VS
Acenaphthene	0.12	0.035		mg/Kg-dry	10	6/11/2006
Acenaphthylene	ND	0.035		mg/Kg-dry	10	6/11/2006
Anthracene	0.16	0.035		mg/Kg-dry	10	6/11/2006
Benz(a)anthracene	0.081	0.035		mg/Kg-dry	10	6/11/2006
Benzo(a)pyrene	0.042	0.035		mg/Kg-dry	10	6/11/2006
Benzo(b)fluoranthene	ND	0.035		mg/Kg-dry	10	6/11/2006
Benzo(g,h,i)perylene	ND	0.035		mg/Kg-dry	10	6/11/2006
Benzo(k)fluoranthene	ND	0.035		mg/Kg-dry	10	6/11/2006
Chrysene	0.42	0.035		mg/Kg-dry	10	6/11/2006
Dibenz(a,h)anthracene	ND	0.035		mg/Kg-dry	10	6/11/2006
Fluoranthene	0.1	0.035		mg/Kg-dry	10	6/11/2006
Fluorene	0.092	0.035		mg/Kg-dry	10	6/11/2006
Indeno(1,2,3-cd)pyrene	ND	0.035		mg/Kg-dry	10	6/11/2006
Naphthalene	0.36	0.035		mg/Kg-dry	10	6/11/2006

Qualifiers: ND - Not Detected at the Reporting Limit
 J - Analyte detected below quantitation limits
 B - Analyte detected in the associated Method Blank
 IT - Sample received past holding time
 * - Non-accredited parameter

RL - Reporting / Quantitation Limit for the analysis
 S - Spike Recovery outside accepted recovery limits
 R - RPD outside accepted recovery limits
 E - Value above quantitation range
 H - Holding time exceeded

STAT Analysis Corporation

2255 West Harrison St., Suite B, Chicago, IL 60612-3505

Tel: (312) 733-0551 Fax: (312) 733-2386 STATinfo@STATAnalysis.com

Accreditation Numbers: IEPA ELAP 100445; ORELAP IL300001; AIHA 101160; NVLAP LabCode 101202-0

Date Reported: June 19, 2006

Date Printed: June 19, 2006

Client:	Amereco Inc.	Client Sample ID:	S-17
Lab Order:	06060208	Collection Date:	6/7/2006 2:28:00 PM
Project:	06.732b, 4 Quenching Oil Tank Removal, Studebak	Matrix:	Soil
Lab ID:	06060208-019		

Analyses	Result	RL	Qualifier	Units	DF	Date Analyzed
Polynuclear Aromatic Hydrocarbons						
	SW8270C-SIM (SW3550B)			Prep Date:	6/8/2006	Analyst: VS
Phenanthrene	0.35	0.035		mg/Kg-dry	10	6/11/2006
Pyrene	0.056	0.035		mg/Kg-dry	10	6/11/2006
Volatile Organic Compounds by GC/MS						
	SW5035/8260B			Prep Date:	6/9/2006	Analyst: SK
Acetone	0.14	0.048		mg/Kg-dry	1	6/14/2006
Benzene	0.0064	0.0048		mg/Kg-dry	1	6/14/2006
Bromodichloromethane	ND	0.0048		mg/Kg-dry	1	6/14/2006
Bromoform	ND	0.0048		mg/Kg-dry	1	6/14/2006
Bromomethane	ND	0.0097		mg/Kg-dry	1	6/14/2006
2-Butanone	0.025	0.0097		mg/Kg-dry	1	6/14/2006
Carbon disulfide	ND	0.0048		mg/Kg-dry	1	6/14/2006
Carbon tetrachloride	ND	0.0048		mg/Kg-dry	1	6/14/2006
Chlorobenzene	ND	0.0048		mg/Kg-dry	1	6/14/2006
Dibromochloromethane	ND	0.0048		mg/Kg-dry	1	6/14/2006
Chloroethane	ND	0.0097		mg/Kg-dry	1	6/14/2006
Chloroform	ND	0.0048		mg/Kg-dry	1	6/14/2006
Chloromethane	ND	0.0097		mg/Kg-dry	1	6/14/2006
1,1-Dichloroethane	ND	0.0048		mg/Kg-dry	1	6/14/2006
1,2-Dichloroethane	ND	0.0048		mg/Kg-dry	1	6/14/2006
1,1-Dichloroethene	ND	0.0048		mg/Kg-dry	1	6/14/2006
cis-1,2-Dichloroethene	0.92	0.25		mg/Kg-dry	50	6/15/2006
trans-1,2-Dichloroethene	0.0089	0.0048		mg/Kg-dry	1	6/14/2006
1,2-Dichloropropane	ND	0.0048		mg/Kg-dry	1	6/14/2006
cis-1,3-Dichloropropene	ND	0.0048		mg/Kg-dry	1	6/14/2006
trans-1,3-Dichloropropene	ND	0.0048		mg/Kg-dry	1	6/14/2006
Ethylbenzene	ND	0.0048		mg/Kg-dry	1	6/14/2006
2-Hexanone	ND	0.0097		mg/Kg-dry	1	6/14/2006
4-Methyl-2-pentanone	ND	0.0097		mg/Kg-dry	1	6/14/2006
Methylene chloride	ND	0.0097		mg/Kg-dry	1	6/14/2006
Methyl tert-butyl ether	ND	0.0048		mg/Kg-dry	1	6/14/2006
Styrene	ND	0.0048		mg/Kg-dry	1	6/14/2006
1,1,2,2-Tetrachloroethane	ND	0.0048		mg/Kg-dry	1	6/14/2006
Tetrachloroethene	15	0.25		mg/Kg-dry	50	6/15/2006
Toluene	ND	0.0048		mg/Kg-dry	1	6/14/2006
1,1,1-Trichloroethane	ND	0.0048		mg/Kg-dry	1	6/14/2006
1,1,2-Trichloroethane	ND	0.0048		mg/Kg-dry	1	6/14/2006
Trichloroethene	0.23	0.0048		mg/Kg-dry	1	6/14/2006
Vinyl chloride	0.012	0.0048		mg/Kg-dry	1	6/14/2006
Xylenes, Total	ND	0.014		mg/Kg-dry	1	6/14/2006

Qualifiers:	ND - Not Detected at the Reporting Limit	RL - Reporting / Quantitation Limit for the analysis
	J - Analyte detected below quantitation limits	S - Spike Recovery outside accepted recovery limits
	B - Analyte detected in the associated Method Blank	R - RPD outside accepted recovery limits
	HT - Sample received past holding time	E - Value above quantitation range
	* - Non-accredited parameter	H - Holding time exceeded

STAT Analysis Corporation

2255 West Harrison St., Suite B, Chicago, IL 60612-3505

Tel: (312) 733-0551 Fax: (312) 733-2386 STATInfo@STATAnalysis.com

Accreditation Numbers: IEPA ELAP 100445; ORELAP IL300001; AIHA 101160; NVLAP LabCode 101202-0

Date Reported: June 19, 2006

Date Printed: June 19, 2006

Client:	Amereco Inc.	Client Sample ID:	S-17
Lab Order:	06060208	Collection Date:	6/7/2006 2:28:00 PM
Project:	06.732b, 4 Quenching Oil Tank Removal, Studebak	Matrix:	Soil
Lab ID:	06060208-019		

Analyses	Result	RL	Qualifier	Units	DF	Date Analyzed
Percent Moisture	D2974				Prep Date: 6/9/2006	Analyst: RW
Percent Moisture	8.04	0.01	*	wt%	1	6/10/2006

Qualifiers:	ND - Not Detected at the Reporting Limit	RL - Reporting / Quantitation Limit for the analysis
	J - Analyte detected below quantitation limits	S - Spike Recovery outside accepted recovery limits
	B - Analyte detected in the associated Method Blank	R - RPD outside accepted recovery limits
	HT - Sample received past holding time	E - Value above quantitation range
	* - Non-accredited parameter	H - Holding time exceeded

STAT Analysis Corporation

2255 West Harrison St., Suite B, Chicago, IL 60612-3505

Tel: (312) 733-0551 Fax: (312) 733-2386 STATinfo@STATAnalysis.com

Accreditation Numbers: IEPA ELAP 100445; ORELAP IL300001; AIHA 101160; NVLAP LabCode 101202-0

Date Reported: June 19, 2006

Date Printed: June 19, 2006

Client:	Amereco Inc.	Client Sample ID:	BF-01
Lab Order:	06060208	Collection Date:	6/7/2006 1:44:00 PM
Project:	06.732b, 4 Quenching Oil Tank Removal, Studebak	Matrix:	Soil
Lab ID:	06060208-020		

Analyses	Result	RL	Qualifier	Units	DF	Date Analyzed
PCBs	SW8082 (SW3550B)				Prep Date: 6/8/2006	Analyst: ERP
Aroclor 1016	ND	0.093		mg/Kg-dry	1	6/10/2006
Aroclor 1221	ND	0.093		mg/Kg-dry	1	6/10/2006
Aroclor 1232	ND	0.093		mg/Kg-dry	1	6/10/2006
Aroclor 1242	ND	0.093		mg/Kg-dry	1	6/10/2006
Aroclor 1248	ND	0.093		mg/Kg-dry	1	6/10/2006
Aroclor 1254	ND	0.093		mg/Kg-dry	1	6/10/2006
Aroclor 1260	0.1	0.093		mg/Kg-dry	1	6/10/2006
Total Petroleum Hydrocarbons	SW8015M (SW3580A)				Prep Date: 6/13/2006	Analyst: DCW
TPH (GRO)	ND	23		mg/Kg-dry	1	6/14/2006
TPH (DRO)	27	23		mg/Kg-dry	1	6/14/2006
TPH (ERO)	310	23	*	mg/Kg-dry	1	6/14/2006
Mercury	SW7471A				Prep Date: 6/9/2006	Analyst: JG
Mercury	0.39	0.029		mg/Kg-dry	1	6/9/2006
Metals by ICP/MS	SW6020 (SW3050B)				Prep Date: 6/14/2006	Analyst: JG
Arsenic	3.4	1.1		mg/Kg-dry	10	6/15/2006
Barium	260	1.1		mg/Kg-dry	10	6/15/2006
Cadmium	ND	0.57		mg/Kg-dry	10	6/15/2006
Chromium	11	1.1		mg/Kg-dry	10	6/15/2006
Lead	59	0.57		mg/Kg-dry	10	6/15/2006
Selenium	ND	1.1		mg/Kg-dry	10	6/15/2006
Silver	ND	1.1		mg/Kg-dry	10	6/15/2006
Polynuclear Aromatic Hydrocarbons	SW8270C-SIM (SW3550B)				Prep Date: 6/8/2006	Analyst: VS
Acenaphthene	0.42	0.039		mg/Kg-dry	10	6/11/2006
Acenaphthylene	0.062	0.039		mg/Kg-dry	10	6/11/2006
Anthracene	1.1	0.039		mg/Kg-dry	10	6/11/2006
Benz(a)anthracene	4.5	0.39		mg/Kg-dry	100	6/18/2006
Benzo(a)pyrene	3.2	0.39		mg/Kg-dry	100	6/18/2006
Benzo(b)fluoranthene	5.5	0.39		mg/Kg-dry	100	6/18/2006
Benzo(g,h,i)perylene	0.81	0.039		mg/Kg-dry	10	6/11/2006
Benzo(k)fluoranthene	1.5	0.039		mg/Kg-dry	10	6/11/2006
Chrysene	5.3	0.39		mg/Kg-dry	100	6/18/2006
Dibenz(a,h)anthracene	0.29	0.039		mg/Kg-dry	10	6/11/2006
Fluoranthene	12	0.39		mg/Kg-dry	100	6/18/2006
Fluorene	0.53	0.039		mg/Kg-dry	10	6/11/2006
Indeno(1,2,3-cd)pyrene	0.95	0.039		mg/Kg-dry	10	6/11/2006
Naphthalene	0.28	0.039		mg/Kg-dry	10	6/11/2006

Qualifiers: ND - Not Detected at the Reporting Limit
 J - Analyte detected below quantitation limits
 B - Analyte detected in the associated Method Blank
 HT - Sample received past holding time
 * - Non-accredited parameter

RL - Reporting / Quantitation Limit for the analysis
 S - Spike Recovery outside accepted recovery limits
 R - RPD outside accepted recovery limits
 E - Value above quantitation range
 H - Holding time exceeded

STAT Analysis Corporation

2255 West Harrison St., Suite B, Chicago, IL 60612-3505

Tel: (312) 733-0551 Fax: (312) 733-2386 STATinfo@STATAnalysis.com

Accreditation Numbers: IEPA ELAP 100445; ORELAP IL300001; AIHA 101160; NVLAP LabCode 101202-0

Date Reported: June 19, 2006

Date Printed: June 19, 2006

Client:	Amereco Inc.	Client Sample ID:	BF-01
Lab Order:	06060208	Collection Date:	6/7/2006 1:44:00 PM
Project:	06.732b, 4 Quenching Oil Tank Removal, Studebak	Matrix:	Soil
Lab ID:	06060208-020		

Analyses	Result	RL	Qualifier	Units	DF	Date Analyzed
----------	--------	----	-----------	-------	----	---------------

Polynuclear Aromatic Hydrocarbons	SW8270C-SIM (SW3550B)		Prep Date: 6/8/2006		Analyst: VS	
Phenanthrene	9.1	0.39		mg/Kg-dry	100	6/18/2006
Pyrene	8.8	0.39		mg/Kg-dry	100	6/18/2006

Volatile Organic Compounds by GC/MS	SW5035/8260B		Prep Date: 6/9/2006		Analyst: PS	
Acetone	ND	0.063		mg/Kg-dry	1	6/14/2006
Benzene	ND	0.0063		mg/Kg-dry	1	6/14/2006
Bromodichloromethane	ND	0.0063		mg/Kg-dry	1	6/14/2006
Bromoform	ND	0.0063		mg/Kg-dry	1	6/14/2006
Bromomethane	ND	0.013		mg/Kg-dry	1	6/14/2006
2-Butanone	ND	0.013		mg/Kg-dry	1	6/14/2006
Carbon disulfide	ND	0.0063		mg/Kg-dry	1	6/14/2006
Carbon tetrachloride	ND	0.0063		mg/Kg-dry	1	6/14/2006
Chlorobenzene	ND	0.0063		mg/Kg-dry	1	6/14/2006
Dibromochloromethane	ND	0.0063		mg/Kg-dry	1	6/14/2006
Chloroethane	ND	0.013		mg/Kg-dry	1	6/14/2006
Chloroform	ND	0.0063		mg/Kg-dry	1	6/14/2006
Chloromethane	ND	0.013		mg/Kg-dry	1	6/14/2006
1,1-Dichloroethane	ND	0.0063		mg/Kg-dry	1	6/14/2006
1,2-Dichloroethane	ND	0.0063		mg/Kg-dry	1	6/14/2006
1,1-Dichloroethene	ND	0.0063		mg/Kg-dry	1	6/14/2006
cis-1,2-Dichloroethene	ND	0.0063		mg/Kg-dry	1	6/14/2006
trans-1,2-Dichloroethene	ND	0.0063		mg/Kg-dry	1	6/14/2006
1,2-Dichloropropane	ND	0.0063		mg/Kg-dry	1	6/14/2006
cis-1,3-Dichloropropene	ND	0.0063		mg/Kg-dry	1	6/14/2006
trans-1,3-Dichloropropene	ND	0.0063		mg/Kg-dry	1	6/14/2006
Ethylbenzene	ND	0.0063		mg/Kg-dry	1	6/14/2006
2-Hexanone	ND	0.013		mg/Kg-dry	1	6/14/2006
4-Methyl-2-pentanone	ND	0.013		mg/Kg-dry	1	6/14/2006
Methylene chloride	ND	0.013		mg/Kg-dry	1	6/14/2006
Methyl tert-butyl ether	ND	0.0063		mg/Kg-dry	1	6/14/2006
Styrene	ND	0.0063		mg/Kg-dry	1	6/14/2006
1,1,2,2-Tetrachloroethane	ND	0.0063		mg/Kg-dry	1	6/14/2006
Tetrachloroethene	ND	0.0063		mg/Kg-dry	1	6/14/2006
Toluene	ND	0.0063		mg/Kg-dry	1	6/14/2006
1,1,1-Trichloroethane	ND	0.0063		mg/Kg-dry	1	6/14/2006
1,1,2-Trichloroethane	ND	0.0063		mg/Kg-dry	1	6/14/2006
Trichloroethene	ND	0.0063		mg/Kg-dry	1	6/14/2006
Vinyl chloride	ND	0.0063		mg/Kg-dry	1	6/14/2006
Xylenes, Total	ND	0.019		mg/Kg-dry	1	6/14/2006

Qualifiers:
 ND - Not Detected at the Reporting Limit
 J - Analyte detected below quantitation limits
 B - Analyte detected in the associated Method Blank
 HT - Sample received past holding time
 * - Non-accredited parameter

RL - Reporting / Quantitation Limit for the analysis
 S - Spike Recovery outside accepted recovery limits
 R - RPD outside accepted recovery limits
 E - Value above quantitation range
 H - Holding time exceeded

STAT Analysis Corporation

2255 West Harrison St., Suite B, Chicago, IL 60612-3505

Tel: (312) 733-0551 Fax: (312) 733-2386 STATinfo@STATAnalysis.com

Accreditation Numbers: IEPA ELAP 100445; ORELAP IL300001; AIHA 101160; NVLAP LabCode 101202-0

Date Reported: June 19, 2006

Date Printed: June 19, 2006

Client:	Amereco Inc.	Client Sample ID:	BF-01
Lab Order:	06060208	Collection Date:	6/7/2006 1:44:00 PM
Project:	06.732b, 4 Quenching Oil Tank Removal, Studebak	Matrix:	Soil
Lab ID:	06060208-020		

Analyses	Result	RL	Qualifier	Units	DF	Date Analyzed
Percent Moisture	D2974				Prep Date: 6/9/2006	Analyst: RW
Percent Moisture	16.7	0.01	*	wt%	1	6/10/2006

Qualifiers:	ND - Not Detected at the Reporting Limit	RL - Reporting / Quantitation Limit for the analysis
	J - Analyte detected below quantitation limits	S - Spike Recovery outside accepted recovery limits
	B - Analyte detected in the associated Method Blank	R - RPD outside accepted recovery limits
	HT - Sample received past holding time	E - Value above quantitation range
	* - Non-accredited parameter	H - Holding time exceeded

STAT Analysis Corporation

2255 West Harrison St., Suite B, Chicago, IL 60612-3505

Tel: (312) 733-0551 Fax: (312) 733-2386 STATInfo@STATAnalysis.com

Accreditation Numbers: IEPA ELAP 100445; ORELAP IL300001; AIHA 101160; NVLAP LabCode 101202-0

Date Reported: June 19, 2006

Date Printed: June 19, 2006

Client:	Amereco Inc.	Client Sample ID:	BF-02
Lab Order:	06060208	Collection Date:	6/7/2006 1:48:00 PM
Project:	06.732b, 4 Quenching Oil Tank Removal, Studebak	Matrix:	Soil
Lab ID:	06060208-021		

Analyses	Result	RL	Qualifier	Units	DF	Date Analyzed
PCBs						
	SW8082 (SW3550B)				Prep Date: 6/8/2006	Analyst: ERP
Aroclor 1016	ND	0.095		mg/Kg-dry	1	6/10/2006
Aroclor 1221	ND	0.095		mg/Kg-dry	1	6/10/2006
Aroclor 1232	ND	0.095		mg/Kg-dry	1	6/10/2006
Aroclor 1242	ND	0.095		mg/Kg-dry	1	6/10/2006
Aroclor 1248	ND	0.095		mg/Kg-dry	1	6/10/2006
Aroclor 1254	ND	0.095		mg/Kg-dry	1	6/10/2006
Aroclor 1260	ND	0.095		mg/Kg-dry	1	6/10/2006
Total Petroleum Hydrocarbons						
	SW8015M (SW3580A)				Prep Date: 6/13/2006	Analyst: DCW
TPH (GRO)	ND	22		mg/Kg-dry	1	6/14/2006
TPH (DRO)	ND	22		mg/Kg-dry	1	6/14/2006
TPH (ERO)	210	22	*	mg/Kg-dry	1	6/14/2006
Mercury						
	SW7471A				Prep Date: 6/9/2006	Analyst: JG
Mercury	0.29	0.029		mg/Kg-dry	1	6/9/2006
Metals by ICP/MS						
	SW6020 (SW3050B)				Prep Date: 6/9/2006	Analyst: JG
Arsenic	4.1	1.1		mg/Kg-dry	10	6/9/2006
Barium	150	1.1		mg/Kg-dry	10	6/9/2006
Cadmium	0.64	0.56		mg/Kg-dry	10	6/9/2006
Chromium	7.8	1.1		mg/Kg-dry	10	6/9/2006
Lead	240	0.56		mg/Kg-dry	10	6/9/2006
Selenium	ND	1.1		mg/Kg-dry	10	6/9/2006
Silver	ND	1.1		mg/Kg-dry	10	6/9/2006
Polynuclear Aromatic Hydrocarbons						
	SW8270C-SIM (SW3550B)				Prep Date: 6/8/2006	Analyst: VS
Acenaphthene	0.059	0.039		mg/Kg-dry	10	6/15/2006
Acenaphthylene	0.043	0.039		mg/Kg-dry	10	6/15/2006
Anthracene	0.23	0.039		mg/Kg-dry	10	6/15/2006
Benz(a)anthracene	0.9	0.039		mg/Kg-dry	10	6/15/2006
Benzo(a)pyrene	0.75	0.039		mg/Kg-dry	10	6/15/2006
Benzo(b)fluoranthene	1.1	0.039		mg/Kg-dry	10	6/15/2006
Benzo(g,h,i)perylene	0.41	0.039		mg/Kg-dry	10	6/15/2006
Benzo(k)fluoranthene	0.43	0.039		mg/Kg-dry	10	6/15/2006
Chrysene	1	0.039		mg/Kg-dry	10	6/15/2006
Dibenz(a,h)anthracene	0.13	0.039		mg/Kg-dry	10	6/15/2006
Fluoranthene	1.9	0.039		mg/Kg-dry	10	6/15/2006
Fluorene	0.079	0.039		mg/Kg-dry	10	6/15/2006
Indeno(1,2,3-cd)pyrene	0.43	0.039		mg/Kg-dry	10	6/15/2006
Naphthalene	0.11	0.039		mg/Kg-dry	10	6/15/2006

Qualifiers:
 ND - Not Detected at the Reporting Limit
 J - Analyte detected below quantitation limits
 B - Analyte detected in the associated Method Blank
 HT - Sample received past holding time
 * - Non-accredited parameter

RL - Reporting / Quantitation Limit for the analysis
 S - Spike Recovery outside accepted recovery limits
 R - RPD outside accepted recovery limits
 E - Value above quantitation range
 H - Holding time exceeded

STAT Analysis Corporation

2255 West Harrison St., Suite B, Chicago, IL 60612-3505

Tel: (312) 733-0551 Fax: (312) 733-2386 STATinfo@STATAnalysis.com

Accreditation Numbers: IEPA ELAP 100445; ORELAP IL300001; AIHA 101160; NVLAP LabCode 101202-0

Date Reported: June 19, 2006

Date Printed: June 19, 2006

Client:	Amereco Inc.	Client Sample ID:	BF-02
Lab Order:	06060208	Collection Date:	6/7/2006 1:48:00 PM
Project:	06.732b, 4 Quenching Oil Tank Removal, Studebak	Matrix:	Soil
Lab ID:	06060208-021		

Analyses	Result	RL	Qualifier	Units	DF	Date Analyzed
Polynuclear Aromatic Hydrocarbons						
	SW8270C-SIM (SW3550B)			Prep Date: 6/8/2006		Analyst: VS
Phenanthrene	1	0.039		mg/Kg-dry	10	6/15/2006
Pyrene	1.6	0.039		mg/Kg-dry	10	6/15/2006
Volatile Organic Compounds by GC/MS						
	SW5035/8260B			Prep Date: 6/9/2006		Analyst: PS
Acetone	ND	0.055		mg/Kg-dry	1	6/14/2006
Benzene	ND	0.0055		mg/Kg-dry	1	6/14/2006
Bromodichloromethane	ND	0.0055		mg/Kg-dry	1	6/14/2006
Bromoform	ND	0.0055		mg/Kg-dry	1	6/14/2006
Bromomethane	ND	0.011		mg/Kg-dry	1	6/14/2006
2-Butanone	ND	0.011		mg/Kg-dry	1	6/14/2006
Carbon disulfide	ND	0.0055		mg/Kg-dry	1	6/14/2006
Carbon tetrachloride	0.018	0.0055		mg/Kg-dry	1	6/14/2006
Chlorobenzene	ND	0.0055		mg/Kg-dry	1	6/14/2006
Dibromochloromethane	ND	0.0055		mg/Kg-dry	1	6/14/2006
Chloroethane	ND	0.011		mg/Kg-dry	1	6/14/2006
Chloroform	0.0092	0.0055		mg/Kg-dry	1	6/14/2006
Chloromethane	ND	0.011		mg/Kg-dry	1	6/14/2006
1,1-Dichloroethane	ND	0.0055		mg/Kg-dry	1	6/14/2006
1,2-Dichloroethane	ND	0.0055		mg/Kg-dry	1	6/14/2006
1,1-Dichloroethene	ND	0.0055		mg/Kg-dry	1	6/14/2006
cis-1,2-Dichloroethene	ND	0.0055		mg/Kg-dry	1	6/14/2006
trans-1,2-Dichloroethene	ND	0.0055		mg/Kg-dry	1	6/14/2006
1,2-Dichloropropane	ND	0.0055		mg/Kg-dry	1	6/14/2006
cis-1,3-Dichloropropene	ND	0.0055		mg/Kg-dry	1	6/14/2006
trans-1,3-Dichloropropene	ND	0.0055		mg/Kg-dry	1	6/14/2006
Ethylbenzene	ND	0.0055		mg/Kg-dry	1	6/14/2006
2-Hexanone	ND	0.011		mg/Kg-dry	1	6/14/2006
4-Methyl-2-pentanone	ND	0.011		mg/Kg-dry	1	6/14/2006
Methylene chloride	ND	0.011		mg/Kg-dry	1	6/14/2006
Methyl tert-butyl ether	ND	0.0055		mg/Kg-dry	1	6/14/2006
Styrene	ND	0.0055		mg/Kg-dry	1	6/14/2006
1,1,2,2-Tetrachloroethane	ND	0.0055		mg/Kg-dry	1	6/14/2006
Tetrachloroethene	ND	0.0055		mg/Kg-dry	1	6/14/2006
Toluene	ND	0.0055		mg/Kg-dry	1	6/14/2006
1,1,1-Trichloroethane	ND	0.0055		mg/Kg-dry	1	6/14/2006
1,1,2-Trichloroethane	ND	0.0055		mg/Kg-dry	1	6/14/2006
Trichloroethene	ND	0.0055		mg/Kg-dry	1	6/14/2006
Vinyl chloride	ND	0.0055		mg/Kg-dry	1	6/14/2006
Xylenes, Total	ND	0.017		mg/Kg-dry	1	6/14/2006

Qualifiers:	ND - Not Detected at the Reporting Limit	RL - Reporting / Quantitation Limit for the analysis
	J - Analyte detected below quantitation limits	S - Spike Recovery outside accepted recovery limits
	B - Analyte detected in the associated Method Blank	R - RPD outside accepted recovery limits
	HT - Sample received past holding time	E - Value above quantitation range
	* - Non-accredited parameter	H - Holding time exceeded

STAT Analysis Corporation

2255 West Harrison St., Suite B, Chicago, IL 60612-3505

Tel: (312) 733-0551 Fax: (312) 733-2386 STATInfo@STATAnalysis.com

Accreditation Numbers: IEPA ELAP 100445; ORELAP IL300001; AIHA 101160; NVLAP LabCode 101202-0

Date Reported: June 19, 2006

Date Printed: June 19, 2006

Client:	Amereco Inc.	Client Sample ID:	BF-02
Lab Order:	06060208	Collection Date:	6/7/2006 1:48:00 PM
Project:	06.732b, 4 Quenching Oil Tank Removal, Studebak	Matrix:	Soil
Lab ID:	06060208-021		

Analyses	Result	RL	Qualifier	Units	DF	Date Analyzed
Percent Moisture	D2974					Prep Date: 6/9/2006 Analyst: RW
Percent Moisture	17.1	0.01	*	wt%	1	6/10/2006

Qualifiers:

ND - Not Detected at the Reporting Limit
 J - Analyte detected below quantitation limits
 B - Analyte detected in the associated Method Blank
 HT - Sample received past holding time
 * - Non-accredited parameter

RL - Reporting / Quantitation Limit for the analysis
 S - Spike Recovery outside accepted recovery limits
 R - RPD outside accepted recovery limits
 E - Value above quantitation range
 H - Holding time exceeded

STAT Analysis Corporation

2255 West Harrison St., Suite B, Chicago, IL 60612-3505

Tel: (312) 733-0551 Fax: (312) 733-2386 STATinfo@STATAnalysis.com

Accreditation Numbers: IEPA ELAP 100445; ORELAP IL300001; AIHA 101160; NVLAP LabCode 101202-0

Date Reported: June 19, 2006

Date Printed: June 19, 2006

Client:	Ameresco Inc.	Client Sample ID:	BF-03
Lab Order:	06060208	Collection Date:	6/7/2006 1:55:00 PM
Project:	06.732b, 4 Quenching Oil Tank Removal, Studebak	Matrix:	Soil
Lab ID:	06060208-022		

Analyses	Result	RL	Qualifier	Units	DF	Date Analyzed
PCBs	SW8082 (SW3550B)			Prep Date: 6/8/2006		Analyst: ERP
Aroclor 1016	ND	0.087		mg/Kg-dry	1	6/10/2006
Aroclor 1221	ND	0.087		mg/Kg-dry	1	6/10/2006
Aroclor 1232	ND	0.087		mg/Kg-dry	1	6/10/2006
Aroclor 1242	ND	0.087		mg/Kg-dry	1	6/10/2006
Aroclor 1248	ND	0.087		mg/Kg-dry	1	6/10/2006
Aroclor 1254	ND	0.087		mg/Kg-dry	1	6/10/2006
Aroclor 1260	ND	0.087		mg/Kg-dry	1	6/10/2006
Total Petroleum Hydrocarbons	SW8015M (SW3580A)			Prep Date: 6/13/2006		Analyst: DCW
TPH (GRO)	ND	21		mg/Kg-dry	1	6/14/2006
TPH (DRO)	39	21		mg/Kg-dry	1	6/14/2006
TPH (ERO)	350	21	*	mg/Kg-dry	1	6/14/2006
Mercury	SW7471A			Prep Date: 6/9/2006		Analyst: JG
Mercury	0.27	0.025		mg/Kg-dry	1	6/9/2006
Metals by ICP/MS	SW6020 (SW3050B)			Prep Date: 6/9/2006		Analyst: JG
Arsenic	4	1.1		mg/Kg-dry	10	6/9/2006
Barium	1000	1.1		mg/Kg-dry	10	6/9/2006
Cadmium	0.74	0.53		mg/Kg-dry	10	6/9/2006
Chromium	12	1.1		mg/Kg-dry	10	6/9/2006
Lead	130	0.53		mg/Kg-dry	10	6/9/2006
Selenium	ND	1.1		mg/Kg-dry	10	6/9/2006
Silver	ND	1.1		mg/Kg-dry	10	6/9/2006
Polynuclear Aromatic Hydrocarbons	SW8270C-SIM (SW3550B)			Prep Date: 6/8/2006		Analyst: VS
Acenaphthene	0.054	0.035		mg/Kg-dry	10	6/16/2006
Acenaphthylene	0.036	0.035		mg/Kg-dry	10	6/16/2006
Anthracene	0.16	0.035		mg/Kg-dry	10	6/16/2006
Benz(a)anthracene	0.7	0.035		mg/Kg-dry	10	6/16/2006
Benzo(a)pyrene	0.52	0.035		mg/Kg-dry	10	6/16/2006
Benzo(b)fluoranthene	0.63	0.035		mg/Kg-dry	10	6/16/2006
Benzo(g,h,i)perylene	0.26	0.035		mg/Kg-dry	10	6/16/2006
Benzo(k)fluoranthene	0.53	0.035		mg/Kg-dry	10	6/16/2006
Chrysene	0.76	0.035		mg/Kg-dry	10	6/16/2006
Dibenz(a,h)anthracene	0.082	0.035		mg/Kg-dry	10	6/16/2006
Fluoranthene	1.5	0.035		mg/Kg-dry	10	6/16/2006
Fluorene	0.054	0.035		mg/Kg-dry	10	6/16/2006
Indeno(1,2,3-cd)pyrene	0.29	0.035		mg/Kg-dry	10	6/16/2006
Naphthalene	0.068	0.035		mg/Kg-dry	10	6/16/2006

Qualifiers:
 ND - Not Detected at the Reporting Limit
 J - Analyte detected below quantitation limits
 B - Analyte detected in the associated Method Blank
 HT - Sample received past holding time
 * - Non-accredited parameter

RL - Reporting / Quantitation Limit for the analysis
 S - Spike Recovery outside accepted recovery limits
 R - RPD outside accepted recovery limits
 E - Value above quantitation range
 H - Holding time exceeded

STAT Analysis Corporation

2255 West Harrison St., Suite B, Chicago, IL 60612-3505

Tel: (312) 733-0551 Fax: (312) 733-2386 STATinfo@STATAnalysis.com

Accreditation Numbers: IEPA ELAP 100445; ORELAP IL300001; AIHA 101160; NVLAP LabCode 101202-0

Date Reported: June 19, 2006

Date Printed: June 19, 2006

Client: Amereco Inc.	Client Sample ID: BF-03
Lab Order: 06060208	Collection Date: 6/7/2006 1:55:00 PM
Project: 06.732b, 4 Quenching Oil Tank Removal, Studebak	Matrix: Soil
Lab ID: 06060208-022	

Analyses	Result	RL	Qualifier	Units	DF	Date Analyzed
Polynuclear Aromatic Hydrocarbons						
	SW8270C-SIM (SW3550B)		Prep Date: 6/8/2006		Analyst: VS	
Phenanthrene	0.69	0.035		mg/Kg-dry	10	6/16/2006
Pyrene	1.3	0.035		mg/Kg-dry	10	6/16/2006
Volatile Organic Compounds by GC/MS						
	SW5035/8260B		Prep Date: 6/9/2006		Analyst: PS	
Acetone	ND	0.049		mg/Kg-dry	1	6/14/2006
Benzene	ND	0.0049		mg/Kg-dry	1	6/14/2006
Bromodichloromethane	ND	0.0049		mg/Kg-dry	1	6/14/2006
Bromoform	ND	0.0049		mg/Kg-dry	1	6/14/2006
Bromomethane	ND	0.0098		mg/Kg-dry	1	6/14/2006
2-Butanone	ND	0.0098		mg/Kg-dry	1	6/14/2006
Carbon disulfide	ND	0.0049		mg/Kg-dry	1	6/14/2006
Carbon tetrachloride	0.0066	0.0049		mg/Kg-dry	1	6/14/2006
Chlorobenzene	ND	0.0049		mg/Kg-dry	1	6/14/2006
Dibromochloromethane	ND	0.0049		mg/Kg-dry	1	6/14/2006
Chloroethane	ND	0.0098		mg/Kg-dry	1	6/14/2006
Chloroform	ND	0.0049		mg/Kg-dry	1	6/14/2006
Chloromethane	ND	0.0098		mg/Kg-dry	1	6/14/2006
1,1-Dichloroethane	ND	0.0049		mg/Kg-dry	1	6/14/2006
1,2-Dichloroethane	ND	0.0049		mg/Kg-dry	1	6/14/2006
1,1-Dichloroethene	ND	0.0049		mg/Kg-dry	1	6/14/2006
cis-1,2-Dichloroethene	ND	0.0049		mg/Kg-dry	1	6/14/2006
trans-1,2-Dichloroethene	ND	0.0049		mg/Kg-dry	1	6/14/2006
1,2-Dichloropropane	ND	0.0049		mg/Kg-dry	1	6/14/2006
cis-1,3-Dichloropropene	ND	0.0049		mg/Kg-dry	1	6/14/2006
trans-1,3-Dichloropropene	ND	0.0049		mg/Kg-dry	1	6/14/2006
Ethylbenzene	ND	0.0049		mg/Kg-dry	1	6/14/2006
2-Hexanone	ND	0.0098		mg/Kg-dry	1	6/14/2006
4-Methyl-2-pentanone	ND	0.0098		mg/Kg-dry	1	6/14/2006
Methylene chloride	ND	0.0098		mg/Kg-dry	1	6/14/2006
Methyl tert-butyl ether	ND	0.0049		mg/Kg-dry	1	6/14/2006
Styrene	ND	0.0049		mg/Kg-dry	1	6/14/2006
1,1,2,2-Tetrachloroethane	ND	0.0049		mg/Kg-dry	1	6/14/2006
Tetrachloroethene	ND	0.0049		mg/Kg-dry	1	6/14/2006
Toluene	ND	0.0049		mg/Kg-dry	1	6/14/2006
1,1,1-Trichloroethane	ND	0.0049		mg/Kg-dry	1	6/14/2006
1,1,2-Trichloroethane	ND	0.0049		mg/Kg-dry	1	6/14/2006
Trichloroethene	ND	0.0049		mg/Kg-dry	1	6/14/2006
Vinyl chloride	ND	0.0049		mg/Kg-dry	1	6/14/2006
Xylenes, Total	ND	0.015		mg/Kg-dry	1	6/14/2006

Qualifiers:
 ND - Not Detected at the Reporting Limit
 J - Analyte detected below quantitation limits
 B - Analyte detected in the associated Method Blank
 HT - Sample received past holding time
 * - Non-accredited parameter

RL - Reporting / Quantitation Limit for the analysis
 S - Spike Recovery outside accepted recovery limits
 R - RPD outside accepted recovery limits
 E - Value above quantitation range
 H - Holding time exceeded

STAT Analysis Corporation

2255 West Harrison St., Suite B, Chicago, IL 60612-3505

Tel: (312) 733-0551 Fax: (312) 733-2386 STATinfo@STATAnalysis.com

Accreditation Numbers: IEPA ELAP 100445; ORELAP IL300001; AIHA 101160; NVLAP LabCode 101202-0

Date Reported: June 19, 2006

Date Printed: June 19, 2006

Client:	Amereco Inc.	Client Sample ID:	BF-03
Lab Order:	06060208	Collection Date:	6/7/2006 1:55:00 PM
Project:	06.732b, 4 Quenching Oil Tank Removal, Studebak	Matrix:	Soil
Lab ID:	06060208-022		

Analyses	Result	RL	Qualifier	Units	DF	Date Analyzed
Percent Moisture	D2974				Prep Date: 6/9/2006	Analyst: RW
Percent Moisture	9.26	0.01	*	wt%	1	6/10/2006

Qualifiers:

- ND - Not Detected at the Reporting Limit
- J - Analyte detected below quantitation limits
- B - Analyte detected in the associated Method Blank
- HT - Sample received past holding time
- * - Non-accredited parameter

- RL - Reporting / Quantitation Limit for the analysis
- S - Spike Recovery outside accepted recovery limits
- R - RPD outside accepted recovery limits
- E - Value above quantitation range
- H - Holding time exceeded

STAT Analysis Corporation

2255 West Harrison St., Suite B, Chicago, IL 60612-3505

Tel: (312) 733-0551 Fax: (312) 733-2386 STATInfo@STATAnalysis.com

Accreditation Numbers: IEPA ELAP 100445; ORELAP IL300001; AIHA 101160; NVLAP LabCode 101202-0

Date Reported: June 19, 2006

Date Printed: June 19, 2006

Client:	Amereco Inc.	Client Sample ID:	BF-04
Lab Order:	06060208	Collection Date:	6/7/2006 1:57:00 PM
Project:	06.732b, 4 Quenching Oil Tank Removal, Studebak	Matrix:	Soil
Lab ID:	06060208-023		

Analyses	Result	RL	Qualifier	Units	DF	Date Analyzed
PCBs						
	SW8082 (SW3550B)			Prep Date: 6/8/2006		Analyst: ERP
Aroclor 1016	ND	0.093		mg/Kg-dry	1	6/10/2006
Aroclor 1221	ND	0.093		mg/Kg-dry	1	6/10/2006
Aroclor 1232	ND	0.093		mg/Kg-dry	1	6/10/2006
Aroclor 1242	ND	0.093		mg/Kg-dry	1	6/10/2006
Aroclor 1248	ND	0.093		mg/Kg-dry	1	6/10/2006
Aroclor 1254	ND	0.093		mg/Kg-dry	1	6/10/2006
Aroclor 1260	ND	0.093		mg/Kg-dry	1	6/10/2006
Total Petroleum Hydrocarbons						
	SW8015M (SW3580A)			Prep Date: 6/13/2006		Analyst: DCW
TPH (GRO)	ND	23		mg/Kg-dry	1	6/14/2006
TPH (DRO)	ND	23		mg/Kg-dry	1	6/14/2006
TPH (ERO)	74	23	*	mg/Kg-dry	1	6/14/2006
Mercury						
	SW7471A			Prep Date: 6/9/2006		Analyst: JG
Mercury	0.7	0.03		mg/Kg-dry	1	6/9/2006
Metals by ICP/MS						
	SW6020 (SW3050B)			Prep Date: 6/9/2006		Analyst: JG
Arsenic	4.9	1.2		mg/Kg-dry	10	6/9/2006
Barium	5300	12		mg/Kg-dry	100	6/15/2006
Cadmium	1.4	0.58		mg/Kg-dry	10	6/9/2006
Chromium	8.7	1.2		mg/Kg-dry	10	6/9/2006
Lead	130	0.58		mg/Kg-dry	10	6/9/2006
Selenium	ND	1.2		mg/Kg-dry	10	6/9/2006
Silver	ND	1.2		mg/Kg-dry	10	6/9/2006
Polynuclear Aromatic Hydrocarbons						
	SW8270C-SIM (SW3550B)			Prep Date: 6/8/2006		Analyst: VS
Acenaphthene	1.4	0.038		mg/Kg-dry	10	6/16/2006
Acenaphthylene	0.82	0.038		mg/Kg-dry	10	6/16/2006
Anthracene	2.9	0.038		mg/Kg-dry	10	6/16/2006
Benz(a)anthracene	3.9	0.038		mg/Kg-dry	10	6/16/2006
Benzo(a)pyrene	2.5	0.038		mg/Kg-dry	10	6/16/2006
Benzo(b)fluoranthene	2.9	0.038		mg/Kg-dry	10	6/16/2006
Benzo(g,h,i)perylene	0.81	0.038		mg/Kg-dry	10	6/16/2006
Benzo(k)fluoranthene	1.1	0.038		mg/Kg-dry	10	6/16/2006
Chrysene	3.3	0.038		mg/Kg-dry	10	6/16/2006
Dibenz(a,h)anthracene	0.34	0.038		mg/Kg-dry	10	6/16/2006
Fluoranthene	8.3	0.38		mg/Kg-dry	100	6/17/2006
Fluorene	1.6	0.038		mg/Kg-dry	10	6/16/2006
Indeno(1,2,3-cd)pyrene	1	0.038		mg/Kg-dry	10	6/16/2006
Naphthalene	2.2	0.038		mg/Kg-dry	10	6/16/2006

Qualifiers:	ND - Not Detected at the Reporting Limit	RL - Reporting / Quantitation Limit for the analysis
	J - Analyte detected below quantitation limits	S - Spike Recovery outside accepted recovery limits
	B - Analyte detected in the associated Method Blank	R - RPD outside accepted recovery limits
	HT - Sample received past holding time	E - Value above quantitation range
	* - Non-accredited parameter	H - Holding time exceeded

STAT Analysis Corporation

2255 West Harrison St., Suite B, Chicago, IL 60612-3505

Tel: (312) 733-0551 Fax: (312) 733-2386 STATinfo@STATAnalysis.com

Accreditation Numbers: IEPA ELAP 100445; ORELAP IL300001; AIHA 101160; NVLAP LabCode 101202-0

Date Reported: June 19, 2006

Date Printed: June 19, 2006

Client: Amereco Inc.	Client Sample ID: BF-04
Lab Order: 06060208	Collection Date: 6/7/2006 1:57:00 PM
Project: 06.732b, 4 Quenching Oil Tank Removal, Studebak	Matrix: Soil
Lab ID: 06060208-023	

Analyses	Result	RL	Qualifier	Units	DF	Date Analyzed
Polynuclear Aromatic Hydrocarbons						
	SW8270C-SIM (SW3550B)			Prep Date: 6/8/2006		Analyst: VS
Phenanthrene	10	0.38		mg/Kg-dry	100	6/17/2006
Pyrene	6.2	0.38		mg/Kg-dry	100	6/17/2006
Volatile Organic Compounds by GC/MS						
	SW5035/8260B			Prep Date: 6/9/2006		Analyst: SK
Acetone	0.17	0.061		mg/Kg-dry	1	6/14/2006
Benzene	ND	0.0061		mg/Kg-dry	1	6/14/2006
Bromodichloromethane	ND	0.0061		mg/Kg-dry	1	6/14/2006
Bromoform	ND	0.0061		mg/Kg-dry	1	6/14/2006
Bromomethane	ND	0.012		mg/Kg-dry	1	6/14/2006
2-Butanone	0.017	0.012		mg/Kg-dry	1	6/14/2006
Carbon disulfide	ND	0.0061		mg/Kg-dry	1	6/14/2006
Carbon tetrachloride	0.022	0.0061		mg/Kg-dry	1	6/14/2006
Chlorobenzene	ND	0.0061		mg/Kg-dry	1	6/14/2006
Dibromochloromethane	ND	0.0061		mg/Kg-dry	1	6/14/2006
Chloroethane	ND	0.012		mg/Kg-dry	1	6/14/2006
Chloroform	0.018	0.0061		mg/Kg-dry	1	6/14/2006
Chloromethane	ND	0.012		mg/Kg-dry	1	6/14/2006
1,1-Dichloroethane	ND	0.0061		mg/Kg-dry	1	6/14/2006
1,2-Dichloroethane	ND	0.0061		mg/Kg-dry	1	6/14/2006
1,1-Dichloroethene	ND	0.0061		mg/Kg-dry	1	6/14/2006
cis-1,2-Dichloroethene	ND	0.0061		mg/Kg-dry	1	6/14/2006
trans-1,2-Dichloroethene	ND	0.0061		mg/Kg-dry	1	6/14/2006
1,2-Dichloropropane	ND	0.0061		mg/Kg-dry	1	6/14/2006
cis-1,3-Dichloropropene	ND	0.0061		mg/Kg-dry	1	6/14/2006
trans-1,3-Dichloropropene	ND	0.0061		mg/Kg-dry	1	6/14/2006
Ethylbenzene	ND	0.0061		mg/Kg-dry	1	6/14/2006
2-Hexanone	ND	0.012		mg/Kg-dry	1	6/14/2006
4-Methyl-2-pentanone	ND	0.012		mg/Kg-dry	1	6/14/2006
Methylene chloride	ND	0.012		mg/Kg-dry	1	6/14/2006
Methyl tert-butyl ether	ND	0.0061		mg/Kg-dry	1	6/14/2006
Styrene	ND	0.0061		mg/Kg-dry	1	6/14/2006
1,1,2,2-Tetrachloroethane	ND	0.0061		mg/Kg-dry	1	6/14/2006
Tetrachloroethene	0.029	0.0061		mg/Kg-dry	1	6/14/2006
Toluene	ND	0.0061		mg/Kg-dry	1	6/14/2006
1,1,1-Trichloroethane	ND	0.0061		mg/Kg-dry	1	6/14/2006
1,1,2-Trichloroethane	ND	0.0061		mg/Kg-dry	1	6/14/2006
Trichloroethene	ND	0.0061		mg/Kg-dry	1	6/14/2006
Vinyl chloride	ND	0.0061		mg/Kg-dry	1	6/14/2006
Xylenes, Total	ND	0.018		mg/Kg-dry	1	6/14/2006

Qualifiers:
 ND - Not Detected at the Reporting Limit
 J - Analyte detected below quantitation limits
 B - Analyte detected in the associated Method Blank
 HT - Sample received past holding time
 * - Non-accredited parameter

RL - Reporting / Quantitation Limit for the analysis
 S - Spike Recovery outside accepted recovery limits
 R - RPD outside accepted recovery limits
 E - Value above quantitation range
 H - Holding time exceeded

STAT Analysis Corporation

2255 West Harrison St., Suite B, Chicago, IL 60612-3505

Tel: (312) 733-0551 Fax: (312) 733-2386 STATinfo@STATAnalysis.com

Accreditation Numbers: IEPA ELAP 100445; ORELAP IL300001; AIHA 101160; NVLAP LabCode 101202-0

Date Reported: June 19, 2006

Date Printed: June 19, 2006

Client:	Amereco Inc.	Client Sample ID:	BF-04
Lab Order:	06060208	Collection Date:	6/7/2006 1:57:00 PM
Project:	06.732b, 4 Quenching Oil Tank Removal, Studebak	Matrix:	Soil
Lab ID:	06060208-023		

Analyses	Result	RL	Qualifier	Units	DF	Date Analyzed
Percent Moisture	D2974				Prep Date: 6/9/2006	Analyst: RW
Percent Moisture	15.8	0.01	*	wt%	1	6/10/2006

Qualifiers:

ND - Not Detected at the Reporting Limit

J - Analyte detected below quantitation limits

B - Analyte detected in the associated Method Blank

HT - Sample received past holding time

* - Non-accredited parameter

RL - Reporting / Quantitation Limit for the analysis

S - Spike Recovery outside accepted recovery limits

R - RPD outside accepted recovery limits

E - Value above quantitation range

H - Holding time exceeded

STAT Analysis Corporation

2255 West Harrison St., Suite B, Chicago, IL 60612-3505

Tel: (312) 733-0551 Fax: (312) 733-2386 STATinfo@STATAnalysis.com

Accreditation Numbers: IEPA ELAP 100445; ORELAP IL300001; AIHA 101160; NVLAP LabCode 101202-0

Date Reported: June 19, 2006

Date Printed: June 19, 2006

Client:	Ameresco Inc.	Client Sample ID:	BF-05
Lab Order:	06060208	Collection Date:	6/7/2006 2:00:00 PM
Project:	06.732b, 4 Quenching Oil Tank Removal, Studebak	Matrix:	Soil
Lab ID:	06060208-024		

Analyses	Result	RL	Qualifier	Units	DF	Date Analyzed
PCBs						
	SW8082 (SW3550B)			Prep Date: 6/8/2006		Analyst: ERP
Aroclor 1016	ND	0.092		mg/Kg-dry	1	6/10/2006
Aroclor 1221	ND	0.092		mg/Kg-dry	1	6/10/2006
Aroclor 1232	ND	0.092		mg/Kg-dry	1	6/10/2006
Aroclor 1242	ND	0.092		mg/Kg-dry	1	6/10/2006
Aroclor 1248	ND	0.092		mg/Kg-dry	1	6/10/2006
Aroclor 1254	ND	0.092		mg/Kg-dry	1	6/10/2006
Aroclor 1260	ND	0.092		mg/Kg-dry	1	6/10/2006
Total Petroleum Hydrocarbons						
	SW8015M (SW3580A)			Prep Date: 6/13/2006		Analyst: DCW
TPH (GRO)	ND	21		mg/Kg-dry	1	6/14/2006
TPH (DRO)	ND	21		mg/Kg-dry	1	6/14/2006
TPH (ERO)	98	21	*	mg/Kg-dry	1	6/14/2006
Mercury						
	SW7471A			Prep Date: 6/9/2006		Analyst: JG
Mercury	0.65	0.029		mg/Kg-dry	1	6/9/2006
Metals by ICP/MS						
	SW6020 (SW3050B)			Prep Date: 6/9/2006		Analyst: JG
Arsenic	3.8	1.2		mg/Kg-dry	10	6/9/2006
Barium	130	1.2		mg/Kg-dry	10	6/9/2006
Cadmium	0.64	0.58		mg/Kg-dry	10	6/9/2006
Chromium	9.3	1.2		mg/Kg-dry	10	6/9/2006
Lead	83	0.58		mg/Kg-dry	10	6/9/2006
Selenium	ND	1.2		mg/Kg-dry	10	6/9/2006
Silver	ND	1.2		mg/Kg-dry	10	6/9/2006
Polynuclear Aromatic Hydrocarbons						
	SW8270C-SIM (SW3550B)			Prep Date: 6/8/2006		Analyst: VS
Acenaphthene	0.12	0.039		mg/Kg-dry	10	6/11/2006
Acenaphthylene	ND	0.039		mg/Kg-dry	10	6/11/2006
Anthracene	0.31	0.039		mg/Kg-dry	10	6/11/2006
Benz(a)anthracene	0.6	0.039		mg/Kg-dry	10	6/11/2006
Benzo(a)pyrene	0.23	0.039		mg/Kg-dry	10	6/11/2006
Benzo(b)fluoranthene	0.4	0.039		mg/Kg-dry	10	6/11/2006
Benzo(g,h,i)perylene	0.13	0.039		mg/Kg-dry	10	6/11/2006
Benzo(k)fluoranthene	0.15	0.039		mg/Kg-dry	10	6/11/2006
Chrysene	0.59	0.039		mg/Kg-dry	10	6/11/2006
Dibenz(a,h)anthracene	0.051	0.039		mg/Kg-dry	10	6/11/2006
Fluoranthene	1.5	0.039		mg/Kg-dry	10	6/11/2006
Fluorene	0.12	0.039		mg/Kg-dry	10	6/11/2006
Indeno(1,2,3-cd)pyrene	0.14	0.039		mg/Kg-dry	10	6/11/2006
Naphthalene	0.051	0.039		mg/Kg-dry	10	6/11/2006

Qualifiers:

ND - Not Detected at the Reporting Limit

J - Analyte detected below quantitation limits

B - Analyte detected in the associated Method Blank

HT - Sample received past holding time

* - Non-accredited parameter

RL - Reporting / Quantitation Limit for the analysis

S - Spike Recovery outside accepted recovery limits

R - RPD outside accepted recovery limits

E - Value above quantitation range

H - Holding time exceeded

STAT Analysis Corporation

2255 West Harrison St., Suite B, Chicago, IL 60612-3505

Tel: (312) 733-0551 Fax: (312) 733-2386 STATInfo@STATAnalysis.com

Accreditation Numbers: IEPA ELAP 100445; ORELAP IL300001; AIHA 101160; NVLAP LabCode 101202-0

Date Reported: June 19, 2006

Date Printed: June 19, 2006

Client:	Amereco Inc.	Client Sample ID:	BF-05
Lab Order:	06060208	Collection Date:	6/7/2006 2:00:00 PM
Project:	06.732b, 4 Quenching Oil Tank Removal, Studebak	Matrix:	Soil
Lab ID:	06060208-024		

Analyses	Result	RL	Qualifier	Units	DF	Date Analyzed
Polynuclear Aromatic Hydrocarbons						
	SW8270C-SIM (SW3550B)			Prep Date: 6/8/2006		Analyst: VS
Phenanthrene	1.4	0.039		mg/Kg-dry	10	6/11/2006
Pyrene	1.2	0.039		mg/Kg-dry	10	6/11/2006
Volatile Organic Compounds by GC/MS						
	SW5035/8260B			Prep Date: 6/9/2006		Analyst: PS
Acetone	ND	0.058		mg/Kg-dry	1	6/14/2006
Benzene	ND	0.0058		mg/Kg-dry	1	6/14/2006
Bromodichloromethane	ND	0.0058		mg/Kg-dry	1	6/14/2006
Bromoform	ND	0.0058		mg/Kg-dry	1	6/14/2006
Bromomethane	ND	0.012		mg/Kg-dry	1	6/14/2006
2-Butanone	ND	0.012		mg/Kg-dry	1	6/14/2006
Carbon disulfide	ND	0.0058		mg/Kg-dry	1	6/14/2006
Carbon tetrachloride	0.0067	0.0058		mg/Kg-dry	1	6/14/2006
Chlorobenzene	ND	0.0058		mg/Kg-dry	1	6/14/2006
Dibromochloromethane	ND	0.0058		mg/Kg-dry	1	6/14/2006
Chloroethane	ND	0.012		mg/Kg-dry	1	6/14/2006
Chloroform	0.0068	0.0058		mg/Kg-dry	1	6/14/2006
Chloromethane	ND	0.012		mg/Kg-dry	1	6/14/2006
1,1-Dichloroethane	ND	0.0058		mg/Kg-dry	1	6/14/2006
1,2-Dichloroethane	ND	0.0058		mg/Kg-dry	1	6/14/2006
1,1-Dichloroethene	ND	0.0058		mg/Kg-dry	1	6/14/2006
cis-1,2-Dichloroethene	ND	0.0058		mg/Kg-dry	1	6/14/2006
trans-1,2-Dichloroethene	ND	0.0058		mg/Kg-dry	1	6/14/2006
1,2-Dichloropropane	ND	0.0058		mg/Kg-dry	1	6/14/2006
cis-1,3-Dichloropropene	ND	0.0058		mg/Kg-dry	1	6/14/2006
trans-1,3-Dichloropropene	ND	0.0058		mg/Kg-dry	1	6/14/2006
Ethylbenzene	ND	0.0058		mg/Kg-dry	1	6/14/2006
2-Hexanone	ND	0.012		mg/Kg-dry	1	6/14/2006
4-Methyl-2-pentanone	ND	0.012		mg/Kg-dry	1	6/14/2006
Methylene chloride	ND	0.012		mg/Kg-dry	1	6/14/2006
Methyl tert-butyl ether	ND	0.0058		mg/Kg-dry	1	6/14/2006
Styrene	ND	0.0058		mg/Kg-dry	1	6/14/2006
1,1,2,2-Tetrachloroethane	ND	0.0058		mg/Kg-dry	1	6/14/2006
Tetrachloroethene	ND	0.0058		mg/Kg-dry	1	6/14/2006
Toluene	ND	0.0058		mg/Kg-dry	1	6/14/2006
1,1,1-Trichloroethane	ND	0.0058		mg/Kg-dry	1	6/14/2006
1,1,2-Trichloroethane	ND	0.0058		mg/Kg-dry	1	6/14/2006
Trichloroethene	ND	0.0058		mg/Kg-dry	1	6/14/2006
Vinyl chloride	ND	0.0058		mg/Kg-dry	1	6/14/2006
Xylenes, Total	ND	0.017		mg/Kg-dry	1	6/14/2006

Qualifiers:	ND - Not Detected at the Reporting Limit	RL - Reporting / Quantitation Limit for the analysis
	J - Analyte detected below quantitation limits	S - Spike Recovery outside accepted recovery limits
	B - Analyte detected in the associated Method Blank	R - RPD outside accepted recovery limits
	HT - Sample received past holding time	E - Value above quantitation range
	* - Non-accredited parameter	H - Holding time exceeded

STAT Analysis Corporation

2255 West Harrison St., Suite B, Chicago, IL 60612-3505

Tel: (312) 733-0551 Fax: (312) 733-2386 STATinfo@STATAnalysis.com

Accreditation Numbers: IEPA ELAP 100445; ORELAP IL300001; AIHA 101160; NVLAP LabCode 101202-0

Date Reported: June 19, 2006

Date Printed: June 19, 2006

Client:	Amereco Inc.	Client Sample ID:	BF-05
Lab Order:	06060208	Collection Date:	6/7/2006 2:00:00 PM
Project:	06.732b, 4 Quenching Oil Tank Removal, Studebak	Matrix:	Soil
Lab ID:	06060208-024		

Analyses	Result	RL	Qualifier	Units	DF	Date Analyzed
Percent Moisture	D2974				Prep Date: 6/9/2006	Analyst: RW
Percent Moisture	15.8	0.01	*	wt%	1	6/10/2006

Qualifiers:	ND - Not Detected at the Reporting Limit	RL - Reporting / Quantitation Limit for the analysis
	J - Analyte detected below quantitation limits	S - Spike Recovery outside accepted recovery limits
	B - Analyte detected in the associated Method Blank	R - RPD outside accepted recovery limits
	HT - Sample received past holding time	E - Value above quantitation range
	* - Non-accredited parameter	H - Holding time exceeded

STAT Analysis Corporation

2255 West Harrison St., Suite B, Chicago, IL 60612-3505

Tel: (312) 733-0551 Fax: (312) 733-2386 STATinfo@STATAnalysis.com

Accreditation Numbers: IEPA ELAP 100445; ORELAP IL300001; AIHA 101160; NVLAP LabCode 101202-0

Date Reported: June 19, 2006

Date Printed: June 19, 2006

Client:	Amereco Inc.	Client Sample ID:	BF-06
Lab Order:	06060208	Collection Date:	6/7/2006 2:02:00 PM
Project:	06.732b, 4 Quenching Oil Tank Removal, Studebak	Matrix:	Soil
Lab ID:	06060208-025		

Analyses	Result	RL	Qualifier	Units	DF	Date Analyzed
PCBs						
	SW8082 (SW3550B)			Prep Date: 6/8/2006		Analyst: ERP
Aroclor 1016	ND	0.092		mg/Kg-dry	1	6/10/2006
Aroclor 1221	ND	0.092		mg/Kg-dry	1	6/10/2006
Aroclor 1232	ND	0.092		mg/Kg-dry	1	6/10/2006
Aroclor 1242	ND	0.092		mg/Kg-dry	1	6/10/2006
Aroclor 1248	ND	0.092		mg/Kg-dry	1	6/10/2006
Aroclor 1254	ND	0.092		mg/Kg-dry	1	6/10/2006
Aroclor 1260	ND	0.092		mg/Kg-dry	1	6/10/2006
Total Petroleum Hydrocarbons						
	SW8015M (SW3580A)			Prep Date: 6/13/2006		Analyst: DCW
TPH (GRO)	ND	21		mg/Kg-dry	1	6/14/2006
TPH (DRO)	29	21		mg/Kg-dry	1	6/14/2006
TPH (ERO)	360	21	*	mg/Kg-dry	1	6/14/2006
Mercury						
	SW7471A			Prep Date: 6/9/2006		Analyst: JG
Mercury	0.38	0.029		mg/Kg-dry	1	6/9/2006
Metals by ICP/MS						
	SW6020 (SW3050B)			Prep Date: 6/9/2006		Analyst: JG
Arsenic	3.8	1.2		mg/Kg-dry	10	6/9/2006
Barium	300	1.2		mg/Kg-dry	10	6/9/2006
Cadmium	0.75	0.58		mg/Kg-dry	10	6/9/2006
Chromium	8.4	1.2		mg/Kg-dry	10	6/9/2006
Lead	110	0.58		mg/Kg-dry	10	6/9/2006
Selenium	ND	1.2		mg/Kg-dry	10	6/9/2006
Silver	ND	1.2		mg/Kg-dry	10	6/9/2006
Polynuclear Aromatic Hydrocarbons						
	SW8270C-SIM (SW3550B)			Prep Date: 6/8/2006		Analyst: VS
Acenaphthene	0.051	0.039		mg/Kg-dry	10	6/15/2006
Acenaphthylene	ND	0.039		mg/Kg-dry	10	6/15/2006
Anthracene	0.16	0.039		mg/Kg-dry	10	6/15/2006
Benz(a)anthracene	0.58	0.039		mg/Kg-dry	10	6/15/2006
Benzo(a)pyrene	0.48	0.039		mg/Kg-dry	10	6/15/2006
Benzo(b)fluoranthene	0.54	0.039		mg/Kg-dry	10	6/15/2006
Benzo(g,h,i)perylene	0.24	0.039		mg/Kg-dry	10	6/15/2006
Benzo(k)fluoranthene	0.42	0.039		mg/Kg-dry	10	6/15/2006
Chrysene	0.58	0.039		mg/Kg-dry	10	6/15/2006
Dibenz(a,h)anthracene	0.066	0.039		mg/Kg-dry	10	6/15/2006
Fluoranthene	1.2	0.039		mg/Kg-dry	10	6/15/2006
Fluorene	0.058	0.039		mg/Kg-dry	10	6/15/2006
Indeno(1,2,3-cd)pyrene	0.26	0.039		mg/Kg-dry	10	6/15/2006
Naphthalene	0.043	0.039		mg/Kg-dry	10	6/15/2006

Qualifiers:

ND - Not Detected at the Reporting Limit

J - Analyte detected below quantitation limits

B - Analyte detected in the associated Method Blank

HT - Sample received past holding time

* - Non-accredited parameter

RL - Reporting / Quantitation Limit for the analysis

S - Spike Recovery outside accepted recovery limits

R - RPD outside accepted recovery limits

E - Value above quantitation range

H - Holding time exceeded

STAT Analysis Corporation

2255 West Harrison St., Suite B, Chicago, IL 60612-3505

Tel: (312) 733-0551 Fax: (312) 733-2386 STATinfo@STATAnalysis.com

Accreditation Numbers: IEPA ELAP 100445; ORELAP IL300001; AIHA 101160; NVLAP LabCode 101202-0

Date Reported: June 19, 2006

Date Printed: June 19, 2006

Client:	Amereco Inc.	Client Sample ID:	BF-06
Lab Order:	06060208	Collection Date:	6/7/2006 2:02:00 PM
Project:	06.732b, 4 Quenching Oil Tank Removal, Studebak	Matrix:	Soil
Lab ID:	06060208-025		

Analyses	Result	RL	Qualifier	Units	DF	Date Analyzed
Polynuclear Aromatic Hydrocarbons						
	SW8270C-SIM (SW3550B)			Prep Date: 6/8/2006		Analyst: VS
Phenanthrene	0.69	0.039		mg/Kg-dry	10	6/15/2006
Pyrene	1	0.039		mg/Kg-dry	10	6/15/2006
Volatile Organic Compounds by GC/MS						
	SW5035/8260B			Prep Date: 6/9/2006		Analyst: PS
Acetone	ND	0.06		mg/Kg-dry	1	6/14/2006
Benzene	ND	0.006		mg/Kg-dry	1	6/14/2006
Bromodichloromethane	ND	0.006		mg/Kg-dry	1	6/14/2006
Bromoform	ND	0.006		mg/Kg-dry	1	6/14/2006
Bromomethane	ND	0.012		mg/Kg-dry	1	6/14/2006
2-Butanone	ND	0.012		mg/Kg-dry	1	6/14/2006
Carbon disulfide	ND	0.006		mg/Kg-dry	1	6/14/2006
Carbon tetrachloride	ND	0.006		mg/Kg-dry	1	6/14/2006
Chlorobenzene	ND	0.006		mg/Kg-dry	1	6/14/2006
Dibromochloromethane	ND	0.006		mg/Kg-dry	1	6/14/2006
Chloroethane	ND	0.012		mg/Kg-dry	1	6/14/2006
Chloroform	ND	0.006		mg/Kg-dry	1	6/14/2006
Chloromethane	ND	0.012		mg/Kg-dry	1	6/14/2006
1,1-Dichloroethane	ND	0.006		mg/Kg-dry	1	6/14/2006
1,2-Dichloroethane	ND	0.006		mg/Kg-dry	1	6/14/2006
1,1-Dichloroethene	ND	0.006		mg/Kg-dry	1	6/14/2006
cis-1,2-Dichloroethene	ND	0.006		mg/Kg-dry	1	6/14/2006
trans-1,2-Dichloroethene	ND	0.006		mg/Kg-dry	1	6/14/2006
1,2-Dichloropropane	ND	0.006		mg/Kg-dry	1	6/14/2006
cis-1,3-Dichloropropene	ND	0.006		mg/Kg-dry	1	6/14/2006
trans-1,3-Dichloropropene	ND	0.006		mg/Kg-dry	1	6/14/2006
Ethylbenzene	ND	0.006		mg/Kg-dry	1	6/14/2006
2-Hexanone	ND	0.012		mg/Kg-dry	1	6/14/2006
4-Methyl-2-pentanone	ND	0.012		mg/Kg-dry	1	6/14/2006
Methylene chloride	ND	0.012		mg/Kg-dry	1	6/14/2006
Methyl tert-butyl ether	ND	0.006		mg/Kg-dry	1	6/14/2006
Styrene	ND	0.006		mg/Kg-dry	1	6/14/2006
1,1,2,2-Tetrachloroethane	ND	0.006		mg/Kg-dry	1	6/14/2006
Tetrachloroethene	ND	0.006		mg/Kg-dry	1	6/14/2006
Toluene	ND	0.006		mg/Kg-dry	1	6/14/2006
1,1,1-Trichloroethane	ND	0.006		mg/Kg-dry	1	6/14/2006
1,1,2-Trichloroethane	ND	0.006		mg/Kg-dry	1	6/14/2006
Trichloroethene	ND	0.006		mg/Kg-dry	1	6/14/2006
Vinyl chloride	ND	0.006		mg/Kg-dry	1	6/14/2006
Xylenes, Total	ND	0.018		mg/Kg-dry	1	6/14/2006

Qualifiers:	ND - Not Detected at the Reporting Limit	RL - Reporting / Quantitation Limit for the analysis
	J - Analyte detected below quantitation limits	S - Spike Recovery outside accepted recovery limits
	B - Analyte detected in the associated Method Blank	R - RPD outside accepted recovery limits
	HT - Sample received past holding time	E - Value above quantitation range
	* - Non-accredited parameter	H - Holding time exceeded

STAT Analysis Corporation

2255 West Harrison St., Suite B, Chicago, IL 60612-3505

Tel: (312) 733-0551 Fax: (312) 733-2386 STATinfo@STATAnalysis.com

Accreditation Numbers: IEPA ELAP 100445; ORELAP IL300001; AIHA 101160; NVLAP LabCode 101202-0

Date Reported: June 19, 2006

Date Printed: June 19, 2006

Client:	Amereco Inc.	Client Sample ID:	BF-06
Lab Order:	06060208	Collection Date:	6/7/2006 2:02:00 PM
Project:	06.732b, 4 Quenching Oil Tank Removal, Studebak	Matrix:	Soil
Lab ID:	06060208-025		

Analyses	Result	RL	Qualifier	Units	DF	Date Analyzed
Percent Moisture	D2974				Prep Date: 6/9/2006	Analyst: RW
Percent Moisture	16	0.01	*	wt%	1	6/10/2006

Qualifiers:

ND - Not Detected at the Reporting Limit

J - Analyte detected below quantitation limits

B - Analyte detected in the associated Method Blank

HT - Sample received past holding time

* - Non-accredited parameter

RL - Reporting / Quantitation Limit for the analysis

S - Spike Recovery outside accepted recovery limits

R - RPD outside accepted recovery limits

E - Value above quantitation range

H - Holding time exceeded

STAT Analysis Corporation

2255 West Harrison St., Suite B, Chicago, IL 60612-3505

Tel: (312) 733-0551 Fax: (312) 733-2386 STATInfo@STATAnalysis.com

Accreditation Numbers: IEPA ELAP 100445; ORELAP IL300001; AIHA 101160; NVLAP LabCode 101202-0

Date Reported: June 19, 2006

Date Printed: June 19, 2006

Client:	Amereco Inc.	Client Sample ID:	BF-07
Lab Order:	06060208	Collection Date:	6/7/2006 2:15:00 PM
Project:	06.732b, 4 Quenching Oil Tank Removal, Studebak	Matrix:	Soil
Lab ID:	06060208-026		

Analyses	Result	RL	Qualifier	Units	DF	Date Analyzed
PCBs						
	SW8082 (SW3550B)			Prep Date: 6/8/2006		Analyst: ERP
Aroclor 1016	ND	0.095		mg/Kg-dry	1	6/10/2006
Aroclor 1221	ND	0.095		mg/Kg-dry	1	6/10/2006
Aroclor 1232	ND	0.095		mg/Kg-dry	1	6/10/2006
Aroclor 1242	ND	0.095		mg/Kg-dry	1	6/10/2006
Aroclor 1248	ND	0.095		mg/Kg-dry	1	6/10/2006
Aroclor 1254	ND	0.095		mg/Kg-dry	1	6/10/2006
Aroclor 1260	ND	0.095		mg/Kg-dry	1	6/10/2006
Total Petroleum Hydrocarbons						
	SW8015M (SW3580A)			Prep Date: 6/13/2006		Analyst: DCW
TPH (GRO)	ND	23		mg/Kg-dry	1	6/14/2006
TPH (DRO)	ND	23		mg/Kg-dry	1	6/14/2006
TPH (ERO)	80	23	*	mg/Kg-dry	1	6/14/2006
Mercury						
	SW7471A			Prep Date: 6/9/2006		Analyst: JG
Mercury	ND	0.029		mg/Kg-dry	1	6/9/2006
Metals by ICP/MS						
	SW6020 (SW3050B)			Prep Date: 6/9/2006		Analyst: JG
Arsenic	3.2	1.1		mg/Kg-dry	10	6/9/2006
Barium	10	1.1		mg/Kg-dry	10	6/9/2006
Cadmium	ND	0.56		mg/Kg-dry	10	6/9/2006
Chromium	4.2	1.1		mg/Kg-dry	10	6/9/2006
Lead	2.9	0.56		mg/Kg-dry	10	6/9/2006
Selenium	ND	1.1		mg/Kg-dry	10	6/9/2006
Silver	ND	1.1		mg/Kg-dry	10	6/9/2006
Polynuclear Aromatic Hydrocarbons						
	SW8270C-SIM (SW3550B)			Prep Date: 6/15/2006		Analyst: VS
Acenaphthene	ND	0.03		mg/Kg-dry	1	6/17/2006
Acenaphthylene	ND	0.03		mg/Kg-dry	1	6/17/2006
Anthracene	ND	0.03		mg/Kg-dry	1	6/17/2006
Benz(a)anthracene	ND	0.03		mg/Kg-dry	1	6/17/2006
Benzo(a)pyrene	ND	0.03		mg/Kg-dry	1	6/17/2006
Benzo(b)fluoranthene	ND	0.03		mg/Kg-dry	1	6/17/2006
Benzo(g,h,i)perylene	ND	0.03		mg/Kg-dry	1	6/17/2006
Benzo(k)fluoranthene	ND	0.03		mg/Kg-dry	1	6/17/2006
Chrysene	ND	0.03		mg/Kg-dry	1	6/17/2006
Dibenz(a,h)anthracene	ND	0.03		mg/Kg-dry	1	6/17/2006
Fluoranthene	ND	0.03		mg/Kg-dry	1	6/17/2006
Fluorene	ND	0.03		mg/Kg-dry	1	6/17/2006
Indeno(1,2,3-cd)pyrene	ND	0.03		mg/Kg-dry	1	6/17/2006
Naphthalene	ND	0.03		mg/Kg-dry	1	6/17/2006

Qualifiers: ND - Not Detected at the Reporting Limit
 J - Analyte detected below quantitation limits
 B - Analyte detected in the associated Method Blank
 HT - Sample received past holding time
 * - Non-accredited parameter

RL - Reporting / Quantitation Limit for the analysis
 S - Spike Recovery outside accepted recovery limits
 R - RPD outside accepted recovery limits
 E - Value above quantitation range
 H - Holding time exceeded

STAT Analysis Corporation

2255 West Harrison St., Suite B, Chicago, IL 60612-3505

Tel: (312) 733-0551 Fax: (312) 733-2386 STATinfo@STATAnalysis.com

Accreditation Numbers: IEPA ELAP 100445; ORELAP IL300001; AIHA 101160; NVLAP LabCode 101202-0

Date Reported: June 19, 2006

Date Printed: June 19, 2006

Client:	Amereco Inc.	Client Sample ID:	BF-07
Lab Order:	06060208	Collection Date:	6/7/2006 2:15:00 PM
Project:	06.732b, 4 Quenching Oil Tank Removal, Studebak	Matrix:	Soil
Lab ID:	06060208-026		

Analyses	Result	RL	Qualifier	Units	DF	Date Analyzed
Polynuclear Aromatic Hydrocarbons						
	SW8270C-SIM (SW3550B)			Prep Date:	6/15/2006	Analyst: VS
Phenanthrene	ND	0.03		mg/Kg-dry	1	6/17/2006
Pyrene	ND	0.03		mg/Kg-dry	1	6/17/2006
Volatile Organic Compounds by GC/MS						
	SW5035/8260B			Prep Date:	6/9/2006	Analyst: SK
Acetone	0.11	0.061		mg/Kg-dry	1	6/14/2006
Benzene	ND	0.0061		mg/Kg-dry	1	6/14/2006
Bromodichloromethane	ND	0.0061		mg/Kg-dry	1	6/14/2006
Bromoform	ND	0.0061		mg/Kg-dry	1	6/14/2006
Bromomethane	ND	0.012		mg/Kg-dry	1	6/14/2006
2-Butanone	0.019	0.012		mg/Kg-dry	1	6/14/2006
Carbon disulfide	ND	0.0061		mg/Kg-dry	1	6/14/2006
Carbon tetrachloride	ND	0.0061		mg/Kg-dry	1	6/14/2006
Chlorobenzene	ND	0.0061		mg/Kg-dry	1	6/14/2006
Dibromochloromethane	ND	0.0061		mg/Kg-dry	1	6/14/2006
Chloroethane	ND	0.012		mg/Kg-dry	1	6/14/2006
Chloroform	ND	0.0061		mg/Kg-dry	1	6/14/2006
Chloromethane	ND	0.012		mg/Kg-dry	1	6/14/2006
1,1-Dichloroethane	ND	0.0061		mg/Kg-dry	1	6/14/2006
1,2-Dichloroethane	ND	0.0061		mg/Kg-dry	1	6/14/2006
1,1-Dichloroethene	ND	0.0061		mg/Kg-dry	1	6/14/2006
cis-1,2-Dichloroethene	ND	0.0061		mg/Kg-dry	1	6/14/2006
trans-1,2-Dichloroethene	ND	0.0061		mg/Kg-dry	1	6/14/2006
1,2-Dichloropropane	ND	0.0061		mg/Kg-dry	1	6/14/2006
cis-1,3-Dichloropropene	ND	0.0061		mg/Kg-dry	1	6/14/2006
trans-1,3-Dichloropropene	ND	0.0061		mg/Kg-dry	1	6/14/2006
Ethylbenzene	ND	0.0061		mg/Kg-dry	1	6/14/2006
2-Hexanone	ND	0.012		mg/Kg-dry	1	6/14/2006
4-Methyl-2-pentanone	ND	0.012		mg/Kg-dry	1	6/14/2006
Methylene chloride	ND	0.012		mg/Kg-dry	1	6/14/2006
Methyl tert-butyl ether	ND	0.0061		mg/Kg-dry	1	6/14/2006
Styrene	ND	0.0061		mg/Kg-dry	1	6/14/2006
1,1,2,2-Tetrachloroethane	ND	0.0061		mg/Kg-dry	1	6/14/2006
Tetrachloroethene	0.042	0.0061		mg/Kg-dry	1	6/14/2006
Toluene	ND	0.0061		mg/Kg-dry	1	6/14/2006
1,1,1-Trichloroethane	ND	0.0061		mg/Kg-dry	1	6/14/2006
1,1,2-Trichloroethane	ND	0.0061		mg/Kg-dry	1	6/14/2006
Trichloroethene	ND	0.0061		mg/Kg-dry	1	6/14/2006
Vinyl chloride	ND	0.0061		mg/Kg-dry	1	6/14/2006
Xylenes, Total	ND	0.018		mg/Kg-dry	1	6/14/2006

Qualifiers: ND - Not Detected at the Reporting Limit
 J - Analyte detected below quantitation limits
 B - Analyte detected in the associated Method Blank
 HT - Sample received past holding time
 * - Non-accredited parameter

RL - Reporting / Quantitation Limit for the analysis
 S - Spike Recovery outside accepted recovery limits
 R - RPD outside accepted recovery limits
 E - Value above quantitation range
 H - Holding time exceeded

STAT Analysis Corporation

2255 West Harrison St., Suite B, Chicago, IL 60612-3505

Tel: (312) 733-0551 Fax: (312) 733-2386 STATinfo@STATAnalysis.com

Accreditation Numbers: IEPA ELAP 100445; ORELAP IL300001; AIHA 101160; NVLAP LabCode 101202-0

Date Reported: June 19, 2006

Date Printed: June 19, 2006

Client:	Ameresco Inc.	Client Sample ID:	BF-07
Lab Order:	06060208	Collection Date:	6/7/2006 2:15:00 PM
Project:	06.732b, 4 Quenching Oil Tank Removal, Studebak	Matrix:	Soil
Lab ID:	06060208-026		

Analyses	Result	RL	Qualifier	Units	DF	Date Analyzed
Percent Moisture	D2974				Prep Date: 6/9/2006	Analyst: RW
Percent Moisture	17.3	0.01	*	wt%	1	6/10/2006

Qualifiers:

ND - Not Detected at the Reporting Limit
 J - Analyte detected below quantitation limits
 B - Analyte detected in the associated Method Blank
 HT - Sample received past holding time
 * - Non-accredited parameter

RL - Reporting / Quantitation Limit for the analysis
 S - Spike Recovery outside accepted recovery limits
 R - RPD outside accepted recovery limits
 E - Value above quantitation range
 H - Holding time exceeded

STAT Analysis Corporation

2255 West Harrison St., Suite B, Chicago, IL 60612-3505

Tel: (312) 733-0551 Fax: (312) 733-2386 STATInfo@STATAnalysis.com

Accreditation Numbers: IEPA ELAP 100445; ORELAP IL300001; AIHA 101160; NVLAP LabCode 101202-0

Date Reported: June 19, 2006

Date Printed: June 19, 2006

Client:	Amereco Inc.	Client Sample ID:	C-03
Lab Order:	06060208	Collection Date:	6/7/2006 1:13:00 PM
Project:	06.732b, 4 Quenching Oil Tank Removal, Studebak	Matrix:	Soil
Lab ID:	06060208-027		

Analyses	Result	RL	Qualifier	Units	DF	Date Analyzed
PCBs	SW8082 (SW3550B)		Prep Date: 6/8/2006		Analyst: ERP	
Aroclor 1016	ND	0.095		mg/Kg-dry	1	6/10/2006
Aroclor 1221	ND	0.095		mg/Kg-dry	1	6/10/2006
Aroclor 1232	ND	0.095		mg/Kg-dry	1	6/10/2006
Aroclor 1242	ND	0.095		mg/Kg-dry	1	6/10/2006
Aroclor 1248	ND	0.095		mg/Kg-dry	1	6/10/2006
Aroclor 1254	ND	0.095		mg/Kg-dry	1	6/10/2006
Aroclor 1260	ND	0.095		mg/Kg-dry	1	6/10/2006
Total Petroleum Hydrocarbons	SW8015M (SW3580A)		Prep Date: 6/13/2006		Analyst: DCW	
TPH (GRO)	ND	22		mg/Kg-dry	1	6/14/2006
TPH (DRO)	ND	22		mg/Kg-dry	1	6/14/2006
TPH (ERO)	ND	22	*	mg/Kg-dry	1	6/14/2006
Mercury	SW7471A		Prep Date: 6/9/2006		Analyst: JG	
Mercury	ND	0.03		mg/Kg-dry	1	6/9/2006
Metals by ICP/MS	SW6020 (SW3050B)		Prep Date: 6/9/2006		Analyst: JG	
Arsenic	3.6	1.2		mg/Kg-dry	10	6/9/2006
Barium	25	1.2		mg/Kg-dry	10	6/9/2006
Cadmium	ND	0.59		mg/Kg-dry	10	6/9/2006
Chromium	7.3	1.2		mg/Kg-dry	10	6/9/2006
Lead	3.6	0.59		mg/Kg-dry	10	6/9/2006
Selenium	ND	1.2		mg/Kg-dry	10	6/9/2006
Silver	ND	1.2		mg/Kg-dry	10	6/9/2006
Polynuclear Aromatic Hydrocarbons	SW8270C-SIM (SW3550B)		Prep Date: 6/8/2006		Analyst: DCW	
Acenaphthene	ND	0.03		mg/Kg-dry	1	6/16/2006
Acenaphthylene	ND	0.03		mg/Kg-dry	1	6/16/2006
Anthracene	ND	0.03		mg/Kg-dry	1	6/16/2006
Benz(a)anthracene	ND	0.03		mg/Kg-dry	1	6/16/2006
Benzo(a)pyrene	ND	0.03		mg/Kg-dry	1	6/16/2006
Benzo(b)fluoranthene	ND	0.03		mg/Kg-dry	1	6/16/2006
Benzo(g,h,i)perylene	ND	0.03		mg/Kg-dry	1	6/16/2006
Benzo(k)fluoranthene	ND	0.03		mg/Kg-dry	1	6/16/2006
Chrysene	ND	0.03		mg/Kg-dry	1	6/16/2006
Dibenz(a,h)anthracene	ND	0.03		mg/Kg-dry	1	6/16/2006
Fluoranthene	ND	0.03		mg/Kg-dry	1	6/16/2006
Fluorene	ND	0.03		mg/Kg-dry	1	6/16/2006
Indeno(1,2,3-cd)pyrene	ND	0.03		mg/Kg-dry	1	6/16/2006
Naphthalene	ND	0.03		mg/Kg-dry	1	6/16/2006

Qualifiers:
 ND - Not Detected at the Reporting Limit
 J - Analyte detected below quantitation limits
 B - Analyte detected in the associated Method Blank
 HT - Sample received past holding time
 * - Non-accredited parameter

RL - Reporting / Quantitation Limit for the analysis
 S - Spike Recovery outside accepted recovery limits
 R - RPD outside accepted recovery limits
 E - Value above quantitation range
 H - Holding time exceeded

STAT Analysis Corporation

2255 West Harrison St., Suite B, Chicago, IL 60612-3505

Tel: (312) 733-0551 Fax: (312) 733-2386 STATinfo@STATAnalysis.com

Accreditation Numbers: IEPA ELAP 100445; ORELAP IL300001; AIHA 101160; NVLAP LabCode 101202-0

Date Reported: June 19, 2006

Date Printed: June 19, 2006

Client:	Ameresco Inc.	Client Sample ID:	C-03
Lab Order:	06060208	Collection Date:	6/7/2006 1:13:00 PM
Project:	06.732b, 4 Quenching Oil Tank Removal, Studebak	Matrix:	Soil
Lab ID:	06060208-027		

Analyses	Result	RL	Qualifier	Units	DF	Date Analyzed
Polynuclear Aromatic Hydrocarbons						
	SW8270C-SIM (SW3550B)			Prep Date:	6/8/2006	Analyst: DCW
Phenanthrene	ND	0.03		mg/Kg-dry	1	6/16/2006
Pyrene	ND	0.03		mg/Kg-dry	1	6/16/2006
Volatile Organic Compounds by GC/MS						
	SW5035/8260B			Prep Date:	6/9/2006	Analyst: SK
Acetone	0.3	0.058		mg/Kg-dry	1	6/15/2006
Benzene	ND	0.0058		mg/Kg-dry	1	6/15/2006
Bromodichloromethane	ND	0.0058		mg/Kg-dry	1	6/15/2006
Bromoform	ND	0.0058		mg/Kg-dry	1	6/15/2006
Bromomethane	ND	0.012		mg/Kg-dry	1	6/15/2006
2-Butanone	0.031	0.012		mg/Kg-dry	1	6/15/2006
Carbon disulfide	ND	0.0058		mg/Kg-dry	1	6/15/2006
Carbon tetrachloride	ND	0.0058		mg/Kg-dry	1	6/15/2006
Chlorobenzene	ND	0.0058		mg/Kg-dry	1	6/15/2006
Dibromochloromethane	ND	0.0058		mg/Kg-dry	1	6/15/2006
Chloroethane	ND	0.012		mg/Kg-dry	1	6/15/2006
Chloroform	ND	0.0058		mg/Kg-dry	1	6/15/2006
Chloromethane	ND	0.012		mg/Kg-dry	1	6/15/2006
1,1-Dichloroethane	ND	0.0058		mg/Kg-dry	1	6/15/2006
1,2-Dichloroethane	ND	0.0058		mg/Kg-dry	1	6/15/2006
1,1-Dichloroethene	ND	0.0058		mg/Kg-dry	1	6/15/2006
cis-1,2-Dichloroethene	ND	0.0058		mg/Kg-dry	1	6/15/2006
trans-1,2-Dichloroethene	ND	0.0058		mg/Kg-dry	1	6/15/2006
1,2-Dichloropropane	ND	0.0058		mg/Kg-dry	1	6/15/2006
cis-1,3-Dichloropropene	ND	0.0058		mg/Kg-dry	1	6/15/2006
trans-1,3-Dichloropropene	ND	0.0058		mg/Kg-dry	1	6/15/2006
Ethylbenzene	ND	0.0058		mg/Kg-dry	1	6/15/2006
2-Hexanone	ND	0.012		mg/Kg-dry	1	6/15/2006
4-Methyl-2-pentanone	ND	0.012		mg/Kg-dry	1	6/15/2006
Methylene chloride	ND	0.012		mg/Kg-dry	1	6/15/2006
Methyl tert-butyl ether	ND	0.0058		mg/Kg-dry	1	6/15/2006
Styrene	ND	0.0058		mg/Kg-dry	1	6/15/2006
1,1,2,2-Tetrachloroethane	ND	0.0058		mg/Kg-dry	1	6/15/2006
Tetrachloroethene	ND	0.0058		mg/Kg-dry	1	6/15/2006
Toluene	ND	0.0058		mg/Kg-dry	1	6/15/2006
1,1,1-Trichloroethane	ND	0.0058		mg/Kg-dry	1	6/15/2006
1,1,2-Trichloroethane	ND	0.0058		mg/Kg-dry	1	6/15/2006
Trichloroethene	ND	0.0058		mg/Kg-dry	1	6/15/2006
Vinyl chloride	ND	0.0058		mg/Kg-dry	1	6/15/2006
Xylenes, Total	ND	0.018		mg/Kg-dry	1	6/15/2006

Qualifiers:	ND - Not Detected at the Reporting Limit	RL - Reporting / Quantitation Limit for the analysis
	J - Analyte detected below quantitation limits	S - Spike Recovery outside accepted recovery limits
	B - Analyte detected in the associated Method Blank	R - RPD outside accepted recovery limits
	HT - Sample received past holding time	E - Value above quantitation range
	* - Non-accredited parameter	H - Holding time exceeded

STAT Analysis Corporation

2255 West Harrison St., Suite B, Chicago, IL 60612-3505

Tel: (312) 733-0551 Fax: (312) 733-2386 STATinfo@STATAnalysis.com

Accreditation Numbers: IEPA ELAP 100445; ORELAP IL300001; AIHA 101160; NVLAP LabCode 101202-0

Date Reported: June 19, 2006

Date Printed: June 19, 2006

Client:	Amereco Inc.	Client Sample ID:	C-03
Lab Order:	06060208	Collection Date:	6/7/2006 1:13:00 PM
Project:	06.732b, 4 Quenching Oil Tank Removal, Studebak	Matrix:	Soil
Lab ID:	06060208-027		

Analyses	Result	RL	Qualifier	Units	DF	Date Analyzed
Percent Moisture	D2974					Prep Date: 6/9/2006 Analyst: RW
Percent Moisture	17.4	0.01	*	wt%	1	6/10/2006

Qualifiers:

ND - Not Detected at the Reporting Limit

J - Analyte detected below quantitation limits

B - Analyte detected in the associated Method Blank

HT - Sample received past holding time

* - Non-accredited parameter

RL - Reporting / Quantitation Limit for the analysis

S - Spike Recovery outside accepted recovery limits

R - RPD outside accepted recovery limits

E - Value above quantitation range

H - Holding time exceeded

STAT Analysis Corporation

2255 West Harrison St., Suite B, Chicago, IL 60612-3505

Tel: (312) 733-0551 Fax: (312) 733-2386 STATinfo@STATAnalysis.com

Accreditation Numbers: IEPA ELAP 100445; ORELAP IL300001; AIHA 101160; NVLAP LabCode 101202-0

Date Reported: June 19, 2006

Date Printed: June 19, 2006

Client:	Amereco Inc.	Client Sample ID:	C-04
Lab Order:	06060208	Collection Date:	6/7/2006 1:32:00 PM
Project:	06.732b, 4 Quenching Oil Tank Removal, Studebak	Matrix:	Soil
Lab ID:	06060208-028		

Analyses	Result	RL	Qualifier	Units	DF	Date Analyzed
PCBs						
	SW8082 (SW3550B)			Prep Date: 6/8/2006		Analyst: ERP
Aroclor 1016	ND	0.1		mg/Kg-dry	1	6/10/2006
Aroclor 1221	ND	0.1		mg/Kg-dry	1	6/10/2006
Aroclor 1232	ND	0.1		mg/Kg-dry	1	6/10/2006
Aroclor 1242	ND	0.1		mg/Kg-dry	1	6/10/2006
Aroclor 1248	ND	0.1		mg/Kg-dry	1	6/10/2006
Aroclor 1254	ND	0.1		mg/Kg-dry	1	6/10/2006
Aroclor 1260	ND	0.1		mg/Kg-dry	1	6/10/2006
Total Petroleum Hydrocarbons						
	SW8015M (SW3580A)			Prep Date: 6/13/2006		Analyst: DCW
TPH (GRO)	ND	22		mg/Kg-dry	1	6/14/2006
TPH (DRO)	ND	22		mg/Kg-dry	1	6/14/2006
TPH (ERO)	ND	22	*	mg/Kg-dry	1	6/14/2006
Mercury						
	SW7471A			Prep Date: 6/9/2006		Analyst: JG
Mercury	ND	0.032		mg/Kg-dry	1	6/9/2006
Metals by ICP/MS						
	SW6020 (SW3050B)			Prep Date: 6/9/2006		Analyst: JG
Arsenic	3.5	1.2		mg/Kg-dry	10	6/9/2006
Barium	25	1.2		mg/Kg-dry	10	6/9/2006
Cadmium	ND	0.61		mg/Kg-dry	10	6/9/2006
Chromium	9.9	1.2		mg/Kg-dry	10	6/9/2006
Lead	4.2	0.61		mg/Kg-dry	10	6/9/2006
Selenium	ND	1.2		mg/Kg-dry	10	6/9/2006
Silver	ND	1.2		mg/Kg-dry	10	6/9/2006
Polynuclear Aromatic Hydrocarbons						
	SW8270C-SIM (SW3550B)			Prep Date: 6/8/2006		Analyst: DCW
Acenaphthene	ND	0.032		mg/Kg-dry	1	6/17/2006
Acenaphthylene	ND	0.032		mg/Kg-dry	1	6/17/2006
Anthracene	ND	0.032		mg/Kg-dry	1	6/17/2006
Benz(a)anthracene	ND	0.032		mg/Kg-dry	1	6/17/2006
Benzo(a)pyrene	ND	0.032		mg/Kg-dry	1	6/17/2006
Benzo(b)fluoranthene	ND	0.032		mg/Kg-dry	1	6/17/2006
Benzo(g,h,i)perylene	ND	0.032		mg/Kg-dry	1	6/17/2006
Benzo(k)fluoranthene	ND	0.032		mg/Kg-dry	1	6/17/2006
Chrysene	ND	0.032		mg/Kg-dry	1	6/17/2006
Dibenz(a,h)anthracene	ND	0.032		mg/Kg-dry	1	6/17/2006
Fluoranthene	ND	0.032		mg/Kg-dry	1	6/17/2006
Fluorene	ND	0.032		mg/Kg-dry	1	6/17/2006
Indeno(1,2,3-cd)pyrene	ND	0.032		mg/Kg-dry	1	6/17/2006
Naphthalene	ND	0.032		mg/Kg-dry	1	6/17/2006

Qualifiers:
 ND - Not Detected at the Reporting Limit
 J - Analyte detected below quantitation limits
 B - Analyte detected in the associated Method Blank
 HT - Sample received past holding time
 * - Non-accredited parameter

RL - Reporting / Quantitation Limit for the analysis
 S - Spike Recovery outside accepted recovery limits
 R - RPD outside accepted recovery limits
 E - Value above quantitation range
 H - Holding time exceeded

STAT Analysis Corporation

2255 West Harrison St., Suite B, Chicago, IL 60612-3505

Tel: (312) 733-0551 Fax: (312) 733-2386 STATinfo@STATAnalysis.com

Accreditation Numbers: IEPA ELAP 100445; ORELAP IL300001; AIHA 101160; NVLAP LabCode 101202-0

Date Reported: June 19, 2006

Date Printed: June 19, 2006

Client:	Amereco Inc.	Client Sample ID:	C-04
Lab Order:	06060208	Collection Date:	6/7/2006 1:32:00 PM
Project:	06.732b, 4 Quenching Oil Tank Removal, Studebak	Matrix:	Soil
Lab ID:	06060208-028		

Analyses	Result	RL	Qualifier	Units	DF	Date Analyzed
Poynuclear Aromatic Hydrocarbons						
	SW8270C-SIM (SW3550B)			Prep Date:	6/8/2006	Analyst: DCW
Phenanthrene	ND	0.032		mg/Kg-dry	1	6/17/2006
Pyrene	ND	0.032		mg/Kg-dry	1	6/17/2006
Volatile Organic Compounds by GC/MS						
	SW5036/8260B			Prep Date:	6/9/2006	Analyst: SK
Acetone	0.46	0.086		mg/Kg-dry	1	6/15/2006
Benzene	ND	0.0086		mg/Kg-dry	1	6/15/2006
Bromodichloromethane	ND	0.0086		mg/Kg-dry	1	6/15/2006
Bromoform	ND	0.0086		mg/Kg-dry	1	6/15/2006
Bromomethane	ND	0.017		mg/Kg-dry	1	6/15/2006
2-Butanone	0.057	0.017		mg/Kg-dry	1	6/15/2006
Carbon disulfide	ND	0.0086		mg/Kg-dry	1	6/15/2006
Carbon tetrachloride	ND	0.0086		mg/Kg-dry	1	6/15/2006
Chlorobenzene	ND	0.0086		mg/Kg-dry	1	6/15/2006
Dibromochloromethane	ND	0.0086		mg/Kg-dry	1	6/15/2006
Chloroethane	ND	0.017		mg/Kg-dry	1	6/15/2006
Chloroform	ND	0.0086		mg/Kg-dry	1	6/15/2006
Chloromethane	ND	0.017		mg/Kg-dry	1	6/15/2006
1,1-Dichloroethane	ND	0.0086		mg/Kg-dry	1	6/15/2006
1,2-Dichloroethane	ND	0.0086		mg/Kg-dry	1	6/15/2006
1,1-Dichloroethene	ND	0.0086		mg/Kg-dry	1	6/15/2006
cis-1,2-Dichloroethene	ND	0.0086		mg/Kg-dry	1	6/15/2006
trans-1,2-Dichloroethene	ND	0.0086		mg/Kg-dry	1	6/15/2006
1,2-Dichloropropane	ND	0.0086		mg/Kg-dry	1	6/15/2006
cis-1,3-Dichloropropene	ND	0.0086		mg/Kg-dry	1	6/15/2006
trans-1,3-Dichloropropene	ND	0.0086		mg/Kg-dry	1	6/15/2006
Ethylbenzene	ND	0.0086		mg/Kg-dry	1	6/15/2006
2-Hexanone	ND	0.017		mg/Kg-dry	1	6/15/2006
4-Methyl-2-pentanone	ND	0.017		mg/Kg-dry	1	6/15/2006
Methylene chloride	ND	0.017		mg/Kg-dry	1	6/15/2006
Methyl tert-butyl ether	ND	0.0086		mg/Kg-dry	1	6/15/2006
Styrene	ND	0.0086		mg/Kg-dry	1	6/15/2006
1,1,2,2-Tetrachloroethane	ND	0.0086		mg/Kg-dry	1	6/15/2006
Tetrachloroethene	0.0097	0.0086		mg/Kg-dry	1	6/15/2006
Toluene	ND	0.0086		mg/Kg-dry	1	6/15/2006
1,1,1-Trichloroethane	ND	0.0086		mg/Kg-dry	1	6/15/2006
1,1,2-Trichloroethane	ND	0.0086		mg/Kg-dry	1	6/15/2006
Trichloroethene	ND	0.0086		mg/Kg-dry	1	6/15/2006
Vinyl chloride	ND	0.0086		mg/Kg-dry	1	6/15/2006
Xylenes, Total	ND	0.026		mg/Kg-dry	1	6/15/2006

Qualifiers: ND - Not Detected at the Reporting Limit
 J - Analyte detected below quantitation limits
 B - Analyte detected in the associated Method Blank
 HT - Sample received past holding time
 * - Non-accredited parameter

RL - Reporting / Quantitation Limit for the analysis
 S - Spike Recovery outside accepted recovery limits
 R - RPD outside accepted recovery limits
 E - Value above quantitation range
 H - Holding time exceeded

STAT Analysis Corporation

2255 West Harrison St., Suite B, Chicago, IL 60612-3505

Tel: (312) 733-0551 Fax: (312) 733-2386 STATinfo@STATAnalysis.com

Accreditation Numbers: IEPA ELAP 100445; ORELAP IL300001; AIHA 101160; NVLAP LabCode 101202-0

Date Reported: June 19, 2006

Date Printed: June 19, 2006

Client:	Amereco Inc.	Client Sample ID:	C-04
Lab Order:	06060208	Collection Date:	6/7/2006 1:32:00 PM
Project:	06.732b, 4 Quenching Oil Tank Removal, Studebak	Matrix:	Soil
Lab ID:	06060208-028		

Analyses	Result	RL	Qualifier	Units	DF	Date Analyzed
Percent Moisture	D2974				Prep Date: 6/9/2006	Analyst: RW
Percent Moisture	22.3	0.01	*	wt%	1	6/10/2006

Qualifiers:

ND - Not Detected at the Reporting Limit
 J - Analyte detected below quantitation limits
 B - Analyte detected in the associated Method Blank
 HT - Sample received past holding time
 * - Non-accredited parameter

RL - Reporting / Quantitation Limit for the analysis
 S - Spike Recovery outside accepted recovery limits
 R - RPD outside accepted recovery limits
 E - Value above quantitation range
 H - Holding time exceeded

CHAIN OF CUSTODY RECORD

Company: Amerco Engineering
 Project Number: 06.732b Client Tracking No.: 0607.1
 Project Name: 4 Quenching Oil Tank Removal Quote No.:
 Project Location: Studebaker Plant, South Berd
 Sampler(s): John Blosky & Zachary Heine **Jeff Ross**
 Report To: John Blosky Phone: 219.464.0450
 QC Level: 1 2 3 4 Fax: 219.464.0464
 e-mail: labresults@amercoeng.com

Client Sample Number/Description:	Date Taken	Time Taken	Matrix	Comp	Grab	Preserv	No. of Containers	Remarks	am/pm	Lab No.
C-01	6/7/06	10:55		X	G		5	TRBA Metals		001
C-02	6/7/06	10:38		X	G		5	TRBA + Naphthalene		002
S-01	6/7/06	11:40		X	G		5	TRBA + Naphthalene		003
S-02	6/7/06	11:50		X	G		5	TRBA + Naphthalene		004
S-03	6/7/06	11:55		X	G		5	TRBA + Naphthalene		005
S-04	6/7/06	12:16		X	G		5	TRBA + Naphthalene		006
S-05	6/7/06	12:22		X	G		5	TRBA + Naphthalene		007
S-06	6/7/06	12:19		X	G		5	TRBA + Naphthalene		008
S-07	6/7/06	12:25		X	G		5	TRBA + Naphthalene		009
S-08	6/7/06	12:29		X	G		5	TRBA + Naphthalene		010
S-09	6/7/06	12:30		X	G		5	TRBA + Naphthalene		011
S-10	6/7/06	2:06		X	G		5	TRBA + Naphthalene		012
S-11	6/7/06	2:11		X	G		5	TRBA + Naphthalene		013
S-12	6/7/06	2:14		X	G		5	TRBA + Naphthalene		014
S-13	6/7/06	2:24		X	G		5	TRBA + Naphthalene		015
S-14	6/7/06	2:29		X	G		5	TRBA + Naphthalene		016
S-15	6/7/06	2:26		X	G		5	TRBA + Naphthalene		017
S-16	6/7/06	2:21		X	G		5	TRBA + Naphthalene		018
S-17	6/7/06	2:28		X	G		5	TRBA + Naphthalene		019

Turn Around: **Standard**
 Results Needed:
 Laboratory Work Order No: 0000000000
 Received on: 6/19/06
 Representative: J.E.
 Comments: **On Ice**
 Preservation Code: A = None B = HNO₃ C = NaOH
 D = H₂SO₄ E = HCl F = 503S/EnCore G = Other



Analysis Corporation

2255 W. Harrison Suite B, Chicago, Illinois 60612 Phone: (312) 733-0551 Fax: (312) 733-2386
e-mail address: STAT@stat-analysis.com AIHA, NVLAP and NELAP accredited

CHAIN OF CUSTODY RECORD

No.: Page: 2 of 2

Company: Ameresco Engineering
 Project Number: 05.732b Client Tracking No.: 0607-1
 Project Name: 4 Quenching Oil Tank Removal
 Project Location: Studebaker Plant, South Bend
 Sampler(s): John Blosky & Zachary Heine - Jeff Ross
 Report To: John Blosky Phone: 219.464.0460
 QC Level: 1 2 3 4 e-mail: labresults@amerescoeng.com

P.O. No.:
 Quote No.:
 Turn Around: Standard
 Results Needed:

Client Sample Number/Description:	Date Taken	Time Taken	Matrix	Comp	Lab	Presrv	No of Containers	Remarks	Lab No.	an/pm
BF-01	6/7/06	1:44		X	G		5		020	
BF-02	6/7/06	1:48		X	G		5		021	
BF-03	6/7/06	1:55		X	G		5		022	
BF-04	6/7/06	1:57		X	G		5		023	
BF-05	6/7/06	2:00		X	G		5		024	
BF-06	6/7/06	2:02		X	G		5		025	
BF-07	6/7/06	2:15		X	G		5		026	
C-03	6/7/06	1:13		X	G		5		027	
C-04	6/7/06	1:32		X	G		6		028	

Relinquished by: (Signature) [Signature] Date/Time: 6/7/06 1:46
 Received by: (Signature) [Signature] Date/Time: 6/7/06 13:45
 Relinquished by: (Signature) [Signature] Date/Time:
 Received by: (Signature) [Signature] Date/Time:
 Relinquished by: (Signature) [Signature] Date/Time:
 Received by: (Signature) [Signature] Date/Time:

Comments: on Ice
 Laboratory Work Order No.
 Received from: [Signature]
 Completed by: [Signature]

Preservation Code: A = None B = HNO₃ C = NaOH
 D = H₂SO₄ E = HCl F = 503%/EnCore G = Other

Sample Receipt Checklist

Client Name AMERECO

Date and Time Received:

6/8/2006

Work Order Number 06060208

Received by: CDF

Checklist completed by: Jesus Cat 6/8/06
Signature Date

Reviewed by: JCS 6/9/06
Initials Date

Matrix	Carrier name	<u>Client Delivered</u>		
Shipping container/cooler in good condition?		Yes <input checked="" type="checkbox"/>	No	Not Present
Custody seals intact on shipping container/cooler?		Yes	No	Not Present <input checked="" type="checkbox"/>
Custody seals intact on sample bottles?		Yes <input checked="" type="checkbox"/>	No	Not Present
Chain of custody present?		Yes <input checked="" type="checkbox"/>	No	
Chain of custody signed when relinquished and received?		Yes <input checked="" type="checkbox"/>	No	
Chain of custody agrees with sample labels/containers?		Yes <input checked="" type="checkbox"/>	No	
Samples in proper container/bottle?		Yes <input checked="" type="checkbox"/>	No	
Sample containers intact?		Yes <input checked="" type="checkbox"/>	No	
Sufficient sample volume for indicated test?		Yes <input checked="" type="checkbox"/>	No	
All samples received within holding time?		Yes <input checked="" type="checkbox"/>	No	
Container or Temp Blank temperature in compliance?		Yes <input checked="" type="checkbox"/>	No	Temperature 3 °C
Water - VOA vials have zero headspace?	No VOA vials submitted		Yes <input type="checkbox"/>	No <input type="checkbox"/>
Water - Samples pH checked?		Yes	No	Checked by:
Water - Samples properly preserved?		Yes	No	pH Adjusted?

Any No response must be detailed in the comments section below.

Comments:

Client / Person contacted:

Date contacted:

Contacted by:

Response:

STAT Analysis Corporation

Excerpt from Laboratory's
Quality Assurance Manual
Revision 06
June 01, 2005

Sample Handling Procedures

5.6 Annual Analytical Performance Summary

Annually, a summary report of the laboratory's analytical performance is prepared. Contained in this report are: the precision data (average percent RSD or RPD, upper warning and control limits), and accuracy data (average total percent recovery of spiked samples, reference samples, and performance audit samples). The Quality Assurance Manager prepares this summary and is reviewed by Technical and Laboratory Director prior to distribution for use.

6. METHODOLOGY

Test method SOPs are based upon nationally recognized test method references such as the United States Environmental Protection Agency (USEPA), National Institute for Occupation Safety and Health (NIOSH), and American Society for Testing and Materials (ASTM). These test methods used for sample analyses, and the related sample handling and storage activities, are appropriate and consistent with the required quality and accuracy deemed necessary for clients and their decision making processes concerning environmental regulations and compliance. The laboratory uses the most stringent standard as stated in the reference test method or as specified in the applicable regulation.

Appendix 2 contains a table of the laboratory's scope of test methods and SOPs.

7. PHYSICAL FACILITIES AND EQUIPMENT

7.1 Facilities

One portion of the laboratory is located in the Chicago Technology Park's Research Center at 2201 W. Campbell Park Drive, Chicago, Illinois 60612. The limited access building has a security guard posted at all times. The other portion of the laboratory is located at 2255 W. Harrison Street, Suite B, Chicago, IL 60612. An electronic key pass and an electronic key-punch provide limited access to this building and laboratory, respectively. There is no other testing facility being utilized other than the permanent lab premises. The rooms are dedicated to specific laboratory testing departments and administrative offices. The building administration and maintenance is the responsibility of the Illinois Medical District Commission. The physical environment (temperature, humidity, lighting, and ventilation) is adequate to perform all testing methodologies. Temperature is monitored and controlled by individual thermostats in each room. Ventilation hoods are monitored as part of the laboratory safety program. Any problems encountered with the physical accommodations are immediately brought to the attention of the Technical Manager or the Laboratory Director. The building engineer is then notified to take immediate corrective action to remedy any problems.

Work areas are separated to ensure that adverse effects on testing activity do not occur. Testing areas are limited access rooms that may only be entered by those individuals with security access swipe cards. The organic extractions area is separated away from the organic volatiles analysis area and the microbiology area to prevent solvent interference with these test areas. Analysts are assigned to individual departments. The volatile analysis area has limited access to only those personnel currently performing the analysis and upper management.

The Campbell Park Drive laboratory occupies 2 rooms containing approximately 1500 square feet of floor space containing approximately 75 linear feet of bench space. The Harrison Street Laboratory has 6200 square feet containing 240 linear feet of bench space.

As part of the Internal Audit Process (SOP 1220 Internal Quality Assurance Audit), the QA Manager is required to monitor the laboratory's facilities to ensure that the facilities are adequate and that personnel are in compliance with laboratory policies. Those areas audited include the following:

- Ventilation: hoods checked and tagged per the Chemical Hygiene Plan
- Room temperature: monitor the TCLP extraction area and logbook
- Voltage surge suppressors to protect computer network and critical instrumentation
- Separation of incompatible areas is maintained
- Personnel movement is limited to prevent cross-contamination
- Good housekeeping practiced - items reviewed: benches, floors, hood used properly, clutter, glassware cleaning space and storage, bottle/container storage
- Waste storage area is reviewed to ensure safe practices

7.2 Equipment

The major equipment in use at STAT Analysis Laboratory is listed in Appendix 3. The equipment list is under the control of the Quality Assurance Manager. The list is updated as required whenever new equipment is purchased or current equipment is permanently removed from service.

7.3 Equipment Maintenance Program

Proper maintenance of laboratory instrumentation is a key to longevity of the instrumentation, as well as providing the analyst with equipment capable of producing reliable analyses. The analysts and on occasion, vendor specialists, share the responsibility for maintenance and repair of all STAT Analysis Laboratory equipment. The primary elements of the equipment maintenance program include:

- All major equipment receives a daily check for such things as: cooling fan operation, pump operation, indicator readings, mechanical checks, clean air filters, etc.

- Service schedules are established for performing routine preventative maintenance on all major equipment items.
- Records are maintained for major instrument repairs (See individual instrument maintenance logbooks).
- A conservative inventory of critical spare parts is maintained for high-use instrumentation.
- Vendor operation and maintenance manuals are maintained for laboratory instrumentation.

Any equipment that is found to be defective is taken out of service. The equipment is tagged by the person making the judgment and marked "Out of Service;" the person applies their initials and dates the tag. This action is noted in the maintenance logbook. The department supervisor is notified of this action. If deemed necessary, a corrective action report is initiated to determine if the malfunctioning equipment has potentially generated data that is suspect. The equipment is not put back into service until repairs are made and the equipment is shown to be performing properly after calibration and/or verification procedures have been successfully completed and documented in the maintenance logbook.

8. SAMPLE RECEIPT and ACCEPTANCE

8.1 Introduction

Complete documentation of the sample collection and handling process is an extremely important aspect of a regulatory monitoring effort. Formal chain-of-custody procedures provide a written record of sample traceability, accountability and serve to validate sample integrity. All samples received by STAT Analysis for chemical analysis are controlled by these procedures. For more information see STAT SOP 300 (Sample Receiving and Login Procedure).

Appendix 4 contains a table of acceptable sample containers with sample preservation requirements for analyses listed in section 6.

Sample collection is typically a function of our client's activities; however, STAT Analysis Corporation will attempt to ensure compliance with all applicable NELAC requirements. A summary of STAT's written sample acceptance policy will be made available to sample collectors. Data from samples that do not meet the sample acceptance criteria will be unambiguously flagged to define the nature of the variance.

8.2 Sample Acceptance Policy

The STAT Analysis Sample Acceptance Policy for NELAC requires:

- 8.2.1 Proper, full and complete documentation to include:
- 8.2.1.1 The client's name, address, and contact information
 - 8.2.1.2 Sample identification
 - 8.2.1.3 Sampling location (job site)

QA 001 Quality Assurance Manual
Revision 06
June 01, 2005
Page 25 of 83

- 8.2.1.4 Date (and time) of collection
- 8.2.1.5 Sampler's/Collector's name
- 8.2.1.6 Project name (if applicable)
- 8.2.1.7 Sample type
- 8.2.1.8 Preservation type (Chemical or thermal, if applicable)
- 8.2.1.9 Requested analyses
- 8.2.1.10 Any special remarks concerning the sample
 - 8.2.1.10.1 Required reporting limits
 - 8.2.1.10.2 Sample hazards
 - 8.2.1.10.3 Sample contamination
- 8.2.1.11 The signature of all persons who have possessed the sample.
- 8.2.2 All samples must be labeled with unique identification in indelible ink, preferably on water-resistant labels and correspond with the information on the COC.
- 8.2.3 All samples must be received in appropriate containers required by the analytical test method and be in good condition without any signs of damage or contamination.
- 8.2.4 All samples must be received within the analytical test method specified holding times.
- 8.2.5 All samples must be received with sufficient sample volume/quantity to perform the requested analyses.
- 8.2.6 Corrective procedures are followed when samples show signs of damage or contamination.

NOTE: For a complete listing of the Sample Acceptance Policy, see Appendix 5. This written sample acceptance policy will be distributed to all clients. It becomes the client's responsibility to distribute the sample acceptance policy to all field collection personnel.

NOTE: STAT Analyses will not accept samples that require legal Chain-of-Custody.

8.3 Sample Acceptance Policy Differences

- 8.3.1 Additional Requirements for NELAC Samples
 - 8.3.1.1.1 Liquid Samples for volatiles analyses do not contain headspace.
- 8.3.2 Additional Requirements for AIHA Sample

8.4 Chain-of Custody Form

A Chain-of Custody (COC) should accompany every sample that is received for analysis by STAT Analysis. If no COC is present, the client will be immediately notified and the exception noted on the Sample Log and Checklist/Receipt Form (Sample Receiving and Login Procedure). (Attachments 1-3 list examples of COC forms.)

8.5 Standard Operating Procedure -- Sample Receipt/Custody

The sample custodian or a designated alternate receives samples. Below are general guidelines for sample receiving and login, for specific details refer to SOP 300 Sample Receiving and Login Procedure. Samples that arrive after hours will be secured in the

sample custody room (room 313, 2201 W. Campbell Park Drive location) or Sample Receiving at the 2255 W. Harrison location) or remain in the custody of 2201 W. Campbell Park Drive security guard. The sample custodian will receive the samples the next business day. At the time of receipt, the custodian or designee will perform the following actions:

- 8.5.1 While wearing proper protective equipment, (a minimum of gloves, a lab coat, and safety glasses) all shipping containers (coolers) are opened in an adequately ventilated area to assure worker safety.
- 8.5.2 All shipping containers (coolers) are examined to verify that the custody seal is intact (if present). The parts of the custody seal are maintained in the client folder after opening.
- 8.5.3 If applicable, the temperature of the shipping cooler and/or temperature blank are measured to determine if proper temperature has been maintained. Proper temperature is defined as 0.1 °C to 6 °C. Samples that have been received within six hours of collection and on ice will be noted as being received "On Ice" as complete cooling to 4 °C will not have been completed by that time.
- 8.5.4 The condition of the container (leaking, broken, mislabeled or unclearly labeled) is checked. Exceptions are noted on the Sample Receipt Checklist Form and the client is notified of the impact that the exception will have on the quality of data generated.
- 8.5.5 The COC is examined for accuracy and completeness. For all samples, especially environmental or industrial hygiene samples, it is vital that all COC procedures are followed properly due to the potential for litigation. All samples delivered to the lab should be accompanied by a COC. The COC record is used to document the change in possession from sampling, delivery, and receipt by the laboratory.
- 8.5.6 Samples received and sample container labels are compared against those listed on COC. Sample hold times are verified for sample acceptance. The client is notified if holding times have been exceeded.
- 8.5.7 Sample pH is verified for those samples that require specific chemical preservation. The sample pH result is recorded on the Sample Receipt Checklist Form. VOA water samples are not checked for pH at time of receipt but are checked after analysis. VOA samples are checked for headspace at time of receipt. Samples for cyanide analysis are checked for free chlorine at time of receipt. The sample free chlorine result is recorded on the Sample Receipt Checklist Form. The sample custodian treats samples that require additional preservation for pH adjustment or require the removal of free chlorine. The identification and amount of chemical preservative is recorded on the Sample

Receipt Checklist Form. The client is immediately notified if samples have not been properly preserved.

- 8.5.8 Samples requiring refrigeration are stored in the appropriate sample refrigerators. Samples not requiring refrigeration are placed in the appropriate department storage areas.
- 8.5.9 The Chain of Custody is then signed, dated and timed. The Chain of Custody, Waybill and Sample Receipt Checklist Form are placed in a Job Folder that is labeled with STAT Work Order Number and Client Name. All information/analytical reports pertaining to the specific job are stored in this folder. This includes quotes, faxes, correspondences, analytical reports, sub-contracted analytical reports, etc.
- 8.5.10 Any problems associated with samples on the COC are immediately noted on a Sample Log and Checklist form. The assigned STAT Project Manager is also recorded on the Sample Log and Checklist form and immediately notified of the problem(s). The Project Manager is responsible for communicating with the client on how to resolve issues associated with the samples.
- 8.5.11 The LIMS is used to generate the sample log and assign sample numbers that are an unequivocal link to the sample field identification code or name. The sample log generates a unique work order for a specific project or group of samples. All sample containers are labeled with a unique laboratory sample number. This numbering system is also used to uniquely identify separate containers of the same sample submitted within the work group. The unique laboratory sample number is used throughout all of the laboratory records to identify the sample and any subsequent subsamples, extracts, or digestates of the original sample. The entry of sample information into the LIMS is password controlled. Thus, the name of the person entering the information is recorded. The following information is entered into the sample log (as applicable):
 1. Client Name
 2. Client Project Number
 3. Client Project Name
 4. Client Sample Number
 5. Date and Time Sampled
 6. Date Received
 7. Turn Around Time
 8. Date Due

9. Analytical Parameters performed in house
10. Subcontracted Analytical Parameters (if needed)
11. Subcontract Laboratory
12. Storage Refrigerator Number

8.5.12 The LIMS can generate work lists that contain Sample ID, Client ID, Date Received, Date Collected, Date Due, Test Code Test Name, Holding Time, Prep Date, Hold Time, Date, Storage Area, as well as indication that the hold time and/or due date is about to expire.

8.6 Policy for Disposal of Laboratory Samples

Samples and their extracts will normally be disposed of within (STAT SOP 1130 Waste Disposal) 90 days from the completion of the final laboratory data report or in accordance with individual SOPs. The exception to this will be when a sample hold request is implemented.

A disposal report will be generated and provided to designated staff as appropriate for samples characterized as non-hazardous (routine environmental). Sample disposal of the routine environmental samples should be completed by the appropriate analyst within 2 weeks from disposal report distribution. The routine environmental samples will be disposed of in the following manner:

Soil samples are placed in 55-gallon drums and disposed of as special waste with an approved special waste hauler.

Water samples are disposed of by pouring the water into 30-gallon plastic drum or, if deemed to be non-hazardous, are poured down the laboratory drain. Preserved samples may be neutralized prior to placing into the 30-gallon plastic drum. These drums are disposed with an approved special waste hauler.

Hazardous samples will be disposed as hazardous waste. All waste is disposed according to SOP 1130 Waste Disposal.

9. SAMPLE RECORDS, DATA REVIEW AND DATA HANDLING

Sample accountability through the analytical process can be divided into five major elements: (1) initial sample logging, (2) sample preparation, (3) data acquisition, (4) data review, and (5) documentation/storage. The location of the sample and data records is discussed in SOP 1000 Control and Use of Laboratory Notebooks and in SOP 240 Archiving. Sample records must be able to reproduce the resultant analytical data. It is management's responsibility to ensure that all analytical and operational activities of the laboratory are properly and sufficiently documented. This is accomplished through the

periodic audit and review processes as outlined in SOP 1220 Internal Quality Assurance Audit and SOP 006 Management Review of the Quality System. All data, whether manually generated or electronically generated, and final reports are available to the accrediting authority (NELAC, AIHA, etc.).

The following sections outline current sample and data documentation and review procedures.

9.1 Sample Logging

Samples received at STAT with accompanying identification and COC are logged into the Laboratory Information Management System. The sample custodian, or designate, signs the laboratory receipt section of the COC. Each sample, and each sub-sample appropriately preserved, is assigned a unique sample ID.

9.2 Analytical Data Review and Handling

All raw analytical and instrument control data generated in the laboratory are either entered into bound data books or kept as strip charts, or in instruments computer hardcopy, tape, CD-ROM, or disk. The analyst reviews the data initially and all data entries checked 100% and then the data under goes a second review by a technical peer or supervisor. Errors, or potential errors, are investigated and corrected as necessary. The analytical section manager, Project Manager, Technical Manager, or Laboratory Director, for consistency of data and for assuring client's needs are met, performs final review. Refer to STAT SOP 1250 Data Review. However, AIHA asbestos is an exception. There is no secondary review before the data is released to the customer.

Information contained in these data logbooks includes the following: Work Order Number, Sample number, parameter, date of preparation or analysis, analyst, and all pertinent instrument identification with analytical conditions. For non-computerized instruments all calibration data, all readout data, calculations, final concentration, and quality control data should be recorded in the logbook. However, AIHA asbestos only the 10% recount is recorded in the logbook.

9.3 Computerized Analytical Data System

- 9.3.1 All sample results are entered into the STAT Analysis Laboratory LIMS system. Sample preparation, as appropriate, will also be entered in LIMS.
- 9.3.2 For NELAC and Lead AIHA samples, all appropriate Quality Control data associated with these results are entered into the LIMS, including, but not limited to, Initial Calibration, Initial Calibration Verification, Continuing Calibration Verification, Continuing Calibration Blank, Method Blanks, Laboratory Control Standards, Matrix Spike/Matrix Spike Duplicate, Internal Standard Recoveries, and Surrogate Recoveries.

- 9.3.3 For all other AIHA samples, the quality control information is entered into a separate database or spreadsheet. The information is stored under a unique batch identification number. This information may include: Initial Calibration, Initial Calibration Verification, Continuing Calibration Verification, Continuing Calibration Blank, Method Blanks, Laboratory Control Standards, and Matrix Spike/Matrix Spike Duplicate recoveries as applicable.
- 9.3.4 Analytical Data Processing. All final analytical results are calculated after entry into the analytical results database.
- 9.3.5 Analytical Backlogs can be generated through the LIMS system. Sample Status will be updated to complete after results are calculated. Samples that are complete will no longer appear on an analytical backlog report. The work order will only be available for Final Report after all samples have been calculated and subjected to the Quality Control Validation Process.

9.4 Reporting

Final results of all analyses are provided in a standard computerized report format and forwarded to the requester (client) with cover memorandum. Remarks should be used with reported data to alert the user to some specific conditions that affects the data (e.g., holding times missed, samples diluted to remove interferences, etc.).

Exceptions to this report format must be noted and have approval of the Technical Manager or Laboratory Director.

Amendments or corrections to the issued test report are only made in the form of further document or data transfer including the statement "Supplement to Test Report, identification number".

Clients are notified immediately, in writing, of any event that cast doubt on the correctness or validity of the laboratory's calibrations, or test results given in any test report or amendment to a report. Such events might include: identification of defective measuring, identification of defective test equipment, or audit findings.

Test results are certified to meet all requirements of NELAC, and AIHA standards, or reasons are stated if they do not meet these standards.

In addition to the items mentioned, below, in 9.4.1 (7), the analytical report will make the following statements:

1. The report shall not be reproduced except in its entirety, unless written approval has been obtained from the laboratory.
2. The results of this report relate only to the samples tested.

3. The laboratory certifies that the test results meet all requirements of IEPA code, Title 35, Subtitle: A, NELAP/Part 186 or the AIHA LQAP Policy Document January 1, 2004 (as appropriate).
4. Accredited and non-accredited analyses will be distinguished.

9.4.1 Reporting Requirements

The Analytical Report will only be issued in its entirety. The Report will include:


1. The statement "Analytical Report";
2. Date, name and address of laboratory, phone number and name of contact person (with signature) and laboratory accreditation number. The person signing the report is accepting responsibility for the content of the report;
3. A unique Work Order Number and the total number of pages in the report, with all pages sequentially numbered;
4. Name and address of client and project identification;
5. Description and unambiguous identification of the sample(s) including the client identification code, date of sample receipt, date and time of sample collection;
6. Clear identification (including lab name and accreditation number) of any sample results that were generated by a subcontracted laboratory;
7. Case Narrative outlining any sample acceptance outliers and /or sample results with any failures or deviations from approved SOPs including the use and definitions of data qualifiers; as well as reporting uncertainties as required.
8. Identification of approved test method with date of sample preparation, sample preparation method, and/or analysis;
9. Identification of reporting units, such as mg/L, mg/Kg, mg/Kg-dry, ppbv, $\mu\text{g}/\text{filter}$ $\mu\text{g}/\text{wipe}$, mg, μg , wt. %, or $\mu\text{g}/\text{m}^3$;
10. Measurements, examinations and derived results, supported by tables, graphs, sketches and photographs as appropriate, and any failures identified;
11. A statement to the effect that sample results relate only to the analytes of interest tested or to the sample as received by the laboratory;
12. Reference to sampling procedures if performed by the laboratory;

9.4.2 Reporting Differences

9.4.2.1 NELAC Differences

9.4.2.1.1 Clear identification of numerical results with values outside the quantitation limits.

9.4.2.2 AIHA Differences





Illinois Office
9324 Gulfstream Road
Frankfort, IL 60423-2529
(800)852-9795 • (815)464-6200
Fax (815)464-8720
E-mail sales@raeco.com

Wisconsin Office
5160 North 125th Street
Butler, WI 53007-1552
(800)852-9795 • (262)783-6428
Fax (262)790-5579
E-mail sales@raeco.com

June 6, 2006

Mr. Zach Heine
Amereco Engineering
FAX 219-464-0464

This certifies that Photovac MicroFID S/N CZNE326 was calibrated with NIST traceable calibration gas containing 500 PPM Methane in Air on June 6, 2006.


A handwritten signature in black ink that reads "Dawn M. Hopper". The signature is written in a cursive, flowing style.

Dawn M. Hopper
Rental Manager


Appendix D

Photographic Documentation


UST Removal
Studebaker Area 'A' Demolition
South Bend, Indiana



Photograph No. 1:
View of the Removal of UST # 2 (From North East)



Photograph No. 2:
View of concrete inside UST # 1 (From North-East)




Photograph No. 3:
View of opened UST # 2 (From North-East)



Photograph No. 4:
View of the Removal of UST # 3 & 4 (From North)


UST Removal
Studebaker Area 'A' Demolition
South Bend, Indiana



Photograph No. 5:
View of Location of where UST # 3 & 4 were Removed
(From North)



Photograph No. 6:
View of USTs on Plastic & Taped off (From East)



Photograph No. 7:
View of Concrete Fill on Plastic and Barrier Taped off
(From East)



Photograph No. 8:
View of Empty Excavation Pit, with Backfill piles in
Background (From North-West)