

Table 1
VOCs in Soil
Hannover Property
731 West Chippewa Avenue
South Bend, Indiana

Sample Location	Date Sampled	Sample Depth (feet)	Acrolein	Carbon Tetrachloride	1,1-Dichloroethane	1,2-Dichloroethane	1,1-Dichloroethene	cis-1,2-Dichloroethene	trans-1,2-Dichloroethene	Isopropylbenzene (Cumene)	Methylene Chloride	Naphthalene	1,1,2,2-tetrachloroethane	1,1,2-trichloroethane	1,2-dibromoethane	1,2-dichloropropane	Tetrachloroethene	Toluene	1,1,1-Trichloroethane	Trichloroethene	Vinyl Chloride	Xylenes	TPH-GRO	TPH-ERO	
RISC Default Residential closure levels			0.27	66	5,600	24	58	400	680	11,000	23	700	7	30	0.34	30	58	12,000	1,900	57	13	170,000	25	80	
RISC Default Industrial closure levels			250	290	58,000	150	42,000	5,800	14,000	42,000	1,800	170,000	110	300	9.6	250	640	96,000	280,000	350	27	170,000	330	1,000	
B-1	06/20/08	2'-4'	<118	<6	<6	<6	<6	<6	<6	<6	<24	<6	<6	<6	<6	<6	9	20	<6	14	<2	<12	<17.6	44	
		8'-10'	<116	<6	<6	<6	<6	<6	<6	<6	<6	<23	<6	<6	<6	<6	<6	<6	<6	<6	<6	<2	<12	<17.4	<23
B-2	06/20/08	2'-4'	<105	<5	<5	<5	<5	<5	<5	<5	<21	<5	<5	<5	<5	<5	144	<5	<5	32.9	<2	<12	<15.8	25	
		12'-14'	<122	<6	<6	<6	<6	<6	<6	<6	<6	<24	<6	<6	<6	<6	<6	<6	<6	<6	<6	<2	<12	<18.3	<24
B-3	06/20/08	2'-4'	<108	<5	<5	<5	<5	<5	<5	<5	<22	<5	<5	<5	<5	<5	68.2	<5	<5	14.4	<2	<11	<16.1	<22	
		10'-12'	<114	<6	<6	<6	<6	<6	<6	<6	<6	<23	<6	<6	<6	<6	<6	32.8	<6	<6	<6	<2	<11	<17.0	<23
B-4	06/20/08	4'-6'	<123	<6	<6	<6	<6	<6	<6	<6	<25	<6	<6	<6	<6	<6	48.7	<6	84	67.7	<2	<12	<18.5	<25	
		10'-12'	<120	<6	<6	<6	<6	<6	<6	<6	<24	<6	<6	<6	<6	<6	<6	<6	<6	<6	<2	<12	<18.1	<24	
B-5	06/20/08	0'-2'	<109	<5	<5	<5	<5	<5	<5	<5	<22	<5	<5	<5	<5	<5	<5	<5	<5	<5	<2	<11	<16.3	<22	
		12'-14'	<114	<6	<6	<6	<6	<6	<6	<6	<6	<23	<6	<6	<6	<6	<6	<6	<6	<6	<6	<2	<11	<17.3	<23
B-6	06/20/08	2'-4'	<105	<5	<5	<5	<5	<5	<5	<5	<21	<5	<5	<5	<5	<5	<5	<5	<5	<5	<2	<11	<15.8	<21	
		10'-12'	<111	<6	<6	<6	<6	<6	<6	<6	<6	<22	<6	<6	<6	<6	<6	<6	<6	<6	<6	<2	<11	<16.7	<22
B-7	06/20/08	0'-2'	<111	<6	<6	<6	<6	12.5	<6	<6	<22	<6	<6	<6	<6	<6	20.3	<6	<6	67	<2	<11	<16.7	<22	
		10'-12'	<111	<6	<6	<6	<6	<6	<6	<6	<22	<6	<6	<6	<6	<6	<6	<6	<6	<6	<2	<11	<16.7	<22	
B-8	06/20/08	2'-4'	<112	<6	<6	<6	<6	<6	<6	<6	<22	<6	<6	<6	<6	<6	<6	<6	<6	<6	16.6	<2	<11	<16.9	<22
		10'-12'	<128	<6	<6	<6	<6	<6	<6	<6	<26	<6	<6	<6	<6	<6	<6	<6	<6	<6	<6	<3	<13	<19.6	<26
B-9	06/20/08	2'-4'	<110	<5	<5	<5	<5	<5	<5	<5	<22	<5	<5	<5	<5	<5	<5	<5	<5	<5	<2	<11	<16.5	26	
		14'-16'	<112	<6	<6	<6	<6	<6	<6	<6	<23	<6	<6	<6	<6	<6	<6	<6	<6	<6	<6	<2	<11	<16.9	<22
B-10	06/20/08	0'-2'	<118	<6	<6	<6	<6	8.18	<6	<6	<24	<6	<6	<6	<6	<6	29.2	30.2	<6	<6	<2	<12	<17.6	1861	
		10'-12'	<111	<6	<6	<6	<6	18	<6	<6	<22	<6	<6	<6	<6	<6	12.6	<5	<6	<6	<3	<11	<16.7	<22	
B-11	06/20/08	0'-2'	<108	<5	<5	<5	<5	51.9	9.55	<5	<22	<5	<5	<5	<5	<5	159	9.26	<5	15.5	<2	11.6	<16.1	383	
		10'-12'	<111	<6	<6	<6	<6	<6	<6	<6	<22	<6	<6	<6	<6	<6	<6	<6	<6	<6	<2	<11	<16.7	24	
B-12	06/20/08	4'-6'	<110	<5	<5	<5	<5	<5	<5	<5	<22	<5	<5	<5	<5	<5	5.63	<5	<5	<5	<2	<11	<16.5	24	
		14'-16'	<115	<6	<6	<6	<6	<6	<6	<6	<23	<6	<6	<6	<6	<6	<6	<6	<6	<6	<6	<2	<11	<17.2	<23
B-13	06/20/08	2'-4'	<112	<6	<6	<6	<6	<6	<6	<6	<22	<6	<6	<6	<6	<6	9.54	<6	<6	<6	<2	<11	<20	615	
		10'-12'	<108	<5	<5	<5	<5	<5	<5	<5	<22	<5	<5	<5	<5	<5	<5	<5	<5	<5	<2	<11	<20	<22	
B-14	06/25/08	0'-2'	<115	<6	<6	<6	<6	<6	<6	<6	<22	<6	<6	<6	<6	<6	386	<6	<6	9.77	<2	<11	<20	716	
		10'-12'	<110	<5	<5	<5	<5	<5	<5	<5	<22	<5	<5	<5	<5	<5	<5	<5	<5	<5	<2	<11	<20	<22	
B-15	06/25/08	2'-4'	<108	<5	<5	<5	<5	<5	<5	<5	<22	<5	<5	<5	<5	<5	<5	<5	<5	<5	<2	<11	<20	<22	
		10'-12'	<109	<5	<5	<5	<5	<5	<5	<5	<22	<5	<5	<5	<5	<5	<5	<5	<5	<5	<2	<11	<20	<22	
B-16	06/25/08	2'-4'	<112	<6	<6	<6	<6	<6	<6	<6	<22	<6	<6	<6	<6	<6	9.54	<6	<6	<6	<2	<11	<20	615	
		10'-12'	<108	<5	<5	<5	<5	<5	<5	<5	<22	<5	<5	<5	<5	<5	<5	<5	<5	<5	<2	<11	<20	<22	

Table 1
VOCs in Soil
Hannover Property
731 West Chippewa Avenue
South Bend, Indiana

Sample Location	Date Sampled	Sample Depth (feet)	Acrolein	Carbon Tetrachloride	1,1-Dichloroethane	1,2-Dichloroethane	1,1-Dichloroethene	cis-1,2-Dichloroethene	trans-1,2-Dichloroethene	Isopropylbenzene (Cumene)	Methylene Chloride	Naphthalene	1,1,2,2-tetrachloroethane	1,1,2-trichloroethane	1,2-dibromoethane	1,2-dichloropropane	Tetrachloroethene	Toluene	1,1,1-Trichloroethane	Trichloroethene	Vinyl Chloride	Xylenes	TPH-GRO	TPH-ERO
RISC Default Residential closure levels			0.27	66	5,600	24	58	400	680	11,000	23	700	7	30	0.34	30	58	12,000	1,900	57	13	170,000	25	80
RISC Default Industrial closure levels			250	290	58,000	150	42,000	5,800	14,000	42,000	1,800	170,000	110	300	9.6	250	640	96,000	280,000	350	27	170,000	330	1,000
B-17	06/26/08	2'-4'	<110	<5	<5	<5	<5	<5	<5	<5	<22	<5	<5	<5	<5	<5	94.3	<5	<5	<5	<2	<11	<20	<22
		10'-12'	<120	<6	<6	<6	<6	<6	<6	<6	<6	<24	<6	<6	<6	<6	<6	108	<6	<6	<6	<2	<12	<20
B-18	06/25/08	2'-4'	<108	<5	<5	<5	<5	<5	<5	<5	<22	<5	<5	<5	<5	<5	<5	<5	<5	<5	<2	<11	<16.1	34
		12'-14'	<111	<6	<6	<6	<6	<6	<6	<6	<22	<6	<6	<6	<6	<6	<6	<6	<6	<6	<6	<2	<11	<16.7
B-19	06/25/08	2'-4'	<109	<5	<5	<5	<5	<5	<5	<5	<22	<5	<5	<5	<5	<5	<5	<5	<5	<5	<2	<11	<20	<22
		14'-16'	<111	<6	<6	<6	<6	<6	<6	<6	<22	<6	<6	<6	<6	<6	<6	<6	<6	<6	<6	<2	<11	<20
B-20	06/25/08	2'-4'	<109	<5	<5	<5	<5	<5	<5	<5	<22	<5	<5	<5	<5	<5	<5	<5	<5	<5	<2	<11	<20	<22
		14'-16'	<122	<6	<6	<6	<6	<6	<6	<6	<24	<6	<6	<6	<6	<6	<6	<6	<6	<6	<6	<2	<12	<20
B-21	06/25/08	2'-4'	<114	<6	<6	<6	<6	<6	<6	<6	<23	<6	<6	<6	<6	<6	311	<6	<6	<6	<2	<11	<20	<23
		12'-14'	<108	<5	<5	<5	<5	<5	<5	<5	<22	<5	<5	<5	<5	<5	<5	<5	<5	<5	<2	<11	<20	<22
B-22	06/25/08	2'-4'	<110	<5	<5	<5	<5	<5	<5	<5	<22	<5	<5	<5	<5	<5	22.1	<5	<5	<5	<2	<11	<20	81
		12'-14'	<118	<6	<6	<6	<6	<6	<6	<6	<24	<6	<6	<6	<6	<6	<6	<6	<6	<6	<6	<2	<12	<20
B-23	06/26/08	2'-4'	<112	<6	<6	<6	<6	<6	<6	<6	<22	<6	<6	<6	<6	<6	<6	<6	<6	<6	<2	<11	<20	<24
		14'-16'	<111	<6	<6	<6	<6	<6	<6	<6	<22	<6	<6	<6	<6	<6	<6	<6	<6	<6	<6	<2	<11	<20
B-24	06/26/08	2'-4'	<109	<5	<5	<5	<5	92.1	<5	<5	<22	<5	<5	<5	<5	<5	566	<5	<5	147	<2	<11	<20	<22
		14'-16'	<106	<5	<5	<5	<5	<5	<5	<5	<21	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<2	<11	<20
B-25	06/26/08	2'-4'	<109	<5	<5	<5	<5	<5	<5	<5	<22	<5	<5	<5	<5	<5	<5	<5	<5	<5	<2	<11	<20	<21
		12'-14'	<127	<6	<6	<6	<6	<6	<6	<6	<24	<6	<6	<6	<6	<6	<6	<6	<6	<6	<6	<2	<12	<20
B-26	06/25/08	2'-4'	<109	<5	<5	<5	<5	<5	<5	<5	<22	<5	<5	<5	<5	<5	362	<5	<5	<5	<2	<11	<20	<22
		14'-16'	<115	<6	<6	<6	<6	<6	<6	<6	<25	<6	<6	<6	<6	<6	<6	<6	<6	<6	<6	<3	<13	<20
B-27	06/25/08	2'-4'	<108	<5	<5	<5	<5	<5	<5	<5	<22	<5	<5	<5	<5	<5	15.4	<5	<5	<5	<2	<11	<20	<22
		14'-16'	<112	<6	<6	<6	<6	<6	<6	<6	<22	<6	<6	<6	<6	<6	<6	<6	<6	<6	<6	<2	<11	<20
B-28	06/26/08	4'-6'	<112	<6	<6	<6	<6	<6	<6	<6	<22	<6	<6	<6	<6	<6	<6	<6	<6	<6	<2	<11	<20	<22
		10'-12'	<123	<6	<6	<6	<6	<6	<6	<6	63.5	<25	<6	<6	<6	<6	<6	<6	<6	<6	<6	<2	<11	<20
B-29	06/26/08	4'-6'	<123	<6	<6	<6	<6	<6	<6	<6	<25	<6	<6	<6	<6	<6	<6	<6	<6	<6	<2	<12	<20	245
B-30	06/25/08	2'-4'	<119	<6	<6	<6	<6	<6	<6	<6	<24	<6	<6	<6	<6	<6	<6	<6	<6	<6	<2	<12	<20	128
		10'-12'	<115	<6	<6	<6	<6	<6	<6	<6	<6	<23	<6	<6	<6	<6	<6	<6	<6	<6	<6	<2	<11	<20
B-31	06/25/08	2'-4'	<110	<5	<5	<5	<5	<5	<5	<5	<22	<5	<5	<5	<5	<5	17.78	<5	<5	<5	<2	<11	<20	51
		10'-12'	<116	<6	<6	<6	<6	<6	<6	<6	<23	<6	<6	<6	<6	<6	<6	<6	<6	<6	<6	<2	<12	<20
B-32	06/25/08	2'-4'	<108	<5	<5	<5	<5	<5	<5	<5	<22	<5	<5	<5	<5	<5	101	<5	<5	<5	<2	<11	<20	<22
		10'-12'	<110	<5	<5	<5	<5	<5	<5	<5	<22	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<2	<11	<20
B-33	06/25/08	2'-4'	<116	<6	<6	<6	<6	<6	<6	<6	<23	<6	<6	<6	<6	<6	<6	<6	<6	<6	<2	<12	<20	44
		10'-12'	<105	<5	<5	<5	<5	<5	<5	<5	<21	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<2	<11	<20

Table 1
VOCs in Soil
Hannover Property
731 West Chippewa Avenue
South Bend, Indiana

Sample Location	Date Sampled	Sample Depth (feet)	Acrolein	Carbon Tetrachloride	1,1-Dichloroethane	1,2-Dichloroethane	1,1-Dichloroethene	cis-1,2-Dichloroethene	trans-1,2-Dichloroethene	Isopropylbenzene (Cumene)	Methylene Chloride	Naphthalene	1,1,1,2-tetrachloroethane	1,1,2-trichloroethane	1,2-dibromoethane	1,2-dichloropropane	Tetrachloroethene	Toluene	1,1,1-Trichloroethane	Trichloroethene	Vinyl Chloride	Xylenes	TPH-GRO	TPH-ERO
RISC Default Residential closure levels			0.27	66	5,600	24	58	400	680	11,000	23	700	7	30	0.34	30	58	12,000	1,900	57	13	170,000	25	80
RISC Default Industrial closure levels			250	290	58,000	150	42,000	5,800	14,000	42,000	1,800	170,000	110	300	9.6	250	640	96,000	280,000	350	27	170,000	330	1,000
B-34	06/25/08	2'-4'	<109	<5	<5	<5	<5	<5	<5	<5	<22	<5	<5	<5	<5	<5	16.1	<5	<5	<5	<2	<11	<20	<22
		10'-12'	<120	<6	<6	<6	<6	<6	<6	<6	<6	<24	<6	<6	<6	<6	<6	<6	<6	<6	<6	<2	<12	<20
B-35	06/25/08	2'-4'	<105	<5	<5	<5	<5	<5	<5	<5	<21	<5	<5	<5	<5	<5	<5	<5	<5	<5	<2	<11	<20	33
		10'-12'	<118	<6	<6	<6	<6	<6	<6	<6	<24	<6	<6	<6	<6	<6	<6	<6	<6	<6	<6	<2	<12	<20
B36	06/25/08	2'-4'	<108	<5	<5	<5	<5	<5	<5	<5	<22	<5	<5	<5	<5	<5	<5	<5	<5	<5	<2	<11	<20	<22
		10'-12'	<114	<6	<6	<6	<6	<6	<6	<6	<23	<6	<6	<6	<6	<6	<6	<6	<6	<6	<6	<2	<11	<20
B-37	06/25/08	2'-4'	<115	<6	<6	<6	<6	<6	<6	<6	<23	<6	<6	<6	<6	<6	17.5	<6	<6	<6	<2	<11	<20	<23
		10'-12'	<108	<5	<5	<5	<5	<5	<5	<5	<22	<5	<5	<5	<5	<5	15.2	<5	<5	<5	<2	<11	<20	<22
B-38	06/25/08	2'-4'	<111	<6	<6	<6	<6	<6	<6	<6	<22	<6	<6	<6	<6	<6	19	<6	<6	<6	<2	<11	<20	<22
		10'-12'	<115	<6	<6	<6	<6	<6	<6	<6	<23	<6	<6	<6	<6	<6	<6	<6	<6	<6	<2	<11	<20	<23
B-39	06/25/08	2'-4'	<112	<6	<6	<6	<6	<6	<6	<6	<22	<6	<6	<6	<6	<6	<6	<6	<6	<6	<2	<11	<20	<22
B-40	06/25/08	2'-4'	<125	<6	<6	<6	<6	<6	<6	<6	<25	<6	<6	<6	<6	<6	<6	<6	<6	<6	<3	<13	<20	51
		10'-12'	<112	<6	<6	<6	<6	<6	<6	<6	<22	<6	<6	<6	<6	<6	<6	<6	<6	<6	<2	<11	<20	<22

Notes: Values presented in parts per billion (ppb) or ug/kg except TPH in parts per million (ppm) or mg/kg
Constituents not listed were below the laboratory detection limit
Default Closure levels based on RISC Technical Users Guide, Updated 01/31/06. Amended August 2006.
Bold cell denotes value exceeds RISC Default Residential closure level
Shaded cell denotes value exceeds RISC Default Industrial closure level

Table 2 Metals in Soil Hannover Property 731 West Chippewa Avenue South Bend, Indiana										
Sample Location	Date Sampled	Sample Depth (feet)	Arsenic	Barium	Cadmium	Chromium	Lead	Mercury	Selenium	Silver
RISC Default Residential closure levels			3.9	1,600	7.5	10,000	81	2	5.2	31
RISC Default Industrial closure levels			5.8	10,000	77	10,000	230	32	53	87
B-1	6/20/2008	2'-4'	<2	108	<2	9	51	<1	<2	<2
B-2	6/20/2008	2'-4'	5.4	18	<2	30	16	<1	<2	<2
B-3	6/20/2008	2'-4'	2.3	64	<2	15	27	<1	<2	<2
B-4	6/20/2008	4'-6'	<2	19	<2	6	9	<1	<2	<2
B-5	6/20/2008	0'-2'	<2	15	<2	5	6	<1	<2	<2
B-6	6/20/2008	2'-4'	<2	9	<2	<2	5	<1	<2	<2
B-7	6/20/2008	0'-2'	<2	19	<2	5	17	<1	<2	<2
B-8	06/20/08	2'-4'	<2	54	<2	39	8	<1	<2	<2
		10'-12'	<2	<2	<2	<2	<2	<1	<2	<2
B-9	06/20/08	2'-4'	3.1	32	<2	7	12	<1	<2	<2
B-10	06/20/08	0'-2'	<2	93	13	68	184	<1	3.9	<2
B-11	06/20/08	0'-2'	<2	100	2.6	43	150	<1	<2	<2
B-12	06/20/08	4'-6'	2.5	30	<2	9	68	<1	<2	<2
B-13	06/20/08	2'-4'	9.1	59	<2	615	121	<1	<2	<2
B-14	06/25/08	0'-2'	5.6	47	<2	11	35	<1	<2	<2
B-15	06/25/08	2'-4'	8.3	26	<2	7.1	14	<1	<2	<2
B-16	06/25/08	2'-4'	7.9	43	<2	10	8.1	<1	<2	<2
B-17	06/26/08	2'-4'	<2	23	<2	4	15	<1	<2	<2
B-18	06/20/08	2'-4'	<2	54	<2	21	54	<1	<2	<2
B-19	06/25/08	2'-4'	4.2	59	<2	8.1	13	<1	<2	<2
B-20	06/25/08	2'-4'	4.3	27	<2	8.9	10	<1	<2	<2
B-21	06/25/08	2'-4'	3.5	31	<2	7.6	18	<1	<2	<2
B-23	06/26/08	2'-4'	<2	12	<2	<2	<2	<1	<2	<2
B-24	06/26/08	2'-4'	<2	38	<2	5.7	23	<1	<2	<2
B-25	06/26/08	2'-4'	<2	71	<2	10	130	<1	<2	<2
B-26	06/25/08	2'-4'	2.8	49	<2	6.2	4.6	<1	<2	<2
B-27	06/25/08	2'-4'	3.20	20	<2	5	17	<1	<2	<2
B-28	06/26/08	4'-6'	<2	14	<2	10	17	<1	<2	<2
B-29	06/26/08	4'-6'	5.4	77	3.2	27	168	<1	<2	<2
B-30	06/25/08	2'-4'	<2	75	<2	47	67	<1	<2	<2
B-31	06/25/08	2'-4'	<2	1330	<2	23	1220	<1	<2	<2
B-32	06/25/08	2'-4'	6.2	29	<2	6.7	12	<1	<2	<2
B-33	06/25/08	2'-4'	5.7	96	98	18	94	<1	<2	<2
B-34	06/25/08	2'-4'	<2	17	<2	4.8	11	<1	<2	<2
B-35	06/25/08	2'-4'	3.9	27	<2	8.1	106	<1	<2	<2
B-36	06/25/08	2'-4'	<2	10	<2	3.3	3	<1	<2	<2
B-37	06/25/08	2'-4'	6.3	72	<2	11	11	<1	<2	<2
B-38	06/25/08	2'-4'	2.7	83	<2	4.1	9.4	<1	<2	<2
B-39	06/25/08	2'-4'	5.6	46	<2	10	77	<1	<2	<2
B-40	06/25/08	2'-4'	3.7	109	<2	13	60	<1	<3	<3

Notes: Values presented in parts per million (ppm) or mg/kg
Constituents not listed were below the laboratory detection limit
Default Closure levels based on RISC Technical Users Guide, Updated 01/31/06
Amended August 2006
Bold cell denotes value exceeds RISC Default Residential closure level
Shaded cell denotes value exceeds RISC Default Industrial closure level

Table 3
PCBs in Soil
Hannover Property
731 West Chippewa Avenue
South Bend, Indiana

Sample Location	Date Sampled	Sample Depth (feet)	PCB-1016 (Aroclor 1016)	PCB-1221 (Aroclor 1221)	PCB-1232 (Aroclor 1232)	PCB-1242 (Aroclor 1242)	PCB-1248 (Aroclor 1248)	PCB-1254 (Aroclor 1254)	PCB-1260 (Aroclor 1260)
RISC Default Residential closure levels			1,800	1,800	1,800	1,800	1,800	1,800	1,800
RISC Default Industrial closure levels			5,300	5,300	5,300	5,300	5,300	5,300	5,300
B-10	06/20/08	0'-2'	< 80.0	< 80.0	< 80.0	< 80.0	< 80.0	< 160	301
		10'-12'	< 80.0	< 80.0	< 80.0	< 80.0	< 80.0	< 160	< 160
B-11	06/20/08	0'-2'	< 80.0	< 80.0	< 80.0	< 80.0	< 80.0	< 160	< 160
		10'-12'	< 80.0	< 80.0	< 80.0	< 80.0	< 80.0	< 160	< 160
B-12	06/20/08	4'-6'	< 80.0	< 80.0	< 80.0	< 80.0	< 80.0	< 160	< 160
		14'-16'	< 80.0	< 80.0	< 80.0	< 80.0	< 80.0	< 160	< 160
B-16	06/25/08	2'-4'	< 80.0	< 80.0	< 80.0	< 80.0	< 80.0	< 160	< 160
		10'-12'	< 80.0	< 80.0	< 80.0	< 80.0	< 80.0	< 160	< 160
B-19	06/25/08	2'-4'	< 80.0	< 80.0	< 80.0	< 80.0	< 80.0	< 160	< 160
		14'-16'	< 80.0	< 80.0	< 80.0	< 80.0	< 80.0	< 160	< 160

Constituents not listed were below the laboratory detection limit

Default Closure levels based on RISC Technical Users Guide, Updated 01/31/06. Amended Aug-06.

Bold cell denotes value exceeds RISC Default Residential closure level

Shaded cell denotes value exceeds RISC Default Industrial closure level

Table 4
SVOCs in Soil
Hannover Property
731 West Chippewa Avenue
South Bend, Indiana

Sample Location	Date Sampled	Sample Depth (feet)	Anthracene	Benzo(a)anthracene	Benzo(a)pyrene	Benzo(b)fluoranthene	Benzo(g,h,i)perylene	Benzo(k)fluoranthene	Chrysene	Dibenzo(a,h)anthracene	Fluoranthene	Fluorene	Indeno(1,2,3-cd)pyrene	Naphthalene	Phenanthrene	Pyrene
RISC Default Residential Closure Levels			2,000,000	5,000	500	5,000	16,000	50,000	500,000	500	2,000,000	170,000	5,000	700	13,000	700
RISC Default Industrial Closure Levels			2,000,000	15,000	1,500	15,000	16,000	150,000	1,500,000	1,500	2,000,000	1,100,000	15,000	170,000	170,000	170,000
B-9	06/20/08	2'-4'	<0.036	<0.036	<0.036	<0.036	<0.036	<0.036	<0.036	<0.036	<0.036	<0.036	<0.036	<0.036	<0.036	<0.036
		14'-16'	<0.037	<0.037	<0.037	<0.037	<0.037	<0.037	<0.037	<0.037	<0.037	<0.037	<0.037	<0.037	<0.037	<0.037
B-19	06/25/08	2'-4'	<0.036	<0.036	<0.036	<0.036	<0.036	<0.036	<0.036	<0.036	<0.036	<0.036	<0.036	<0.036	<0.036	<0.036
		14'-16'	<0.037	<0.037	<0.037	<0.037	<0.037	<0.037	<0.037	<0.037	<0.037	<0.037	<0.037	<0.037	<0.037	<0.037
B-20	06/25/08	2'-4'	<0.036	<0.036	<0.036	<0.036	<0.036	<0.036	<0.036	<0.036	<0.036	<0.036	<0.036	<0.036	<0.036	<0.036
		14'-16'	<0.040	<0.040	<0.040	<0.040	<0.040	<0.040	<0.040	<0.040	<0.040	<0.040	<0.040	<0.040	<0.040	
B-21	06/25/08	2'-4'	<0.038	<0.038	<0.038	<0.038	<0.038	<0.038	<0.038	<0.038	<0.038	<0.038	<0.038	<0.038	<0.038	<0.038
		12'-14'	<0.035	<0.035	<0.035	<0.035	<0.035	<0.035	<0.035	<0.035	<0.035	<0.035	<0.035	<0.035	<0.035	<0.035
B-22	06/25/08	2'-4'	<0.036	0.132	0.080	0.144	0.093	0.038	0.112	<0.036	0.159	<0.036	0.071	<0.036	0.225	0.209
		2'-4'	NA	0.135	0.101	0.178	NA	0.064	0.079	<0.036	NA	NA	0.074	<0.036	NA	NA
B-25	06/26/08	12'-14'	NA	0.186	<0.084	<0.084	NA	<0.084	0.096	<0.084	NA	NA	<0.084	<0.084	NA	NA
		2'-4'	<0.036	<0.036	<0.036	<0.036	<0.036	<0.036	<0.036	<0.036	<0.036	<0.036	<0.036	<0.036	<0.036	<0.036
B-26	06/25/08	14'-16'	<0.038	<0.038	<0.038	<0.038	<0.038	<0.038	<0.038	<0.038	<0.038	<0.038	<0.038	<0.038	<0.038	<0.038
		2'-4'	<0.035	<0.035	<0.035	<0.035	<0.035	<0.035	<0.035	<0.035	<0.035	<0.035	<0.035	<0.035	<0.035	<0.035
B-27	06/25/08	14'-16'	<0.037	<0.037	<0.037	<0.037	<0.037	<0.037	<0.037	<0.037	<0.037	<0.037	<0.037	<0.037	<0.037	<0.037
		4'-6'	NA	<0.037	<0.037	<0.037	NA	<0.037	<0.037	<0.037	NA	NA	<0.037	<0.037	NA	NA
B-28	06/26/08	10'-12'	NA	<0.041	<0.041	<0.041	NA	<0.041	<0.041	<0.041	NA	NA	<0.041	<0.041	NA	NA
		4'-6'	NA	5.00	3.49	8.12	NA	3.23	4.98	<0.407	NA	NA	<0.407	<0.407	NA	NA
B-30	06/25/08	2'-4'	NA	0.518	0.286	0.720	NA	0.202	0.38	0.196	NA	NA	0.206	<0.196	NA	NA
		10'-12'	NA	<.038	<.038	<.038	NA	<.038	<.038	<.038	NA	NA	<.038	<.038	NA	NA
B-31	06/25/08	2'-4'	NA	0.190	0.107	0.26	NA	0.09	0.127	<0.036	NA	NA	0.06	<0.036	NA	NA
		10'-12'	NA	<0.038	<0.038	<0.038	NA	<0.038	<0.038	<0.038	NA	NA	<0.038	<0.038	NA	NA
B-32	06/25/08	2'-4'	<0.035	<0.035	<0.035	<0.035	<0.035	<0.035	<0.035	<0.035	<0.035	<0.035	<0.035	<0.035	<0.035	<0.035
		10'-12'	<0.036	<0.036	<0.036	<0.036	<0.036	<0.036	<0.036	<0.036	<0.036	<0.036	<0.036	<0.036	<0.036	<0.036
B-33	06/25/08	2'-4'	NA	0.056	<0.038	0.049	NA	<0.038	0.041	<0.038	NA	NA	<0.038	0.05	NA	NA
		10'-12'	NA	<0.035	<0.035	<0.035	NA	<0.035	<0.035	<0.035	NA	NA	<0.035	<0.035	NA	NA
B-34	06/25/08	2'-4'	NA	<0.036	<0.036	<0.036	NA	<0.036	<0.036	<0.036	NA	NA	<0.036	<0.036	NA	NA
		10'-12'	NA	<0.040	<0.040	<0.040	NA	<0.040	<0.040	<0.040	NA	NA	<0.040	<0.040	NA	NA
B-35	06/25/08	2'-4'	0.091	0.534	0.386	0.772	0.334	0.168	0.586	0.132	1.370	0.052	0.287	<0.035	0.895	1.070
		10'-12'	<0.039	<0.039	<0.039	<0.039	<0.039	<0.039	<0.039	<0.039	<0.039	<0.039	<0.039	<0.039	<0.039	<0.039
B-36	06/25/08	2'-4'	NA	<0.035	<0.035	<0.035	NA	<0.035	<0.035	<0.035	NA	NA	<0.035	<0.035	NA	NA
		10'-12'	NA	<0.038	<0.038	<0.038	NA	<0.038	<0.038	<0.038	NA	NA	<0.038	<0.038	NA	NA
B-37	06/25/08	2'-4'	<0.038	<0.038	<0.038	<0.038	<0.038	<0.038	<0.038	<0.038	<0.038	<0.038	<0.038	<0.038	<0.038	<0.038
		10'-12'	<0.035	<0.035	<0.035	<0.035	<0.035	<0.035	<0.035	<0.035	<0.035	<0.035	<0.035	<0.035	<0.035	<0.035
B-38	06/25/08	2'-4'	<0.037	<0.037	<0.037	<0.037	<0.037	<0.037	<0.037	<0.037	<0.037	<0.037	<0.037	<0.037	<0.037	<0.037
		10'-12'	<0.038	<0.038	<0.038	<0.038	<0.038	<0.038	<0.038	<0.038	<0.038	<0.038	<0.038	<0.038	<0.038	<0.038
B-39	06/25/08	2'-4'	<0.037	0.126	0.091	0.169	0.130	0.052	0.112	<0.037	0.149	<0.037	0.093	<0.037	0.080	0.173
		10'-12'	<0.041	0.053	<0.041	0.070	0.055	<0.041	<0.041	<0.041	0.073	<0.041	<0.041	<0.041	0.048	0.076
B-40	06/25/08	2'-4'	<0.037	<0.037	<0.037	<0.037	<0.037	<0.037	<0.037	<0.037	<0.037	<0.037	<0.037	<0.037	<0.037	<0.037
		10'-12'	<0.037	<0.037	<0.037	<0.037	<0.037	<0.037	<0.037	<0.037	<0.037	<0.037	<0.037	<0.037	<0.037	<0.037

Notes: Values presented in parts per billion (ppb) or ug/kg
 Default Closure levels based on RISC Technical Users Guide, Updated 01/31/06. Amended August 2006.
Bold cell denotes value exceeds RISC Default Residential closure level
Shaded cell denotes value exceeds RISC Default Industrial closure level

Table 5
VOCs in Groundwater
Hannover Property
731 West Chippewa Avenue
South Bend, Indiana

Sample Location	Date Sampled	Acrolein	Benzene	sec-Butylbenzene	Carbon Tetrachloride	1,1-Dichloroethane	1,2-Dichloroethane	1,1-Dichloroethene	cis-1,2-Dichloroethene	trans-1,2-Dichloroethene	Isopropylbenzene (Cumene)	Methylene Chloride	Naphthalene	n-Propylbenzene	1,1,2,2-tetrachloroethane	1,1,2-trichloroethane	1,2-dibromoethane	1,2-dichloropropane	Tetrachloroethene	Toluene	1,1,1-Trichloroethane	Trichloroethene	Trichlorofluoromethane	1,2,4-Trimethylbenzene	1,3,5-Trimethylbenzene	Vinyl Chloride	Xylene (Total)	TPH-GRO	TPH-ERO			
RISC Default Residential closure levels		0.055	5	-	5	990	5	7	70	100	830	5	8.3	310	0.9	5	0.05	5	5	1,000	200	5	-	16	16	2	10,000	220	100			
RISC Default Industrial closure levels		51	52	-	22	10,000	31	5,100	1,000	2,000	10,000	380	2,000	4,100	14	50	1.4	42	55	8,200	29,000	31	-	5,100	5,100	4	20,000	3,000	1,100			
B-1	6/20/2008	<100	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	
B-2	6/20/2008	<100	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	32.7	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	
B-3	6/20/2008	<100	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	20.8	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	330	
B-5	6/20/2008	<100	<5	<5	<5	<5	<5	<5	<5	10.7	<5	<5	<5	<5	<5	<5	<5	<5	59.7	<5	<5	16.0	<5	<5	<5	<5	<5	<5	<5	<5	<5	210
B-6	6/20/2008	<100	<5	<5	<5	<5	<5	<5	8.12	<5	<5	<5	<5	<5	<5	<5	<5	<5	70.6	<5	16.2	37.7	<5	<5	<5	<5	<5	<5	<5	<5	<5	
B-7	6/20/2008	<100	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	7.86	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	120	
B-8	6/20/2008	<100	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	9.00	<5	<5	<5	<5	<5	<5	<5	<5	120	
B-9	06/20/08	<100	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	5.25	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	
B-10	06/20/08	<100	<5	<5	<5	<5	<5	<5	18.1	<5	<5	<5	<5	<5	<5	<5	<5	<5	33.7	<5	<5	6.09	<5	<5	<5	<5	<5	<5	<5	<5	290	
B-12	06/20/08	<100	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	9.46	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	
B-13	06/20/08	<100	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	17.4	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	
B-14	06/25/08	<100	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	28.4	<5	<5	6.41	<5	<5	<5	<5	<5	<5	<5	<5	<5	
B-15	06/25/08	<100	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	
B-16	06/25/08	<100	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	14.8	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	
B-17	06/26/08	<100	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	8.57	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	
B-20	06/25/08	<100	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	9.70	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	
B-21	06/25/08	<100	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	14.8	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	
B-23	06/26/08	<100	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	8.58	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	
B-24	06/26/08	<100	<5	<5	<5	<5	<5	<5	103	5.41	<5	<5	<5	<5	<5	<5	<5	<5	58.9	<5	<5	34.4	<5	<5	<5	<5	<5	<5	<5	<5	<5	
B-26	06/25/08	<100	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	
B-28	06/25/08	<100	<5	7.36	<5	<5	<5	<5	<5	<5	151	<5	<5	28.1	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	509	1,020		
B-30	06/25/08	<100	<5	<5	<5	<5	<5	<5	<5	<5	37.6	<5	35	22.9	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	181	<5	<5	32	1,280	24,900		
B-31	06/25/08	<100	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	270	
B-33	06/25/08	<100	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	
B-34	06/25/08	<100	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	
B-36	06/25/08	<100	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	
B-37	06/25/08	<100	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	8.97	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	
B-38	06/25/08	<100	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	
B-39	06/25/08	<100	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	

Notes: Values presented in parts per billion (ppb) or ug/l
 Default Closure levels based on RISC Technical Users Guide, Updated 01/31/06. Ammended August 2006.
Bold cell denotes value exceeds RISC Default Residential closure level
Shaded cell denotes value exceeds RISC Default Industrial closure level

Table 6
PCBs in Groundwater
Hannover Property
731 West Chippewa Avenue
South Bend, Indiana

Sample Location	Date Sampled	PCB-1016 (Aroclor 1016)	PCB-1221 (Aroclor 1221)	PCB-1232 (Aroclor 1232)	PCB-1242 (Aroclor 1242)	PCB-1248 (Aroclor 1248)	PCB-1254 (Aroclor 1254)	PCB-1260 (Aroclor 1260)
RISC Default Residential closure levels		0.5	0.5	0.5	0.5	0.5	0.5	0.5
RISC Default Industrial closure levels		1.4	1.4	1.4	1.4	1.4	1.4	1.4
B-10	06/20/08	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50
B-12	06/20/08	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50

Notes: Values presented in parts per billion (ppb) or ug/l

Default Closure levels based on RISC Technical Users Guide, Updated 01/31/06. Ammended Aug-06.

Bold cell denotes value exceeds RISC Default Residential closure level

Shaded cell denotes value exceeds RISC Default Industrial closure level

Table 7
SVOCs in Water
Hannover Property
731 West Chippewa Avenue
South Bend, Indiana

Sample Location	Date Sampled	Benzo(a)anthracene	Benzo(a)pyrene	Benzo(b)fluoranthene	Benzo(k)fluoranthene	Chrysene	Indeno(1,2,3-cd)pyrene	Naphthalene
RISC Default Residential Closure Levels		1.2	0.2	1.2	12	120	1.2	8
RISC Default Industrial Closure Levels		3.9	0.39	3.9	39	390	3.9	2,000
B-9	06/20/08	<0.11	<0.11	<0.11	<0.11	<0.11	<0.024	<1.1
B-16	06/25/08	<0.10	<0.10	<0.10	<0.10	<0.10	<0.022	<1.0
B-20	06/25/08	<0.10	<0.10	<0.10	<0.10	<0.10	<0.022	<1.0
B-21	06/25/08	<0.10	<0.10	<0.10	<0.10	<0.10	<0.022	<1.0
B-28	06/25/08	<0.11	<0.11	<0.11	<0.11	<0.11	<0.024	<1.1
B-30	06/25/08	<0.054	<0.054	<0.054	<0.054	<0.054	<0.12	246
B-31	06/25/08	<0.10	<0.10	<0.10	<0.10	<0.10	<0.022	<1.0
B-33	06/25/08	<0.11	<0.11	<0.11	<0.11	<0.11	<0.023	<1.1
B-34	06/25/08	<0.10	<0.10	<0.10	<0.10	<0.10	<0.022	<1.0
B-36	06/25/08	<0.10	<0.10	<0.10	<0.10	<0.10	<0.022	<1.0
<p>Notes: Default objective values presented in parts per billion (ppb) or ug/l Default Closure levels based on RISC Technical Users Guide, Updated 01/31/06, Amended August 2006.</p> <p>Bold cell denotes value exceeds RISC Default Residential closure level Shaded cell denotes value exceeds RISC Default Industrial closure level</p>								

Table 8
VOCs in Groundwater
Hannover Property
731 Chippewa Avenue
South Bend, Indiana

Sample Location	Date Sampled	Benzene	n-Butylbenzene	sec-Butylbenzene	tert-Butylbenzene	Carbon Tetrachloride	1,1-Dichloroethane	1,2-Dichloroethane	1,1,1-Dichloroethene	cis-1,2-Dichloroethene	trans-1,2-Dichloroethene	Ethylbenzene	Isopropylbenzene (Cumene)	p-Isopropyltoluene	Methylene Chloride	Naphthalene	n-Propylbenzene	1,1,2,2-tetrachloroethane	1,1,2-trichloroethane	1,2-dibromoethane	1,2-dichloropropane	Tetrachloroethene	Toluene	1,1,1-Trichloroethane	Trichloroethene	Trichlorofluoromethane	1,2,4-Trimethylbenzene	1,3,5-Trimethylbenzene	Vinyl Chloride	Xylene (Total)	TPH-GRO	TPH-ERO		
RISC Default Residential closure levels		5	-	-	-	5	990	5	7	70	100	700	830	-	5	8.3	310	0.9	5	0.05	5	5	1,000	200	5	-	16	16	2	10,000	220	100		
RISC Default Industrial closure levels		52	-	-	-	22	10,000	31	5,100	1,000	2,000	10,000	10,000	-	380	2,000	4,100	14	50	1.4	42	55	8,200	29,000	31	-	5,100	5,100	4	20,000	3,000	1,100		
MW-323	08/05/08	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	9.75	<5	<5	<5	12.4	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	20,500
MW-325	08/05/08	<5	<5	5.06	<5	<5	<5	<5	<5	<5	<5	345.0	28.2	<5	<5	198	94.1	<5	<5	<5	<5	<5	22.7	<5	<5	<5	536	128	<2	1021	5,360	2,900		
MW-327	08/06/08	149	66.9	105	<5	<5	<5	<5	<5	<5	<5	46.3	<5	123.0	<5	55.6	204	<5	<5	<5	<5	<5	<5	<5	<5	<5	714	18.1	<2	347	35,000	322,000		
MW-329	08/06/08	<5	43.3	25.9	<5	<5	<5	<5	<5	<5	<5	<5	54.6	<5	<5	<5	65.6	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	160,000
MW-330	08/07/08	296	<5	<5	<5	<5	<5	<5	<5	<5	<5	24.3	5.13	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	23	4480	6800	
MW-332	08/06/08	82.5	<5	5.69	<5	<5	<5	<5	<5	<5	<5	<5	468.0	<5	<5	<5	20.7	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	1480
MW-333	08/06/08	322	<50	<50	<50	<50	<50	<50	48.1	<50	322.0	79.2	<50	<50	1410	71.9	<50	<50	<50	<50	<50	44.9	<50	<50	<50	<50	800	229	11.6	1040				
MW-337	08/06/08	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	18.5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
MW-338	08/11/08	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
MW-340	08/07/08	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	20.6	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
MW-341	08/07/08	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
MW-342	08/08/08	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
PZ-1	08/08/08	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
PZ-2	08/08/08	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
QW-1	08/04/08	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	32.2	<5	27.2	25	<5	<5	<5	<5	<5	<5	<5	<5	<5
QW-2	08/04/08	<5	<5	<5	<5	<5	<5	<5	<5	12.3	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	58.5	<5	<5	20.6	<5	<5	<5	<5	<5	<5	<5	<5	140
QW-3	08/04/08	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
QW-4	08/04/08	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
QW-5	08/04/08	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
QW-6	08/04/08	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
QW-7	08/04/08	<5	<50	<50	<5	<50	<50	<50	<50	<50	<5	55.3	<50	<50	340	141	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50	1830	457	<20	3670	15,600	5,350		
QW-8	08/04/08	28.0	31.3	21.7	<5	<5	<5	<5	<5	<5	<5	<5	45.7	8.29	<5	37.5	58.9	<5	<5	<5	<5	<5	<5	<5	<5	<5	12.2	5.32	<2	7.93	2,690	27,500		
QW-9	08/04/08	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5

Notes: Values presented in parts per billion (ppb) or ug/l
 Default Closure levels based on RISC Technical Users Guide, Updated 01/31/06. Ammended August 2006.
Bold cell denotes value exceeds RISC Default Residential closure level
Shaded cell denotes value exceeds RISC Default Industrial closure level

Table 9 Metals in Groundwater Hannover Property 731 Chippewa Avenue South Bend, Indiana									
Sample Location	Date Sampled	Arsenic	Barium	Cadmium	Chromium	Lead	Mercury	Selenium	Silver
RISC Default Residential closure levels		0.01	2	0.005	0.1	0.015	0.002	0.05	0.18
RISC Default Industrial closure levels		0.01	20	0.051	150	0.042	0.031	0.51	0.51
CAMW-1	08/07/08	<0.01	<0.1	<0.005	<0.01	<0.01	<0.002	<0.01	<0.05
CAPZ-1	08/08/08	<0.01	<0.1	<0.005	<0.01	<0.01	<0.002	<0.01	<0.05
CAPZ-2	08/08/08	<0.01	<0.1	<0.005	<0.01	<0.01	<0.002	<0.01	<0.05
GMW-1	08/12/08	<0.01	<0.1	<0.005	<0.01	<0.01	<0.002	<0.01	<0.05
GMW-2	08/06/08	<0.01	<0.1	<0.005	<0.01	0.06	<0.002	<0.01	<0.05
GMW-3	08/05/08	<0.01	0.2	<0.005	<0.01	<0.01	<0.002	<0.01	<0.05
GMW-5	08/06/08	<0.01	0.5	<0.005	<0.01	0.6	<0.002	<0.01	<0.05
GP-5	08/05/08	<0.01	0.2	<0.005	<0.01	<0.01	<0.002	<0.01	<0.05
GP-6	08/05/08	<0.01	0.1	<0.005	<0.01	0.08	<0.002	<0.01	<0.05
GP-9	08/05/08	<0.01	0.1	<0.005	<0.01	0.02	<0.002	<0.01	<0.05
GP-10	08/05/08	<0.01	0.3	<0.005	<0.01	0.04	<0.002	<0.01	<0.05
GP-13	08/05/08	<0.01	0.1	<0.005	<0.01	<0.01	<0.002	<0.01	<0.05
GP-81	08/05/08	0.03	0.2	<0.005	<0.01	0.04	<0.002	<0.01	<0.05
MW-1	08/11/08	<0.01	<0.1	<0.005	<0.01	<0.01	<0.002	<0.01	<0.05
MW-2D	08/11/08	<0.01	<0.1	<0.005	<0.01	<0.01	<0.002	<0.01	<0.05
MW-2S	08/11/08	<0.01	<0.1	<0.005	<0.01	0.02	<0.002	<0.01	<0.05
MW-7	08/11/08	<0.01	0.2	<0.005	<0.01	<0.01	<0.002	<0.01	<0.05
MW-8	08/11/08	<0.01	<0.1	<0.005	<0.01	<0.01	<0.002	<0.01	<0.05
MW-301	08/12/08	<0.01	<0.1	<0.005	<0.01	<0.01	<0.002	<0.01	<0.05
MW-302	08/07/08	<0.01	0.7	<0.005	<0.01	0.18	<0.002	<0.01	<0.05
MW-303	08/07/08	<0.01	0.2	<0.005	<0.01	0.02	<0.002	<0.01	<0.05
MW-306	08/07/08	<0.01	0.4	<0.005	<0.01	0.04	<0.002	<0.01	<0.05
MW-308	08/07/08	<0.01	0.1	<0.005	<0.01	0.03	<0.002	<0.01	<0.05
MW-309	08/07/08	<0.01	<0.1	<0.005	<0.01	<0.01	<0.002	<0.01	<0.05
MW-314	08/05/08	<0.01	0.1	<0.005	<0.01	<0.01	<0.002	<0.01	<0.05
MW-315	08/12/08	<0.01	<0.1	<0.005	<0.01	<0.01	<0.002	<0.01	<0.05
MW-316	08/12/08	<0.01	<0.1	<0.005	<0.01	<0.01	<0.002	<0.01	<0.05
MW-318	08/12/08	<0.01	<0.1	<0.005	<0.01	<0.01	<0.002	<0.01	<0.05
MW-320	08/07/08	0.02	0.2	<0.005	<0.01	0.01	<0.002	<0.01	<0.05
MW-321	08/05/08	<0.01	0.1	<0.005	<0.01	<0.01	<0.002	<0.01	<0.05
MW-323	08/05/08	<0.01	0.1	<0.005	<0.01	<0.01	<0.002	<0.01	<0.05
MW-325	08/05/08	<0.01	0.1	<0.005	<0.01	0.01	<0.002	<0.01	<0.05
MW-327	08/06/08	0.07	0.2	<0.005	<0.01	0.03	<0.002	<0.01	<0.05
MW-329	08/06/08	0.02	0.2	<0.005	<0.01	0.01	<0.002	<0.01	<0.05
MW-330	08/07/08	0.08	0.5	<0.005	<0.01	<0.01	<0.002	<0.01	<0.05
MW-332	08/06/08	<0.01	0.2	<0.005	<0.01	0.04	<0.002	<0.01	<0.05
MW-333	08/06/08	0.06	3.7	<0.005	<0.01	0.03	<0.002	<0.01	<0.05
MW-337	08/06/08	<0.01	0.1	<0.005	<0.01	0.01	<0.002	<0.01	<0.05
MW-338	08/11/08	<0.01	<0.1	<0.005	<0.01	<0.01	<0.002	<0.01	<0.05
MW-340	08/07/08	<0.01	<0.1	<0.005	<0.01	<0.01	<0.002	<0.01	<0.05
MW-341	08/07/08	<0.01	<0.1	<0.005	<0.01	<0.01	<0.002	<0.01	<0.05
MW-342	08/08/08	<0.01	<0.1	<0.005	<0.01	<0.01	<0.002	<0.01	<0.05
PZ-1	08/08/08	<0.01	<0.1	<0.005	<0.01	<0.01	<0.002	<0.01	<0.05
PZ-2	08/08/08	<0.01	<0.1	<0.005	<0.01	<0.01	<0.002	<0.01	<0.05
QW-1	08/04/08	<0.01	0.3	<0.005	<0.01	<0.01	<0.002	<0.01	<0.05
QW-2	08/04/08	<0.01	0.2	<0.005	<0.01	<0.01	<0.002	<0.01	<0.05
QW-3	08/04/08	<0.01	<0.1	<0.005	<0.01	<0.01	<0.002	<0.01	<0.05
QW-4	08/04/08	<0.01	<0.1	<0.005	<0.01	0.02	<0.002	<0.01	<0.05
QW-5	08/04/08	<0.01	<0.1	<0.005	<0.01	<0.01	<0.002	<0.01	<0.05
QW-6	08/04/08	<0.01	<0.1	<0.005	<0.01	<0.01	<0.002	<0.01	<0.05
QW-7	08/04/08	<0.01	<0.1	<0.005	<0.01	<0.01	<0.002	<0.01	<0.05
QW-8	08/04/08	<0.01	0.3	<0.005	<0.01	0.01	<0.002	<0.01	<0.05
QW-9	08/04/08	<0.01	0.3	<0.005	<0.01	0.01	<0.002	<0.01	<0.05

Table 11 Groundwater Elevation and Well Survey Datum Hannover Property 731 West Chippewa Avenue South Bend, Indiana							
Monitoring Well	TOC Elevation (ft)	Date	Depth to Product (ft)	Depth to Water (ft)	Groundwater Elevation (ft)	Northing	Easting
CAMW-1	794.4	8/7/2008		38.94	755.46	2327373.43	167209.02
CAPZ-1	794.51	8/8/2008		38.73	755.78	2327373.81	167220.78
CAPZ-2	794.43	8/8/2008		38.7	755.73	2327373.86	167214.54
DQW-1	761.61	8/6/2008		14.78	746.83	2329976.96	167584.41
DQW-2	759.2	8/6/2008		12.56	746.64	2329987.27	167250.58
DQW-3	764.52	8/6/2008		17.82	746.7	2329979.17	166904.78
DQW-4	764.07	8/6/2008		17.39	746.68	2329970.46	166737.22
DQW-5	763.56	8/6/2008		16.98	746.58	2330028.52	166518.89
DQW-6	767.5	8/7/2008		20.87	746.63	2329959.26	166324.92
DQW-7	767.25	8/7/2008		20.74	746.51	2329958.41	166125.93
GMW-1	755.29	8/12/2008		12.91	742.38	2331127.68	166848.70
GMW-2	753.54	8/6/2008		10.61	742.93	2331033.49	167604.66
GMW-3	763.43	8/5/2008		16.69	746.74	2329988.63	166842.29
GMW-5	774.04	8/6/2008		36.68	737.36	2331947.13	167351.13
GP-10	762.87	8/5/2008	16.54	16.55	746.32	2330111.40	166698.94
GP-13	763.72	8/5/2008	17.14	17.19	746.53	2330027.78	166699.00
GP-5	761.04	8/5/2008		15.11	745.93	2330190.83	166783.44
GP-6	760.13	8/5/2008		14.29	745.84	2330260.57	166798.88
GP-81	755.91	8/5/2008		9.59	746.32	2330128.57	166926.93
GP-9	758.97	8/5/2008		13.14	745.83	2330257.80	166730.01
MW-1	789.75	8/11/2008		45.13	744.62	2329957.43	165114.43
MW-2S	783.86	8/11/2008		37.42	746.44	2329784.66	165435.12
MW-2D	785	8/11/2008		38.52	746.48	2329789.18	165444.35
MW-302	763.17	8/7/2008		12.47	750.7	2328902.30	167151.96
MW-303	764.28	8/7/2008		14.04	750.24	2329012.06	167189.28
MW-306	763.22	8/7/2008		13.55	749.67	2329109.88	166958.85
MW-308	765.45	8/7/2008		13.82	751.63	2328534.75	166156.47
MW-309	765.85	8/7/2008		13.54	752.31	2328534.97	166148.64
MW-314	757.69	8/5/2008		12.69	745	2330521.64	166807.77
MW-315	756.17	8/12/2008		13.93	742.24	2331177.45	166975.10
MW-316	775.59	8/12/2008		31.07	744.52	2330545.59	166539.18
MW-318	822.53	8/12/2008		15.13	807.4	2331410.27	166096.82
MW-320	768.41	8/7/2008		21.43	746.98	2329869.69	166825.48
MW-321	762.57	8/5/2008	16.06	16.07	746.5	2330071.01	166799.46
MW-322	759.28	No Sample		12.75	746.53	2330123.37	166886.00
MW-323	761.14	8/5/2008		14.59	746.55	2330058.07	166907.12
MW-325	757.94	8/5/2008		11.34	746.6	2330012.62	167121.61
MW-327	765.55	8/6/2008	18.04	20.42	745.13	2329891.24	166971.26
MW-329	759.49	8/6/2008	12.76	12.91	746.58	2329972.43	167012.69
MW-330	763.39	8/7/2008		16.61	746.78	2329952.11	166889.10
MW-331	765.27	No Sample				2329526.79	167049.43
MW-332	765.23	8/6/2008		17.02	748.21	2329784.01	167041.10
MW-333	765.27	8/6/2008	18.03	18.03	747.24	2329799.61	166989.60
MW-339	765.21	No Sample		13.49	751.72	2328748.63	167075.41
MW-340	764.79	8/7/2008		13.87	750.92	2328732.03	167079.35
MW-341	767.96	8/7/2008		15.15	752.81	2328354.82	166945.34
MW-342	768.01	8/8/2008		15.17	752.84	2328339.87	166938.27
MW-7	779.66	8/11/2008		32.81	746.85	2329683.59	165469.64
MW-8	781.35	8/11/2008		37.39	743.96	2330181.43	165230.98
QW-1	763.18	8/4/2008		12.35	750.83	2328881.22	166978.32
QW-2	762.54	8/4/2008		12.82	749.72	2329144.41	167071.70
QW-3	763	8/4/2008		14.15	748.85	2329391.72	167300.80
QW-5	761.78	8/4/2008		14.03	747.75	2329732.00	167388.00
QW-6	759.81	8/4/2008		12.47	747.34	2329850.12	167412.10
QW-7	758.71	8/4/2008		11.86	746.85	2329954.40	167145.41
QW-8	760.38	8/4/2008		13.64	746.74	2329972.14	166959.79
QW-9	763.56	8/4/2008		14.63	748.93	2329352.20	166973.56
PZ-1	766.18	8/8/2008		14.26	751.92	2328711.36	167072.54
PZ-2	765.63	8/8/2008		13.65	751.98	2328719.91	167075.21