



ENVision Laboratories, Inc.
1439 Sadlier Circle West Drive
Indianapolis, IN 46239
Tel: 317.351.8632
Fax: 317.351.8639
www.envisionlaboratories.com

Mr. Nivas Vijay
Heartland Environmental
3410 Mishawaka Ave.
South Bend, IN 46615

May 13, 2013

ENVision Project Number: 2013-1188
Client Project Name: UEA Sample Street

Dear Mr. Vijay,

Please find the attached analytical report for the samples received May 3, 2013. All test methods performed were fully compliant with local, state, and federal EPA methods unless otherwise noted. The project was analyzed as requested on the enclosed chain of custody record. Please review the comments section for additional information about your results or Quality Control data. Metals analyses are not included in the NELAC certification.

Feel free to contact me if you have any questions or comments regarding your analytical report or service.

Thank you for your business. ENVision Laboratories looks forward to working with you on your next project.

Yours Sincerely,

A handwritten signature in black ink that reads "David Norris".

David Norris

Client Services Manager
ENVision Laboratories, Inc.

PA DEP Lab Code: 68-04846 NELAP Cert:002





Analytical Report

Client Name: HEARTLAND ENV.
Project ID: UEA SAMPLE STREET
Client Project Manager: NIVAS VIJAY
ENVision Project Number: 2013-1188
Analytical Method: 8260
Prep Method: 5030B
Analytical Batch: 050913VW(1)

Client Sample ID: W5 **Sample Collection Date/Time:** 4/29/13 9:55
Envision Sample Number: 13-8903 **Sample Received Date/Time:** 5/31/13 12:00
Sample Matrix: water

<u>Compounds</u>	<u>Sample Results (ug/L)</u>	<u>Reporting Limit (ug/L)</u>	<u>Flags</u>
Acetone	< 100	100	
Acrolein	< 1	1	
Acrylonitrile	< 0.45	1	1
Benzene	< 5	5	
Bromobenzene	< 5	5	
Bromochloromethane	< 5	5	
Bromodichloromethane	< 5	5	
Bromoform	< 5	5	
Bromomethane	< 5	5	
n-Butanol	< 50	50	
2-Butanone (MEK)	< 10	10	
n-Butylbenzene	< 5	5	
sec-Butylbenzene	< 5	5	
tert-Butylbenzene	< 5	5	
Carbon Disulfide	< 5	5	
Carbon Tetrachloride	< 5	5	
Chlorobenzene	< 5	5	
Chloroethane	< 5	5	
2-Chloroethylvinylether	< 50	50	
Chloroform	< 5	5	
Chloromethane	< 5	5	
2-Chlorotoluene	< 5	5	
4-Chlorotoluene	< 5	5	
1,2-Dibromo-3-chloropropane	< 1	1	
Dibromochloromethane	< 5	5	
1,2-Dibromoethane (EDB)	< 1	1	
Dibromomethane	< 5	5	
1,2-Dichlorobenzene	< 5	5	
1,3-Dichlorobenzene	< 5	5	
1,4-Dichlorobenzene	< 5	5	
trans-1,4-Dichloro-2-butene	< 1	1	
Dichlorodifluoromethane	< 5	5	



Analytical Report

8260 continued...

<u>Compounds</u>	<u>Sample Results (ug/L)</u>	<u>Reporting Limit (ug/L)</u>	<u>Flags</u>
1,1-Dichloroethane	< 5	5	
1,2-Dichloroethane	< 5	5	
1,1-Dichloroethene	< 5	5	
cis-1,2-Dichloroethene	< 5	5	
trans-1,2-Dichloroethene	< 5	5	
1,2-Dichloropropane	< 5	5	
1,3-Dichloropropane	< 5	5	
2,2-Dichloropropane	< 5	5	
1,1-Dichloropropene	< 5	5	
cis-1,3-Dichloropropene	< 4.1	4.1	
trans-1,3-Dichloropropene	< 4.1	4.1	
Ethylbenzene	< 5	5	
Ethyl methacrylate	< 100	100	
Hexachloro-1,3-butadiene	< 2.6	2.6	
n-Hexane	< 10	10	
2-Hexanone	< 10	10	
Iodomethane	< 10	10	
Isopropylbenzene (Cumene)	< 5	5	
p-Isopropyltoluene	< 5	5	
Methylene chloride	< 5	5	
4-Methyl-2-pentanone (MIBK)	< 10	10	
Methyl-tert-butyl-ether	< 5	5	
1-Methylnaphthalene	< 5	5	
2-Methylnaphthalene	< 5	5	
Naphthalene	< 1.4	1.4	
n-Propylbenzene	< 5	5	
Styrene	< 5	5	
1,1,1,2-Tetrachloroethane	< 5	5	
1,1,2,2-Tetrachloroethane	< 0.66	1	1
Tetrachloroethene	< 5	5	
Toluene	< 5	5	
1,2,3-Trichlorobenzene	< 5	5	
1,2,4-Trichlorobenzene	< 5	5	
1,1,1-Trichloroethane	< 5	5	
1,1,2-Trichloroethane	< 5	5	
Trichloroethene	< 5	5	
Trichlorofluoromethane	< 5	5	
1,2,3-Trichloropropane	< 1	1	
1,2,4-Trimethylbenzene	< 5	5	
1,3,5-Trimethylbenzene	< 5	5	
Vinyl acetate	< 10	10	
Vinyl chloride	< 2	2	
Xylene, M&P	< 5	5	
Xylene, Ortho	< 5	5	
Xylene (Total)	< 10	10	
Dibromofluoromethane (surrogate)	111%		
1,2-Dichloroethane-d4 (surrogate)	100%		
Toluene-d8 (surrogate)	94%		
4-bromofluorobenzene (surrogate)	108%		

Analysis Date/Time: 5-9-13/13:10

Analyst Initials



Analytical Report

Client Name: HEARTLAND ENV.
Project ID: UEA SAMPLE STREET
Client Project Manager: NIVAS VIJAY
ENVision Project Number: 2013-1188
Analytical Method: 8260
Prep Method: 5030B
Analytical Batch: 050913VW(1)

Client Sample ID: W9 **Sample Collection Date/Time:** 4/29/13 11:40
Envision Sample Number: 13-8904 **Sample Received Date/Time:** 5/31/13 12:00
Sample Matrix: water

<u>Compounds</u>	<u>Sample Results (ug/L)</u>	<u>Reporting Limit (ug/L)</u>	<u>Flags</u>
Acetone	< 100	100	
Acrolein	< 1	1	
Acrylonitrile	< 0.45	1	1
Benzene	< 5	5	
Bromobenzene	< 5	5	
Bromochloromethane	< 5	5	
Bromodichloromethane	< 5	5	
Bromoform	< 5	5	
Bromomethane	< 5	5	
n-Butanol	< 50	50	
2-Butanone (MEK)	< 10	10	
n-Butylbenzene	< 5	5	
sec-Butylbenzene	< 5	5	
tert-Butylbenzene	< 5	5	
Carbon Disulfide	< 5	5	
Carbon Tetrachloride	< 5	5	
Chlorobenzene	< 5	5	
Chloroethane	< 5	5	
2-Chloroethylvinylether	< 50	50	
Chloroform	< 5	5	
Chloromethane	< 5	5	
2-Chlorotoluene	< 5	5	
4-Chlorotoluene	< 5	5	
1,2-Dibromo-3-chloropropane	< 1	1	
Dibromochloromethane	< 5	5	
1,2-Dibromoethane (EDB)	< 1	1	
Dibromomethane	< 5	5	
1,2-Dichlorobenzene	< 5	5	
1,3-Dichlorobenzene	< 5	5	
1,4-Dichlorobenzene	< 5	5	
trans-1,4-Dichloro-2-butene	< 1	1	
Dichlorodifluoromethane	< 5	5	



Analytical Report

8260 continued...

<u>Compounds</u>	<u>Sample Results (ug/L)</u>	<u>Reporting Limit (ug/L)</u>	<u>Flags</u>
1,1-Dichloroethane	< 5	5	
1,2-Dichloroethane	< 5	5	
1,1-Dichloroethene	< 5	5	
cis-1,2-Dichloroethene	< 5	5	
trans-1,2-Dichloroethene	< 5	5	
1,2-Dichloropropane	< 5	5	
1,3-Dichloropropane	< 5	5	
2,2-Dichloropropane	< 5	5	
1,1-Dichloropropene	< 5	5	
cis-1,3-Dichloropropene	< 4.1	4.1	
trans-1,3-Dichloropropene	< 4.1	4.1	
Ethylbenzene	< 5	5	
Ethyl methacrylate	< 100	100	
Hexachloro-1,3-butadiene	< 2.6	2.6	
n-Hexane	< 10	10	
2-Hexanone	< 10	10	
Iodomethane	< 10	10	
Isopropylbenzene (Cumene)	< 5	5	
p-Isopropyltoluene	< 5	5	
Methylene chloride	< 5	5	
4-Methyl-2-pentanone (MIBK)	< 10	10	
Methyl-tert-butyl-ether	< 5	5	
1-Methylnaphthalene	< 5	5	
2-Methylnaphthalene	< 5	5	
Naphthalene	< 1.4	1.4	
n-Propylbenzene	< 5	5	
Styrene	< 5	5	
1,1,1,2-Tetrachloroethane	< 5	5	
1,1,2,2-Tetrachloroethane	< 0.66	1	1
Tetrachloroethene	< 5	5	
Toluene	< 5	5	
1,2,3-Trichlorobenzene	< 5	5	
1,2,4-Trichlorobenzene	< 5	5	
1,1,1-Trichloroethane	< 5	5	
1,1,2-Trichloroethane	< 5	5	
Trichloroethene	< 5	5	
Trichlorofluoromethane	< 5	5	
1,2,3-Trichloropropane	< 1	1	
1,2,4-Trimethylbenzene	< 5	5	
1,3,5-Trimethylbenzene	< 5	5	
Vinyl acetate	< 10	10	
Vinyl chloride	< 2	2	
Xylene, M&P	< 5	5	
Xylene, Ortho	< 5	5	
Xylene (Total)	< 10	10	
Dibromofluoromethane (surrogate)	111%		
1,2-Dichloroethane-d4 (surrogate)	99%		
Toluene-d8 (surrogate)	93%		
4-bromofluorobenzene (surrogate)	108%		

Analysis Date/Time: 5-9-13/13:35

Analyst Initials



Analytical Report

Client Name: HEARTLAND ENV.
Project ID: UEA SAMPLE STREET
Client Project Manager: NIVAS VIJAY
ENVision Project Number: 2013-1188

Analytical Method: 8260
Prep Method: 5030B
Analytical Batch: 050913VW(1)

Client Sample ID: UNK-1 (5-3A) **Sample Collection Date/Time:** 4/29/13 12:55
Envision Sample Number: 13-8905 **Sample Received Date/Time:** 5/313 12:00
Sample Matrix: water

<u>Compounds</u>	<u>Sample Results (ug/L)</u>	<u>Reporting Limit (ug/L)</u>	<u>Flags</u>
Acetone	< 100	100	
Acrolein	< 1	1	
Acrylonitrile	< 0.45	1	1
Benzene	< 5	5	
Bromobenzene	< 5	5	
Bromochloromethane	< 5	5	
Bromodichloromethane	< 5	5	
Bromoform	< 5	5	
Bromomethane	< 5	5	
n-Butanol	< 50	50	
2-Butanone (MEK)	< 10	10	
n-Butylbenzene	< 5	5	
sec-Butylbenzene	< 5	5	
tert-Butylbenzene	< 5	5	
Carbon Disulfide	< 5	5	
Carbon Tetrachloride	< 5	5	
Chlorobenzene	< 5	5	
Chloroethane	< 5	5	
2-Chloroethylvinylether	< 50	50	
Chloroform	< 5	5	
Chloromethane	< 5	5	
2-Chlorotoluene	< 5	5	
4-Chlorotoluene	< 5	5	
1,2-Dibromo-3-chloropropane	< 1	1	
Dibromochloromethane	< 5	5	
1,2-Dibromoethane (EDB)	< 1	1	
Dibromomethane	< 5	5	
1,2-Dichlorobenzene	< 5	5	
1,3-Dichlorobenzene	< 5	5	
1,4-Dichlorobenzene	< 5	5	
trans-1,4-Dichloro-2-butene	< 1	1	
Dichlorodifluoromethane	< 5	5	



Analytical Report

8260 continued...

<u>Compounds</u>	<u>Sample Results (ug/L)</u>	<u>Reporting Limit (ug/L)</u>	<u>Flags</u>
1,1-Dichloroethane	< 5	5	
1,2-Dichloroethane	< 5	5	
1,1-Dichloroethene	< 5	5	
cis-1,2-Dichloroethene	< 5	5	
trans-1,2-Dichloroethene	< 5	5	
1,2-Dichloropropane	< 5	5	
1,3-Dichloropropane	< 5	5	
2,2-Dichloropropane	< 5	5	
1,1-Dichloropropene	< 5	5	
cis-1,3-Dichloropropene	< 4.1	4.1	
trans-1,3-Dichloropropene	< 4.1	4.1	
Ethylbenzene	< 5	5	
Ethyl methacrylate	< 100	100	
Hexachloro-1,3-butadiene	< 2.6	2.6	
n-Hexane	< 10	10	
2-Hexanone	< 10	10	
Iodomethane	< 10	10	
Isopropylbenzene (Cumene)	< 5	5	
p-Isopropyltoluene	< 5	5	
Methylene chloride	< 5	5	
4-Methyl-2-pentanone (MIBK)	< 10	10	
Methyl-tert-butyl-ether	< 5	5	
1-Methylnaphthalene	< 5	5	
2-Methylnaphthalene	< 5	5	
Naphthalene	< 1.4	1.4	
n-Propylbenzene	< 5	5	
Styrene	< 5	5	
1,1,1,2-Tetrachloroethane	< 5	5	
1,1,2,2-Tetrachloroethane	< 0.66	1	1
Tetrachloroethene	< 5	5	
Toluene	< 5	5	
1,2,3-Trichlorobenzene	< 5	5	
1,2,4-Trichlorobenzene	< 5	5	
1,1,1-Trichloroethane	< 5	5	
1,1,2-Trichloroethane	< 5	5	
Trichloroethene	< 5	5	
Trichlorofluoromethane	< 5	5	
1,2,3-Trichloropropane	< 1	1	
1,2,4-Trimethylbenzene	< 5	5	
1,3,5-Trimethylbenzene	< 5	5	
Vinyl acetate	< 10	10	
Vinyl chloride	< 2	2	
Xylene, M&P	< 5	5	
Xylene, Ortho	< 5	5	
Xylene (Total)	< 10	10	
Dibromofluoromethane (surrogate)	110%		
1,2-Dichloroethane-d4 (surrogate)	99%		
Toluene-d8 (surrogate)	94%		
4-bromofluorobenzene (surrogate)	109%		

Analysis Date/Time: 5-9-13/13:59

Analyst Initials



Analytical Report

Client Name: HEARTLAND ENV.
Project ID: UEA SAMPLE STREET
Client Project Manager: NIVAS VIJAY
ENVision Project Number: 2013-1188

Analytical Method: 8260
Prep Method: 5030B
Analytical Batch: 050913VW(1)

Client Sample ID: UNK-2 (5-3) **Sample Collection Date/Time:** 4/29/13 14:15
Envision Sample Number: 13-8906 **Sample Received Date/Time:** 5/31/13 12:00
Sample Matrix: water

<u>Compounds</u>	<u>Sample Results (ug/L)</u>	<u>Reporting Limit (ug/L)</u>	<u>Flags</u>
Acetone	< 100	100	
Acrolein	< 1	1	
Acrylonitrile	< 0.45	1	1
Benzene	< 5	5	
Bromobenzene	< 5	5	
Bromochloromethane	< 5	5	
Bromodichloromethane	< 5	5	
Bromoform	< 5	5	
Bromomethane	< 5	5	
n-Butanol	< 50	50	
2-Butanone (MEK)	< 10	10	
n-Butylbenzene	< 5	5	
sec-Butylbenzene	< 5	5	
tert-Butylbenzene	< 5	5	
Carbon Disulfide	< 5	5	
Carbon Tetrachloride	< 5	5	
Chlorobenzene	< 5	5	
Chloroethane	< 5	5	
2-Chloroethylvinylether	< 50	50	
Chloroform	< 5	5	
Chloromethane	< 5	5	
2-Chlorotoluene	< 5	5	
4-Chlorotoluene	< 5	5	
1,2-Dibromo-3-chloropropane	< 1	1	
Dibromochloromethane	< 5	5	
1,2-Dibromoethane (EDB)	< 1	1	
Dibromomethane	< 5	5	
1,2-Dichlorobenzene	< 5	5	
1,3-Dichlorobenzene	< 5	5	
1,4-Dichlorobenzene	< 5	5	
trans-1,4-Dichloro-2-butene	< 1	1	
Dichlorodifluoromethane	< 5	5	



Analytical Report

8260 continued...

<u>Compounds</u>	<u>Sample Results (ug/L)</u>	<u>Reporting Limit (ug/L)</u>	<u>Flags</u>
1,1-Dichloroethane	< 5	5	
1,2-Dichloroethane	< 5	5	
1,1-Dichloroethene	< 5	5	
cis-1,2-Dichloroethene	< 5	5	
trans-1,2-Dichloroethene	< 5	5	
1,2-Dichloropropane	< 5	5	
1,3-Dichloropropane	< 5	5	
2,2-Dichloropropane	< 5	5	
1,1-Dichloropropene	< 5	5	
cis-1,3-Dichloropropene	< 4.1	4.1	
trans-1,3-Dichloropropene	< 4.1	4.1	
Ethylbenzene	< 5	5	
Ethyl methacrylate	< 100	100	
Hexachloro-1,3-butadiene	< 2.6	2.6	
n-Hexane	< 10	10	
2-Hexanone	< 10	10	
Iodomethane	< 10	10	
Isopropylbenzene (Cumene)	< 5	5	
p-Isopropyltoluene	< 5	5	
Methylene chloride	< 5	5	
4-Methyl-2-pentanone (MIBK)	< 10	10	
Methyl-tert-butyl-ether	< 5	5	
1-Methylnaphthalene	< 5	5	
2-Methylnaphthalene	< 5	5	
Naphthalene	< 1.4	1.4	
n-Propylbenzene	< 5	5	
Styrene	< 5	5	
1,1,1,2-Tetrachloroethane	< 5	5	
1,1,2,2-Tetrachloroethane	< 0.66	1	1
Tetrachloroethene	< 5	5	
Toluene	< 5	5	
1,2,3-Trichlorobenzene	< 5	5	
1,2,4-Trichlorobenzene	< 5	5	
1,1,1-Trichloroethane	< 5	5	
1,1,2-Trichloroethane	< 5	5	
Trichloroethene	< 5	5	
Trichlorofluoromethane	< 5	5	
1,2,3-Trichloropropane	< 1	1	
1,2,4-Trimethylbenzene	< 5	5	
1,3,5-Trimethylbenzene	< 5	5	
Vinyl acetate	< 10	10	
Vinyl chloride	< 2	2	
Xylene, M&P	< 5	5	
Xylene, Ortho	< 5	5	
Xylene (Total)	< 10	10	
Dibromofluoromethane (surrogate)	111%		
1,2-Dichloroethane-d4 (surrogate)	100%		
Toluene-d8 (surrogate)	93%		
4-bromofluorobenzene (surrogate)	109%		

Analysis Date/Time: 5-9-13/14:24

Analyst Initials



Analytical Report

Client Name: HEARTLAND ENV.
Project ID: UEA SAMPLE STREET
Client Project Manager: NIVAS VIJAY
ENVision Project Number: 2013-1188

Analytical Method: 8260
Prep Method: 5030B
Analytical Batch: 050913VW(1)

Client Sample ID: W-10B **Sample Collection Date/Time:** 4/29/13 17:15
Envision Sample Number: 13-8907 **Sample Received Date/Time:** 5/313 12:00
Sample Matrix: water

<u>Compounds</u>	<u>Sample Results (ug/L)</u>	<u>Reporting Limit (ug/L)</u>	<u>Flags</u>
Acetone	< 100	100	
Acrolein	< 1	1	
Acrylonitrile	< 0.45	1	1
Benzene	< 5	5	
Bromobenzene	< 5	5	
Bromochloromethane	< 5	5	
Bromodichloromethane	< 5	5	
Bromoform	< 5	5	
Bromomethane	< 5	5	
n-Butanol	< 50	50	
2-Butanone (MEK)	< 10	10	
n-Butylbenzene	< 5	5	
sec-Butylbenzene	< 5	5	
tert-Butylbenzene	< 5	5	
Carbon Disulfide	< 5	5	
Carbon Tetrachloride	< 5	5	
Chlorobenzene	< 5	5	
Chloroethane	< 5	5	
2-Chloroethylvinylether	< 50	50	
Chloroform	< 5	5	
Chloromethane	< 5	5	
2-Chlorotoluene	< 5	5	
4-Chlorotoluene	< 5	5	
1,2-Dibromo-3-chloropropane	< 1	1	
Dibromochloromethane	< 5	5	
1,2-Dibromoethane (EDB)	< 1	1	
Dibromomethane	< 5	5	
1,2-Dichlorobenzene	< 5	5	
1,3-Dichlorobenzene	< 5	5	
1,4-Dichlorobenzene	< 5	5	
trans-1,4-Dichloro-2-butene	< 1	1	
Dichlorodifluoromethane	< 5	5	



Analytical Report

8260 continued...

<u>Compounds</u>	<u>Sample Results (ug/L)</u>	<u>Reporting Limit (ug/L)</u>	<u>Flags</u>
1,1-Dichloroethane	8.55	5	
1,2-Dichloroethane	< 5	5	
1,1-Dichloroethene	< 5	5	
cis-1,2-Dichloroethene	< 5	5	
trans-1,2-Dichloroethene	< 5	5	
1,2-Dichloropropane	< 5	5	
1,3-Dichloropropane	< 5	5	
2,2-Dichloropropane	< 5	5	
1,1-Dichloropropene	< 5	5	
cis-1,3-Dichloropropene	< 4.1	4.1	
trans-1,3-Dichloropropene	< 4.1	4.1	
Ethylbenzene	< 5	5	
Ethyl methacrylate	< 100	100	
Hexachloro-1,3-butadiene	< 2.6	2.6	
n-Hexane	< 10	10	
2-Hexanone	< 10	10	
Iodomethane	< 10	10	
Isopropylbenzene (Cumene)	< 5	5	
p-Isopropyltoluene	< 5	5	
Methylene chloride	< 5	5	
4-Methyl-2-pentanone (MIBK)	< 10	10	
Methyl-tert-butyl-ether	< 5	5	
1-Methylnaphthalene	< 5	5	
2-Methylnaphthalene	< 5	5	
Naphthalene	< 1.4	1.4	
n-Propylbenzene	< 5	5	
Styrene	< 5	5	
1,1,1,2-Tetrachloroethane	< 5	5	
1,1,2,2-Tetrachloroethane	< 0.66	1	1
Tetrachloroethene	< 5	5	
Toluene	< 5	5	
1,2,3-Trichlorobenzene	< 5	5	
1,2,4-Trichlorobenzene	< 5	5	
1,1,1-Trichloroethane	38.3	5	
1,1,2-Trichloroethane	< 5	5	
Trichloroethene	6.00	5	
Trichlorofluoromethane	< 5	5	
1,2,3-Trichloropropane	< 1	1	
1,2,4-Trimethylbenzene	< 5	5	
1,3,5-Trimethylbenzene	< 5	5	
Vinyl acetate	< 10	10	
Vinyl chloride	< 2	2	
Xylene, M&P	< 5	5	
Xylene, Ortho	< 5	5	
Xylene (Total)	< 10	10	
Dibromofluoromethane (surrogate)	111%		
1,2-Dichloroethane-d4 (surrogate)	98%		
Toluene-d8 (surrogate)	95%		
4-bromofluorobenzene (surrogate)	111%		

Analysis Date/Time: 5-9-13/14:56

Analyst Initials



Analytical Report

Client Name: HEARTLAND ENV.
Project ID: UEA SAMPLE STREET
Client Project Manager: NIVAS VIJAY
ENVision Project Number: 2013-1188

Analytical Method: 8260
Prep Method: 5030B
Analytical Batch: 050913VW(1)

Client Sample ID: W-10A **Sample Collection Date/Time:** 4/29/13 18:20
Envision Sample Number: 13-8908 **Sample Received Date/Time:** 5/31/13 12:00
Sample Matrix: water

<u>Compounds</u>	<u>Sample Results (ug/L)</u>	<u>Reporting Limit (ug/L)</u>	<u>Flags</u>
Acetone	< 100	100	
Acrolein	< 1	1	
Acrylonitrile	< 0.45	1	1
Benzene	< 5	5	
Bromobenzene	< 5	5	
Bromochloromethane	< 5	5	
Bromodichloromethane	< 5	5	
Bromoform	< 5	5	
Bromomethane	< 5	5	
n-Butanol	< 50	50	
2-Butanone (MEK)	< 10	10	
n-Butylbenzene	< 5	5	
sec-Butylbenzene	< 5	5	
tert-Butylbenzene	< 5	5	
Carbon Disulfide	< 5	5	
Carbon Tetrachloride	< 5	5	
Chlorobenzene	< 5	5	
Chloroethane	< 5	5	
2-Chloroethylvinylether	< 50	50	
Chloroform	< 5	5	
Chloromethane	< 5	5	
2-Chlorotoluene	< 5	5	
4-Chlorotoluene	< 5	5	
1,2-Dibromo-3-chloropropane	< 1	1	
Dibromochloromethane	< 5	5	
1,2-Dibromoethane (EDB)	< 1	1	
Dibromomethane	< 5	5	
1,2-Dichlorobenzene	< 5	5	
1,3-Dichlorobenzene	< 5	5	
1,4-Dichlorobenzene	< 5	5	
trans-1,4-Dichloro-2-butene	< 1	1	
Dichlorodifluoromethane	< 5	5	



Analytical Report

8260 continued...

<u>Compounds</u>	<u>Sample Results (ug/L)</u>	<u>Reporting Limit (ug/L)</u>	<u>Flags</u>
1,1-Dichloroethane	< 5	5	
1,2-Dichloroethane	< 5	5	
1,1-Dichloroethene	< 5	5	
cis-1,2-Dichloroethene	< 5	5	
trans-1,2-Dichloroethene	< 5	5	
1,2-Dichloropropane	< 5	5	
1,3-Dichloropropane	< 5	5	
2,2-Dichloropropane	< 5	5	
1,1-Dichloropropene	< 5	5	
cis-1,3-Dichloropropene	< 4.1	4.1	
trans-1,3-Dichloropropene	< 4.1	4.1	
Ethylbenzene	< 5	5	
Ethyl methacrylate	< 100	100	
Hexachloro-1,3-butadiene	< 2.6	2.6	
n-Hexane	< 10	10	
2-Hexanone	< 10	10	
Iodomethane	< 10	10	
Isopropylbenzene (Cumene)	< 5	5	
p-Isopropyltoluene	< 5	5	
Methylene chloride	< 5	5	
4-Methyl-2-pentanone (MIBK)	< 10	10	
Methyl-tert-butyl-ether	< 5	5	
1-Methylnaphthalene	< 5	5	
2-Methylnaphthalene	< 5	5	
Naphthalene	< 1.4	1.4	
n-Propylbenzene	< 5	5	
Styrene	< 5	5	
1,1,1,2-Tetrachloroethane	< 5	5	
1,1,2,2-Tetrachloroethane	< 0.66	1	1
Tetrachloroethene	< 5	5	
Toluene	< 5	5	
1,2,3-Trichlorobenzene	< 5	5	
1,2,4-Trichlorobenzene	< 5	5	
1,1,1-Trichloroethane	< 5	5	
1,1,2-Trichloroethane	< 5	5	
Trichloroethene	< 5	5	
Trichlorofluoromethane	< 5	5	
1,2,3-Trichloropropane	< 1	1	
1,2,4-Trimethylbenzene	< 5	5	
1,3,5-Trimethylbenzene	< 5	5	
Vinyl acetate	< 10	10	
Vinyl chloride	< 2	2	
Xylene, M&P	< 5	5	
Xylene, Ortho	< 5	5	
Xylene (Total)	< 10	10	
Dibromofluoromethane (surrogate)	113%		
1,2-Dichloroethane-d4 (surrogate)	101%		
Toluene-d8 (surrogate)	97%		
4-bromofluorobenzene (surrogate)	110%		

Analysis Date/Time: 5-9-13/15:45

Analyst Initials



Analytical Report

Client Name: HEARTLAND ENV.
Project ID: UEA SAMPLE STREET
Client Project Manager: NIVAS VIJAY
ENVision Project Number: 2013-1188

Analytical Method: 8260
Prep Method: 5030B
Analytical Batch: 050913VW(1)

Client Sample ID: W-1 **Sample Collection Date/Time:** 4/29/13 16:00
Envision Sample Number: 13-8909 **Sample Received Date/Time:** 5/31/13 12:00
Sample Matrix: water

<u>Compounds</u>	<u>Sample Results (ug/L)</u>	<u>Reporting Limit (ug/L)</u>	<u>Flags</u>
Acetone	< 100	100	
Acrolein	< 1	1	
Acrylonitrile	< 0.45	1	1
Benzene	< 5	5	
Bromobenzene	< 5	5	
Bromochloromethane	< 5	5	
Bromodichloromethane	< 5	5	
Bromoform	< 5	5	
Bromomethane	< 5	5	
n-Butanol	< 50	50	
2-Butanone (MEK)	< 10	10	
n-Butylbenzene	< 5	5	
sec-Butylbenzene	< 5	5	
tert-Butylbenzene	< 5	5	
Carbon Disulfide	< 5	5	
Carbon Tetrachloride	< 5	5	
Chlorobenzene	< 5	5	
Chloroethane	< 5	5	
2-Chloroethylvinylether	< 50	50	
Chloroform	< 5	5	
Chloromethane	< 5	5	
2-Chlorotoluene	< 5	5	
4-Chlorotoluene	< 5	5	
1,2-Dibromo-3-chloropropane	< 1	1	
Dibromochloromethane	< 5	5	
1,2-Dibromoethane (EDB)	< 1	1	
Dibromomethane	< 5	5	
1,2-Dichlorobenzene	< 5	5	
1,3-Dichlorobenzene	< 5	5	
1,4-Dichlorobenzene	< 5	5	
trans-1,4-Dichloro-2-butene	< 1	1	
Dichlorodifluoromethane	< 5	5	



Analytical Report

8260 continued...

<u>Compounds</u>	<u>Sample Results (ug/L)</u>	<u>Reporting Limit (ug/L)</u>	<u>Flags</u>
1,1-Dichloroethane	< 5	5	
1,2-Dichloroethane	< 5	5	
1,1-Dichloroethene	< 5	5	
cis-1,2-Dichloroethene	< 5	5	
trans-1,2-Dichloroethene	< 5	5	
1,2-Dichloropropane	< 5	5	
1,3-Dichloropropane	< 5	5	
2,2-Dichloropropane	< 5	5	
1,1-Dichloropropene	< 5	5	
cis-1,3-Dichloropropene	< 4.1	4.1	
trans-1,3-Dichloropropene	< 4.1	4.1	
Ethylbenzene	< 5	5	
Ethyl methacrylate	< 100	100	
Hexachloro-1,3-butadiene	< 2.6	2.6	
n-Hexane	< 10	10	
2-Hexanone	< 10	10	
Iodomethane	< 10	10	
Isopropylbenzene (Cumene)	< 5	5	
p-Isopropyltoluene	< 5	5	
Methylene chloride	< 5	5	
4-Methyl-2-pentanone (MIBK)	< 10	10	
Methyl-tert-butyl-ether	< 5	5	
1-Methylnaphthalene	< 5	5	
2-Methylnaphthalene	< 5	5	
Naphthalene	< 1.4	1.4	
n-Propylbenzene	< 5	5	
Styrene	< 5	5	
1,1,1,2-Tetrachloroethane	< 5	5	
1,1,2,2-Tetrachloroethane	< 0.66	1	1
Tetrachloroethene	< 5	5	
Toluene	< 5	5	
1,2,3-Trichlorobenzene	< 5	5	
1,2,4-Trichlorobenzene	< 5	5	
1,1,1-Trichloroethane	< 5	5	
1,1,2-Trichloroethane	< 5	5	
Trichloroethene	< 5	5	
Trichlorofluoromethane	< 5	5	
1,2,3-Trichloropropane	< 1	1	
1,2,4-Trimethylbenzene	< 5	5	
1,3,5-Trimethylbenzene	< 5	5	
Vinyl acetate	< 10	10	
Vinyl chloride	< 2	2	
Xylene, M&P	< 5	5	
Xylene, Ortho	< 5	5	
Xylene (Total)	< 10	10	
Dibromofluoromethane (surrogate)	112%		
1,2-Dichloroethane-d4 (surrogate)	100%		
Toluene-d8 (surrogate)	96%		
4-bromofluorobenzene (surrogate)	112%		

Analysis Date/Time: 5-9-13/16:10

Analyst Initials



Analytical Report

Client Name: HEARTLAND ENV.
Project ID: UEA SAMPLE STREET
Client Project Manager: NIVAS VIJAY
ENVision Project Number: 2013-1188
Analytical Method: 8260
Prep Method: 5030B
Analytical Batch: 050913VW(1)

Client Sample ID: W-7 **Sample Collection Date/Time:** 4/30/13 10:00
Envision Sample Number: 13-8910 **Sample Received Date/Time:** 5/313 12:00
Sample Matrix: water

<u>Compounds</u>	<u>Sample Results (ug/L)</u>	<u>Reporting Limit (ug/L)</u>	<u>Flags</u>
Acetone	< 100	100	
Acrolein	< 1	1	
Acrylonitrile	< 0.45	1	1
Benzene	< 5	5	
Bromobenzene	< 5	5	
Bromochloromethane	< 5	5	
Bromodichloromethane	< 5	5	
Bromoform	< 5	5	
Bromomethane	< 5	5	
n-Butanol	< 50	50	
2-Butanone (MEK)	< 10	10	
n-Butylbenzene	< 5	5	
sec-Butylbenzene	< 5	5	
tert-Butylbenzene	< 5	5	
Carbon Disulfide	< 5	5	
Carbon Tetrachloride	< 5	5	
Chlorobenzene	< 5	5	
Chloroethane	< 5	5	
2-Chloroethylvinylether	< 50	50	
Chloroform	< 5	5	
Chloromethane	< 5	5	
2-Chlorotoluene	< 5	5	
4-Chlorotoluene	< 5	5	
1,2-Dibromo-3-chloropropane	< 1	1	
Dibromochloromethane	< 5	5	
1,2-Dibromoethane (EDB)	< 1	1	
Dibromomethane	< 5	5	
1,2-Dichlorobenzene	< 5	5	
1,3-Dichlorobenzene	< 5	5	
1,4-Dichlorobenzene	< 5	5	
trans-1,4-Dichloro-2-butene	< 1	1	
Dichlorodifluoromethane	< 5	5	



Analytical Report

8260 continued...

<u>Compounds</u>	<u>Sample Results (ug/L)</u>	<u>Reporting Limit (ug/L)</u>	<u>Flags</u>
1,1-Dichloroethane	< 5	5	
1,2-Dichloroethane	< 5	5	
1,1-Dichloroethene	< 5	5	
cis-1,2-Dichloroethene	< 5	5	
trans-1,2-Dichloroethene	< 5	5	
1,2-Dichloropropane	< 5	5	
1,3-Dichloropropane	< 5	5	
2,2-Dichloropropane	< 5	5	
1,1-Dichloropropene	< 5	5	
cis-1,3-Dichloropropene	< 4.1	4.1	
trans-1,3-Dichloropropene	< 4.1	4.1	
Ethylbenzene	< 5	5	
Ethyl methacrylate	< 100	100	
Hexachloro-1,3-butadiene	< 2.6	2.6	
n-Hexane	< 10	10	
2-Hexanone	< 10	10	
Iodomethane	< 10	10	
Isopropylbenzene (Cumene)	< 5	5	
p-Isopropyltoluene	< 5	5	
Methylene chloride	< 5	5	
4-Methyl-2-pentanone (MIBK)	< 10	10	
Methyl-tert-butyl-ether	< 5	5	
1-Methylnaphthalene	< 5	5	
2-Methylnaphthalene	< 5	5	
Naphthalene	< 1.4	1.4	
n-Propylbenzene	< 5	5	
Styrene	< 5	5	
1,1,1,2-Tetrachloroethane	< 5	5	
1,1,2,2-Tetrachloroethane	< 0.66	1	1
Tetrachloroethene	< 5	5	
Toluene	< 5	5	
1,2,3-Trichlorobenzene	< 5	5	
1,2,4-Trichlorobenzene	< 5	5	
1,1,1-Trichloroethane	< 5	5	
1,1,2-Trichloroethane	< 5	5	
Trichloroethene	< 5	5	
Trichlorofluoromethane	< 5	5	
1,2,3-Trichloropropane	< 1	1	
1,2,4-Trimethylbenzene	< 5	5	
1,3,5-Trimethylbenzene	< 5	5	
Vinyl acetate	< 10	10	
Vinyl chloride	< 2	2	
Xylene, M&P	< 5	5	
Xylene, Ortho	< 5	5	
Xylene (Total)	< 10	10	
Dibromofluoromethane (surrogate)	114%		
1,2-Dichloroethane-d4 (surrogate)	102%		
Toluene-d8 (surrogate)	96%		
4-bromofluorobenzene (surrogate)	111%		

Analysis Date/Time: 5-9-13/16:35

Analyst Initials



Analytical Report

Client Name: HEARTLAND ENV.
Project ID: UEA SAMPLE STREET
Client Project Manager: NIVAS VIJAY
ENVision Project Number: 2013-1188

Analytical Method: 8260
Prep Method: 5030B
Analytical Batch: 050913VW(1)

Client Sample ID: W-8 **Sample Collection Date/Time:** 4/30/13 10:35
Envision Sample Number: 13-8911 **Sample Received Date/Time:** 5/31/13 12:00
Sample Matrix: water

<u>Compounds</u>	<u>Sample Results (ug/L)</u>	<u>Reporting Limit (ug/L)</u>	<u>Flags</u>
Acetone	< 100	100	
Acrolein	< 1	1	
Acrylonitrile	< 0.45	1	1
Benzene	< 5	5	
Bromobenzene	< 5	5	
Bromochloromethane	< 5	5	
Bromodichloromethane	< 5	5	
Bromoform	< 5	5	
Bromomethane	< 5	5	
n-Butanol	< 50	50	
2-Butanone (MEK)	< 10	10	
n-Butylbenzene	< 5	5	
sec-Butylbenzene	< 5	5	
tert-Butylbenzene	< 5	5	
Carbon Disulfide	< 5	5	
Carbon Tetrachloride	< 5	5	
Chlorobenzene	< 5	5	
Chloroethane	< 5	5	
2-Chloroethylvinylether	< 50	50	
Chloroform	< 5	5	
Chloromethane	< 5	5	
2-Chlorotoluene	< 5	5	
4-Chlorotoluene	< 5	5	
1,2-Dibromo-3-chloropropane	< 1	1	
Dibromochloromethane	< 5	5	
1,2-Dibromoethane (EDB)	< 1	1	
Dibromomethane	< 5	5	
1,2-Dichlorobenzene	< 5	5	
1,3-Dichlorobenzene	< 5	5	
1,4-Dichlorobenzene	< 5	5	
trans-1,4-Dichloro-2-butene	< 1	1	
Dichlorodifluoromethane	< 5	5	



Analytical Report

8260 continued...

<u>Compounds</u>	<u>Sample Results (ug/L)</u>	<u>Reporting Limit (ug/L)</u>	<u>Flags</u>
1,1-Dichloroethane	< 5	5	
1,2-Dichloroethane	< 5	5	
1,1-Dichloroethene	< 5	5	
cis-1,2-Dichloroethene	< 5	5	
trans-1,2-Dichloroethene	< 5	5	
1,2-Dichloropropane	< 5	5	
1,3-Dichloropropane	< 5	5	
2,2-Dichloropropane	< 5	5	
1,1-Dichloropropene	< 5	5	
cis-1,3-Dichloropropene	< 4.1	4.1	
trans-1,3-Dichloropropene	< 4.1	4.1	
Ethylbenzene	< 5	5	
Ethyl methacrylate	< 100	100	
Hexachloro-1,3-butadiene	< 2.6	2.6	
n-Hexane	< 10	10	
2-Hexanone	< 10	10	
Iodomethane	< 10	10	
Isopropylbenzene (Cumene)	< 5	5	
p-Isopropyltoluene	< 5	5	
Methylene chloride	< 5	5	
4-Methyl-2-pentanone (MIBK)	< 10	10	
Methyl-tert-butyl-ether	< 5	5	
1-Methylnaphthalene	< 5	5	
2-Methylnaphthalene	< 5	5	
Naphthalene	< 1.4	1.4	
n-Propylbenzene	< 5	5	
Styrene	< 5	5	
1,1,1,2-Tetrachloroethane	< 5	5	
1,1,2,2-Tetrachloroethane	< 0.66	1	1
Tetrachloroethene	< 5	5	
Toluene	< 5	5	
1,2,3-Trichlorobenzene	< 5	5	
1,2,4-Trichlorobenzene	< 5	5	
1,1,1-Trichloroethane	< 5	5	
1,1,2-Trichloroethane	< 5	5	
Trichloroethene	< 5	5	
Trichlorofluoromethane	< 5	5	
1,2,3-Trichloropropane	< 1	1	
1,2,4-Trimethylbenzene	< 5	5	
1,3,5-Trimethylbenzene	< 5	5	
Vinyl acetate	< 10	10	
Vinyl chloride	< 2	2	
Xylene, M&P	< 5	5	
Xylene, Ortho	< 5	5	
Xylene (Total)	< 10	10	
Dibromofluoromethane (surrogate)	115%		
1,2-Dichloroethane-d4 (surrogate)	104%		
Toluene-d8 (surrogate)	98%		
4-bromofluorobenzene (surrogate)	115%		

Analysis Date/Time: 5-9-13/16:59

Analyst Initials



Analytical Report

Client Name: HEARTLAND ENV.
Project ID: UEA SAMPLE STREET
Client Project Manager: NIVAS VIJAY
ENVision Project Number: 2013-1188

Analytical Method: 8260
Prep Method: 5030B
Analytical Batch: 050913VW(1)

Client Sample ID: W-101A **Sample Collection Date/Time:** 4/30/13 13:05
Envision Sample Number: 13-8912 **Sample Received Date/Time:** 5/31/13 12:00
Sample Matrix: water

<u>Compounds</u>	<u>Sample Results (ug/L)</u>	<u>Reporting Limit (ug/L)</u>	<u>Flags</u>
Acetone	< 100	100	
Acrolein	< 1	1	
Acrylonitrile	< 0.45	1	1
Benzene	< 5	5	
Bromobenzene	< 5	5	
Bromochloromethane	< 5	5	
Bromodichloromethane	< 5	5	
Bromoform	< 5	5	
Bromomethane	< 5	5	
n-Butanol	< 50	50	
2-Butanone (MEK)	< 10	10	
n-Butylbenzene	< 5	5	
sec-Butylbenzene	< 5	5	
tert-Butylbenzene	< 5	5	
Carbon Disulfide	< 5	5	
Carbon Tetrachloride	< 5	5	
Chlorobenzene	< 5	5	
Chloroethane	< 5	5	
2-Chloroethylvinylether	< 50	50	
Chloroform	< 5	5	
Chloromethane	< 5	5	
2-Chlorotoluene	< 5	5	
4-Chlorotoluene	< 5	5	
1,2-Dibromo-3-chloropropane	< 1	1	
Dibromochloromethane	< 5	5	
1,2-Dibromoethane (EDB)	< 1	1	
Dibromomethane	< 5	5	
1,2-Dichlorobenzene	< 5	5	
1,3-Dichlorobenzene	< 5	5	
1,4-Dichlorobenzene	< 5	5	
trans-1,4-Dichloro-2-butene	< 1	1	
Dichlorodifluoromethane	< 5	5	



Analytical Report

8260 continued...

<u>Compounds</u>	<u>Sample Results (ug/L)</u>	<u>Reporting Limit (ug/L)</u>	<u>Flags</u>
1,1-Dichloroethane	< 5	5	
1,2-Dichloroethane	< 5	5	
1,1-Dichloroethene	8.41	5	
cis-1,2-Dichloroethene	8.07	5	
trans-1,2-Dichloroethene	< 5	5	
1,2-Dichloropropane	< 5	5	
1,3-Dichloropropane	< 5	5	
2,2-Dichloropropane	< 5	5	
1,1-Dichloropropene	< 5	5	
cis-1,3-Dichloropropene	< 4.1	4.1	
trans-1,3-Dichloropropene	< 4.1	4.1	
Ethylbenzene	< 5	5	
Ethyl methacrylate	< 100	100	
Hexachloro-1,3-butadiene	< 2.6	2.6	
n-Hexane	< 10	10	
2-Hexanone	< 10	10	
Iodomethane	< 10	10	
Isopropylbenzene (Cumene)	< 5	5	
p-Isopropyltoluene	< 5	5	
Methylene chloride	< 5	5	
4-Methyl-2-pentanone (MIBK)	< 10	10	
Methyl-tert-butyl-ether	< 5	5	
1-Methylnaphthalene	< 5	5	
2-Methylnaphthalene	< 5	5	
Naphthalene	< 1.4	1.4	
n-Propylbenzene	< 5	5	
Styrene	< 5	5	
1,1,1,2-Tetrachloroethane	< 5	5	
1,1,2,2-Tetrachloroethane	< 0.66	1	1
Tetrachloroethene	< 5	5	
Toluene	< 5	5	
1,2,3-Trichlorobenzene	< 5	5	
1,2,4-Trichlorobenzene	< 5	5	
1,1,1-Trichloroethane	< 5	5	
1,1,2-Trichloroethane	< 5	5	
Trichloroethene	< 5	5	
Trichlorofluoromethane	< 5	5	
1,2,3-Trichloropropane	< 1	1	
1,2,4-Trimethylbenzene	< 5	5	
1,3,5-Trimethylbenzene	< 5	5	
Vinyl acetate	< 10	10	
Vinyl chloride	< 2	2	
Xylene, M&P	< 5	5	
Xylene, Ortho	< 5	5	
Xylene (Total)	< 10	10	
Dibromofluoromethane (surrogate)	109%		
1,2-Dichloroethane-d4 (surrogate)	100%		
Toluene-d8 (surrogate)	94%		
4-bromofluorobenzene (surrogate)	108%		

Analysis Date/Time: 5-9-13/17:24

Analyst Initials



Analytical Report

Client Name: HEARTLAND ENV.
Project ID: UEA SAMPLE STREET
Client Project Manager: NIVAS VIJAY
ENVision Project Number: 2013-1188

Analytical Method: 8260
Prep Method: 5030B
Analytical Batch: 050913VW(1)

Client Sample ID: W-101B **Sample Collection Date/Time:** 4/30/13 12:20
Envision Sample Number: 13-8913 **Sample Received Date/Time:** 5/31/13 12:00
Sample Matrix: water

<u>Compounds</u>	<u>Sample Results (ug/L)</u>	<u>Reporting Limit (ug/L)</u>	<u>Flags</u>
Acetone	< 100	100	
Acrolein	< 1	1	
Acrylonitrile	< 0.45	1	1
Benzene	< 5	5	
Bromobenzene	< 5	5	
Bromochloromethane	< 5	5	
Bromodichloromethane	< 5	5	
Bromoform	< 5	5	
Bromomethane	< 5	5	
n-Butanol	< 50	50	
2-Butanone (MEK)	< 10	10	
n-Butylbenzene	< 5	5	
sec-Butylbenzene	< 5	5	
tert-Butylbenzene	< 5	5	
Carbon Disulfide	< 5	5	
Carbon Tetrachloride	< 5	5	
Chlorobenzene	< 5	5	
Chloroethane	< 5	5	
2-Chloroethylvinylether	< 50	50	
Chloroform	< 5	5	
Chloromethane	< 5	5	
2-Chlorotoluene	< 5	5	
4-Chlorotoluene	< 5	5	
1,2-Dibromo-3-chloropropane	< 1	1	
Dibromochloromethane	< 5	5	
1,2-Dibromoethane (EDB)	< 1	1	
Dibromomethane	< 5	5	
1,2-Dichlorobenzene	< 5	5	
1,3-Dichlorobenzene	< 5	5	
1,4-Dichlorobenzene	< 5	5	
trans-1,4-Dichloro-2-butene	< 1	1	
Dichlorodifluoromethane	< 5	5	



Analytical Report

8260 continued...

<u>Compounds</u>	<u>Sample Results (ug/L)</u>	<u>Reporting Limit (ug/L)</u>	<u>Flags</u>
1,1-Dichloroethane	< 5	5	
1,2-Dichloroethane	< 5	5	
1,1-Dichloroethene	6.25	5	
cis-1,2-Dichloroethene	5.54	5	
trans-1,2-Dichloroethene	< 5	5	
1,2-Dichloropropane	< 5	5	
1,3-Dichloropropane	< 5	5	
2,2-Dichloropropane	< 5	5	
1,1-Dichloropropene	< 5	5	
cis-1,3-Dichloropropene	< 4.1	4.1	
trans-1,3-Dichloropropene	< 4.1	4.1	
Ethylbenzene	< 5	5	
Ethyl methacrylate	< 100	100	
Hexachloro-1,3-butadiene	< 2.6	2.6	
n-Hexane	< 10	10	
2-Hexanone	< 10	10	
Iodomethane	< 10	10	
Isopropylbenzene (Cumene)	< 5	5	
p-Isopropyltoluene	< 5	5	
Methylene chloride	< 5	5	
4-Methyl-2-pentanone (MIBK)	< 10	10	
Methyl-tert-butyl-ether	< 5	5	
1-Methylnaphthalene	< 5	5	
2-Methylnaphthalene	< 5	5	
Naphthalene	< 1.4	1.4	
n-Propylbenzene	< 5	5	
Styrene	< 5	5	
1,1,1,2-Tetrachloroethane	< 5	5	
1,1,2,2-Tetrachloroethane	< 0.66	1	1
Tetrachloroethene	< 5	5	
Toluene	< 5	5	
1,2,3-Trichlorobenzene	< 5	5	
1,2,4-Trichlorobenzene	< 5	5	
1,1,1-Trichloroethane	< 5	5	
1,1,2-Trichloroethane	< 5	5	
Trichloroethene	< 5	5	
Trichlorofluoromethane	< 5	5	
1,2,3-Trichloropropane	< 1	1	
1,2,4-Trimethylbenzene	< 5	5	
1,3,5-Trimethylbenzene	< 5	5	
Vinyl acetate	< 10	10	
Vinyl chloride	2.29	2	
Xylene, M&P	< 5	5	
Xylene, Ortho	< 5	5	
Xylene (Total)	< 10	10	
Dibromofluoromethane (surrogate)	108%		
1,2-Dichloroethane-d4 (surrogate)	99%		
Toluene-d8 (surrogate)	94%		
4-bromofluorobenzene (surrogate)	110%		

Analysis Date/Time: 5-9-13/17:48

Analyst Initials



Analytical Report

Client Name: HEARTLAND ENV.
Project ID: UEA SAMPLE STREET
Client Project Manager: NIVAS VIJAY
ENVision Project Number: 2013-1188

Analytical Method: 8260
Prep Method: 5030B
Analytical Batch: 050913VW(1)

Client Sample ID: W-100B **Sample Collection Date/Time:** 4/30/13 14:55
Envision Sample Number: 13-8914 **Sample Received Date/Time:** 5/31/13 12:00
Sample Matrix: water

<u>Compounds</u>	<u>Sample Results (ug/L)</u>	<u>Reporting Limit (ug/L)</u>	<u>Flags</u>
Acetone	< 100	100	
Acrolein	< 1	1	
Acrylonitrile	< 0.45	1	1
Benzene	< 5	5	
Bromobenzene	< 5	5	
Bromochloromethane	< 5	5	
Bromodichloromethane	< 5	5	
Bromoform	< 5	5	
Bromomethane	< 5	5	
n-Butanol	< 50	50	
2-Butanone (MEK)	< 10	10	
n-Butylbenzene	< 5	5	
sec-Butylbenzene	< 5	5	
tert-Butylbenzene	< 5	5	
Carbon Disulfide	< 5	5	
Carbon Tetrachloride	< 5	5	
Chlorobenzene	< 5	5	
Chloroethane	< 5	5	
2-Chloroethylvinylether	< 50	50	
Chloroform	< 5	5	
Chloromethane	< 5	5	
2-Chlorotoluene	< 5	5	
4-Chlorotoluene	< 5	5	
1,2-Dibromo-3-chloropropane	< 1	1	
Dibromochloromethane	< 5	5	
1,2-Dibromoethane (EDB)	< 1	1	
Dibromomethane	< 5	5	
1,2-Dichlorobenzene	< 5	5	
1,3-Dichlorobenzene	< 5	5	
1,4-Dichlorobenzene	< 5	5	
trans-1,4-Dichloro-2-butene	< 1	1	
Dichlorodifluoromethane	< 5	5	



Analytical Report

8260 continued...

<u>Compounds</u>	<u>Sample Results (ug/L)</u>	<u>Reporting Limit (ug/L)</u>	<u>Flags</u>
1,1-Dichloroethane	< 5	5	
1,2-Dichloroethane	< 5	5	
1,1-Dichloroethene	< 5	5	
cis-1,2-Dichloroethene	< 5	5	
trans-1,2-Dichloroethene	< 5	5	
1,2-Dichloropropane	< 5	5	
1,3-Dichloropropane	< 5	5	
2,2-Dichloropropane	< 5	5	
1,1-Dichloropropene	< 5	5	
cis-1,3-Dichloropropene	< 4.1	4.1	
trans-1,3-Dichloropropene	< 4.1	4.1	
Ethylbenzene	< 5	5	
Ethyl methacrylate	< 100	100	
Hexachloro-1,3-butadiene	< 2.6	2.6	
n-Hexane	< 10	10	
2-Hexanone	< 10	10	
Iodomethane	< 10	10	
Isopropylbenzene (Cumene)	< 5	5	
p-Isopropyltoluene	< 5	5	
Methylene chloride	< 5	5	
4-Methyl-2-pentanone (MIBK)	< 10	10	
Methyl-tert-butyl-ether	< 5	5	
1-Methylnaphthalene	< 5	5	
2-Methylnaphthalene	< 5	5	
Naphthalene	< 1.4	1.4	
n-Propylbenzene	< 5	5	
Styrene	< 5	5	
1,1,1,2-Tetrachloroethane	< 5	5	
1,1,2,2-Tetrachloroethane	< 0.66	1	1
Tetrachloroethene	< 5	5	
Toluene	< 5	5	
1,2,3-Trichlorobenzene	< 5	5	
1,2,4-Trichlorobenzene	< 5	5	
1,1,1-Trichloroethane	< 5	5	
1,1,2-Trichloroethane	< 5	5	
Trichloroethene	< 5	5	
Trichlorofluoromethane	< 5	5	
1,2,3-Trichloropropane	< 1	1	
1,2,4-Trimethylbenzene	< 5	5	
1,3,5-Trimethylbenzene	< 5	5	
Vinyl acetate	< 10	10	
Vinyl chloride	< 2	2	
Xylene, M&P	< 5	5	
Xylene, Ortho	< 5	5	
Xylene (Total)	< 10	10	
Dibromofluoromethane (surrogate)	110%		
1,2-Dichloroethane-d4 (surrogate)	98%		
Toluene-d8 (surrogate)	93%		
4-bromofluorobenzene (surrogate)	111%		

Analysis Date/Time: 5-9-13/18:13

Analyst Initials



Analytical Report

Client Name: HEARTLAND ENV.
Project ID: UEA SAMPLE STREET
Client Project Manager: NIVAS VIJAY
ENVision Project Number: 2013-1188

Analytical Method: 8260
Prep Method: 5030B
Analytical Batch: 050913VW(1)

Client Sample ID: W-100A **Sample Collection Date/Time:** 4/30/13 15:25
Envision Sample Number: 13-8915 **Sample Received Date/Time:** 5/31/13 12:00
Sample Matrix: water

<u>Compounds</u>	<u>Sample Results (ug/L)</u>	<u>Reporting Limit (ug/L)</u>	<u>Flags</u>
Acetone	< 100	100	
Acrolein	< 1	1	
Acrylonitrile	< 0.45	1	1
Benzene	< 5	5	
Bromobenzene	< 5	5	
Bromochloromethane	< 5	5	
Bromodichloromethane	< 5	5	
Bromoform	< 5	5	
Bromomethane	< 5	5	
n-Butanol	< 50	50	
2-Butanone (MEK)	< 10	10	
n-Butylbenzene	< 5	5	
sec-Butylbenzene	< 5	5	
tert-Butylbenzene	< 5	5	
Carbon Disulfide	< 5	5	
Carbon Tetrachloride	< 5	5	
Chlorobenzene	< 5	5	
Chloroethane	< 5	5	
2-Chloroethylvinylether	< 50	50	
Chloroform	< 5	5	
Chloromethane	< 5	5	
2-Chlorotoluene	< 5	5	
4-Chlorotoluene	< 5	5	
1,2-Dibromo-3-chloropropane	< 1	1	
Dibromochloromethane	< 5	5	
1,2-Dibromoethane (EDB)	< 1	1	
Dibromomethane	< 5	5	
1,2-Dichlorobenzene	< 5	5	
1,3-Dichlorobenzene	< 5	5	
1,4-Dichlorobenzene	< 5	5	
trans-1,4-Dichloro-2-butene	< 1	1	
Dichlorodifluoromethane	< 5	5	



Analytical Report

8260 continued...

<u>Compounds</u>	<u>Sample Results (ug/L)</u>	<u>Reporting Limit (ug/L)</u>	<u>Flags</u>
1,1-Dichloroethane	< 5	5	
1,2-Dichloroethane	< 5	5	
1,1-Dichloroethene	< 5	5	
cis-1,2-Dichloroethene	< 5	5	
trans-1,2-Dichloroethene	< 5	5	
1,2-Dichloropropane	< 5	5	
1,3-Dichloropropane	< 5	5	
2,2-Dichloropropane	< 5	5	
1,1-Dichloropropene	< 5	5	
cis-1,3-Dichloropropene	< 4.1	4.1	
trans-1,3-Dichloropropene	< 4.1	4.1	
Ethylbenzene	< 5	5	
Ethyl methacrylate	< 100	100	
Hexachloro-1,3-butadiene	< 2.6	2.6	
n-Hexane	< 10	10	
2-Hexanone	< 10	10	
Iodomethane	< 10	10	
Isopropylbenzene (Cumene)	< 5	5	
p-Isopropyltoluene	< 5	5	
Methylene chloride	< 5	5	
4-Methyl-2-pentanone (MIBK)	< 10	10	
Methyl-tert-butyl-ether	< 5	5	
1-Methylnaphthalene	< 5	5	
2-Methylnaphthalene	< 5	5	
Naphthalene	< 1.4	1.4	
n-Propylbenzene	< 5	5	
Styrene	< 5	5	
1,1,1,2-Tetrachloroethane	< 5	5	
1,1,2,2-Tetrachloroethane	< 0.66	1	1
Tetrachloroethene	< 5	5	
Toluene	< 5	5	
1,2,3-Trichlorobenzene	< 5	5	
1,2,4-Trichlorobenzene	< 5	5	
1,1,1-Trichloroethane	< 5	5	
1,1,2-Trichloroethane	< 5	5	
Trichloroethene	< 5	5	
Trichlorofluoromethane	< 5	5	
1,2,3-Trichloropropane	< 1	1	
1,2,4-Trimethylbenzene	< 5	5	
1,3,5-Trimethylbenzene	< 5	5	
Vinyl acetate	< 10	10	
Vinyl chloride	< 2	2	
Xylene, M&P	< 5	5	
Xylene, Ortho	< 5	5	
Xylene (Total)	< 10	10	
Dibromofluoromethane (surrogate)	111%		
1,2-Dichloroethane-d4 (surrogate)	102%		
Toluene-d8 (surrogate)	94%		
4-bromofluorobenzene (surrogate)	112%		

Analysis Date/Time: 5-9-13/18:38

Analyst Initials



Analytical Report

Client Name: HEARTLAND ENV.
Project ID: UEA SAMPLE STREET
Client Project Manager: NIVAS VIJAY
ENVision Project Number: 2013-1188

Analytical Method: 8260
Prep Method: 5030B
Analytical Batch: 050913VW(1)

Client Sample ID: W-3 **Sample Collection Date/Time:** 4/30/13 16:35
Envision Sample Number: 13-8916 **Sample Received Date/Time:** 5/313 12:00
Sample Matrix: water

<u>Compounds</u>	<u>Sample Results (ug/L)</u>	<u>Reporting Limit (ug/L)</u>	<u>Flags</u>
Acetone	< 100	100	
Acrolein	< 1	1	
Acrylonitrile	< 0.45	1	1
Benzene	< 5	5	
Bromobenzene	< 5	5	
Bromochloromethane	< 5	5	
Bromodichloromethane	< 5	5	
Bromoform	< 5	5	
Bromomethane	< 5	5	
n-Butanol	< 50	50	
2-Butanone (MEK)	< 10	10	
n-Butylbenzene	< 5	5	
sec-Butylbenzene	< 5	5	
tert-Butylbenzene	< 5	5	
Carbon Disulfide	< 5	5	
Carbon Tetrachloride	< 5	5	
Chlorobenzene	< 5	5	
Chloroethane	< 5	5	
2-Chloroethylvinylether	< 50	50	
Chloroform	< 5	5	
Chloromethane	< 5	5	
2-Chlorotoluene	< 5	5	
4-Chlorotoluene	< 5	5	
1,2-Dibromo-3-chloropropane	< 1	1	
Dibromochloromethane	< 5	5	
1,2-Dibromoethane (EDB)	< 1	1	
Dibromomethane	< 5	5	
1,2-Dichlorobenzene	< 5	5	
1,3-Dichlorobenzene	< 5	5	
1,4-Dichlorobenzene	< 5	5	
trans-1,4-Dichloro-2-butene	< 1	1	
Dichlorodifluoromethane	< 5	5	



Analytical Report

8260 continued...

<u>Compounds</u>	<u>Sample Results (ug/L)</u>	<u>Reporting Limit (ug/L)</u>	<u>Flags</u>
1,1-Dichloroethane	< 5	5	
1,2-Dichloroethane	< 5	5	
1,1-Dichloroethene	< 5	5	
cis-1,2-Dichloroethene	< 5	5	
trans-1,2-Dichloroethene	< 5	5	
1,2-Dichloropropane	< 5	5	
1,3-Dichloropropane	< 5	5	
2,2-Dichloropropane	< 5	5	
1,1-Dichloropropene	< 5	5	
cis-1,3-Dichloropropene	< 4.1	4.1	
trans-1,3-Dichloropropene	< 4.1	4.1	
Ethylbenzene	< 5	5	
Ethyl methacrylate	< 100	100	
Hexachloro-1,3-butadiene	< 2.6	2.6	
n-Hexane	< 10	10	
2-Hexanone	< 10	10	
Iodomethane	< 10	10	
Isopropylbenzene (Cumene)	< 5	5	
p-Isopropyltoluene	< 5	5	
Methylene chloride	< 5	5	
4-Methyl-2-pentanone (MIBK)	< 10	10	
Methyl-tert-butyl-ether	< 5	5	
1-Methylnaphthalene	< 5	5	
2-Methylnaphthalene	< 5	5	
Naphthalene	< 1.4	1.4	
n-Propylbenzene	< 5	5	
Styrene	< 5	5	
1,1,1,2-Tetrachloroethane	< 5	5	
1,1,2,2-Tetrachloroethane	< 0.66	1	1
Tetrachloroethene	< 5	5	
Toluene	< 5	5	
1,2,3-Trichlorobenzene	< 5	5	
1,2,4-Trichlorobenzene	< 5	5	
1,1,1-Trichloroethane	< 5	5	
1,1,2-Trichloroethane	< 5	5	
Trichloroethene	< 5	5	
Trichlorofluoromethane	< 5	5	
1,2,3-Trichloropropane	< 1	1	
1,2,4-Trimethylbenzene	< 5	5	
1,3,5-Trimethylbenzene	< 5	5	
Vinyl acetate	< 10	10	
Vinyl chloride	< 2	2	
Xylene, M&P	< 5	5	
Xylene, Ortho	< 5	5	
Xylene (Total)	< 10	10	
Dibromofluoromethane (surrogate)	113%		
1,2-Dichloroethane-d4 (surrogate)	99%		
Toluene-d8 (surrogate)	94%		
4-bromofluorobenzene (surrogate)	110%		

Analysis Date/Time: 5-9-13/19:03

Analyst Initials



Analytical Report

Client Name: HEARTLAND ENV.
Project ID: UEA SAMPLE STREET
Client Project Manager: NIVAS VIJAY
ENVision Project Number: 2013-1188

Analytical Method: 8260
Prep Method: 5030B
Analytical Batch: 050913VW(2)

Client Sample ID: W-15A **Sample Collection Date/Time:** 4/30/13 17:55
Envision Sample Number: 13-8917 **Sample Received Date/Time:** 5/31/13 12:00
Sample Matrix: water

<u>Compounds</u>	<u>Sample Results (ug/L)</u>	<u>Reporting Limit (ug/L)</u>	<u>Flags</u>
Acetone	< 100	100	
Acrolein	< 1	1	
Acrylonitrile	< 0.45	1	1
Benzene	< 5	5	
Bromobenzene	< 5	5	
Bromochloromethane	< 5	5	
Bromodichloromethane	< 5	5	
Bromoform	< 5	5	
Bromomethane	< 5	5	
n-Butanol	< 50	50	
2-Butanone (MEK)	< 10	10	
n-Butylbenzene	< 5	5	
sec-Butylbenzene	< 5	5	
tert-Butylbenzene	< 5	5	
Carbon Disulfide	< 5	5	
Carbon Tetrachloride	< 5	5	
Chlorobenzene	< 5	5	
Chloroethane	< 5	5	
2-Chloroethylvinylether	< 50	50	
Chloroform	< 5	5	
Chloromethane	< 5	5	
2-Chlorotoluene	< 5	5	
4-Chlorotoluene	< 5	5	
1,2-Dibromo-3-chloropropane	< 1	1	
Dibromochloromethane	< 5	5	
1,2-Dibromoethane (EDB)	< 1	1	
Dibromomethane	< 5	5	
1,2-Dichlorobenzene	< 5	5	
1,3-Dichlorobenzene	< 5	5	
1,4-Dichlorobenzene	< 5	5	
trans-1,4-Dichloro-2-butene	< 1	1	
Dichlorodifluoromethane	< 5	5	



Analytical Report

8260 continued...

<u>Compounds</u>	<u>Sample Results (ug/L)</u>	<u>Reporting Limit (ug/L)</u>	<u>Flags</u>
1,1-Dichloroethane	< 5	5	
1,2-Dichloroethane	< 5	5	
1,1-Dichloroethene	< 5	5	
cis-1,2-Dichloroethene	14.2	5	
trans-1,2-Dichloroethene	< 5	5	
1,2-Dichloropropane	< 5	5	
1,3-Dichloropropane	< 5	5	
2,2-Dichloropropane	< 5	5	
1,1-Dichloropropene	< 5	5	
cis-1,3-Dichloropropene	< 4.1	4.1	
trans-1,3-Dichloropropene	< 4.1	4.1	
Ethylbenzene	< 5	5	
Ethyl methacrylate	< 100	100	
Hexachloro-1,3-butadiene	< 2.6	2.6	
n-Hexane	< 10	10	
2-Hexanone	< 10	10	
Iodomethane	< 10	10	
Isopropylbenzene (Cumene)	< 5	5	
p-Isopropyltoluene	< 5	5	
Methylene chloride	< 5	5	
4-Methyl-2-pentanone (MIBK)	< 10	10	
Methyl-tert-butyl-ether	< 5	5	
1-Methylnaphthalene	< 5	5	
2-Methylnaphthalene	< 5	5	
Naphthalene	< 1.4	1.4	
n-Propylbenzene	< 5	5	
Styrene	< 5	5	
1,1,1,2-Tetrachloroethane	< 5	5	
1,1,2,2-Tetrachloroethane	< 0.66	1	1
Tetrachloroethene	< 5	5	
Toluene	< 5	5	
1,2,3-Trichlorobenzene	< 5	5	
1,2,4-Trichlorobenzene	< 5	5	
1,1,1-Trichloroethane	< 5	5	
1,1,2-Trichloroethane	< 5	5	
Trichloroethene	< 5	5	
Trichlorofluoromethane	< 5	5	
1,2,3-Trichloropropane	< 1	1	
1,2,4-Trimethylbenzene	< 5	5	
1,3,5-Trimethylbenzene	< 5	5	
Vinyl acetate	< 10	10	
Vinyl chloride	< 2	2	
Xylene, M&P	< 5	5	
Xylene, Ortho	< 5	5	
Xylene (Total)	< 10	10	
Dibromofluoromethane (surrogate)	105%		
1,2-Dichloroethane-d4 (surrogate)	94%		
Toluene-d8 (surrogate)	93%		
4-bromofluorobenzene (surrogate)	109%		

Analysis Date/Time: 5-9-13/21:31

Analyst Initials



Analytical Report

Client Name: HEARTLAND ENV.
Project ID: UEA SAMPLE STREET
Client Project Manager: NIVAS VIJAY
ENVision Project Number: 2013-1188

Analytical Method: 8260
Prep Method: 5030B
Analytical Batch: 050913VW(2)

Client Sample ID: W-15B **Sample Collection Date/Time:** 4/30/13 18:35
Envision Sample Number: 13-8918 **Sample Received Date/Time:** 5/31/13 12:00
Sample Matrix: water

<u>Compounds</u>	<u>Sample Results (ug/L)</u>	<u>Reporting Limit (ug/L)</u>	<u>Flags</u>
Acetone	< 100	100	
Acrolein	< 1	1	
Acrylonitrile	< 0.45	1	1
Benzene	< 5	5	
Bromobenzene	< 5	5	
Bromochloromethane	< 5	5	
Bromodichloromethane	< 5	5	
Bromoform	< 5	5	
Bromomethane	< 5	5	
n-Butanol	< 50	50	
2-Butanone (MEK)	< 10	10	
n-Butylbenzene	< 5	5	
sec-Butylbenzene	< 5	5	
tert-Butylbenzene	< 5	5	
Carbon Disulfide	< 5	5	
Carbon Tetrachloride	< 5	5	
Chlorobenzene	< 5	5	
Chloroethane	< 5	5	
2-Chloroethylvinylether	< 50	50	
Chloroform	< 5	5	
Chloromethane	< 5	5	
2-Chlorotoluene	< 5	5	
4-Chlorotoluene	< 5	5	
1,2-Dibromo-3-chloropropane	< 1	1	
Dibromochloromethane	< 5	5	
1,2-Dibromoethane (EDB)	< 1	1	
Dibromomethane	< 5	5	
1,2-Dichlorobenzene	< 5	5	
1,3-Dichlorobenzene	< 5	5	
1,4-Dichlorobenzene	< 5	5	
trans-1,4-Dichloro-2-butene	< 1	1	
Dichlorodifluoromethane	< 5	5	



Analytical Report

8260 continued...

<u>Compounds</u>	<u>Sample Results (ug/L)</u>	<u>Reporting Limit (ug/L)</u>	<u>Flags</u>
1,1-Dichloroethane	< 5	5	
1,2-Dichloroethane	< 5	5	
1,1-Dichloroethene	< 5	5	
cis-1,2-Dichloroethene	< 5	5	
trans-1,2-Dichloroethene	< 5	5	
1,2-Dichloropropane	< 5	5	
1,3-Dichloropropane	< 5	5	
2,2-Dichloropropane	< 5	5	
1,1-Dichloropropene	< 5	5	
cis-1,3-Dichloropropene	< 4.1	4.1	
trans-1,3-Dichloropropene	< 4.1	4.1	
Ethylbenzene	< 5	5	
Ethyl methacrylate	< 100	100	
Hexachloro-1,3-butadiene	< 2.6	2.6	
n-Hexane	< 10	10	
2-Hexanone	< 10	10	
Iodomethane	< 10	10	
Isopropylbenzene (Cumene)	< 5	5	
p-Isopropyltoluene	< 5	5	
Methylene chloride	< 5	5	
4-Methyl-2-pentanone (MIBK)	< 10	10	
Methyl-tert-butyl-ether	< 5	5	
1-Methylnaphthalene	< 5	5	
2-Methylnaphthalene	< 5	5	
Naphthalene	< 1.4	1.4	
n-Propylbenzene	< 5	5	
Styrene	< 5	5	
1,1,1,2-Tetrachloroethane	< 5	5	
1,1,2,2-Tetrachloroethane	< 0.66	1	1
Tetrachloroethene	< 5	5	
Toluene	< 5	5	
1,2,3-Trichlorobenzene	< 5	5	
1,2,4-Trichlorobenzene	< 5	5	
1,1,1-Trichloroethane	< 5	5	
1,1,2-Trichloroethane	< 5	5	
Trichloroethene	< 5	5	
Trichlorofluoromethane	< 5	5	
1,2,3-Trichloropropane	< 1	1	
1,2,4-Trimethylbenzene	< 5	5	
1,3,5-Trimethylbenzene	< 5	5	
Vinyl acetate	< 10	10	
Vinyl chloride	< 2	2	
Xylene, M&P	< 5	5	
Xylene, Ortho	< 5	5	
Xylene (Total)	< 10	10	
Dibromofluoromethane (surrogate)	107%		
1,2-Dichloroethane-d4 (surrogate)	96%		
Toluene-d8 (surrogate)	93%		
4-bromofluorobenzene (surrogate)	108%		

Analysis Date/Time: 5-9-13/21:56

Analyst Initials



Analytical Report

Client Name: HEARTLAND ENV.
Project ID: UEA SAMPLE STREET
Client Project Manager: NIVAS VIJAY
ENVision Project Number: 2013-1188

Analytical Method: 8260
Prep Method: 5030B
Analytical Batch: 050913VW(2)

Client Sample ID: W-16 **Sample Collection Date/Time:** 4/30/13 19:40
Envision Sample Number: 13-8919 **Sample Received Date/Time:** 5/313 12:00
Sample Matrix: water

<u>Compounds</u>	<u>Sample Results (ug/L)</u>	<u>Reporting Limit (ug/L)</u>	<u>Flags</u>
Acetone	< 100	100	
Acrolein	< 1	1	
Acrylonitrile	< 0.45	1	1
Benzene	< 5	5	
Bromobenzene	< 5	5	
Bromochloromethane	< 5	5	
Bromodichloromethane	< 5	5	
Bromoform	< 5	5	
Bromomethane	< 5	5	
n-Butanol	< 50	50	
2-Butanone (MEK)	< 10	10	
n-Butylbenzene	< 5	5	
sec-Butylbenzene	< 5	5	
tert-Butylbenzene	< 5	5	
Carbon Disulfide	< 5	5	
Carbon Tetrachloride	< 5	5	
Chlorobenzene	< 5	5	
Chloroethane	< 5	5	
2-Chloroethylvinylether	< 50	50	
Chloroform	< 5	5	
Chloromethane	< 5	5	
2-Chlorotoluene	< 5	5	
4-Chlorotoluene	< 5	5	
1,2-Dibromo-3-chloropropane	< 1	1	
Dibromochloromethane	< 5	5	
1,2-Dibromoethane (EDB)	< 1	1	
Dibromomethane	< 5	5	
1,2-Dichlorobenzene	< 5	5	
1,3-Dichlorobenzene	< 5	5	
1,4-Dichlorobenzene	< 5	5	
trans-1,4-Dichloro-2-butene	< 1	1	
Dichlorodifluoromethane	< 5	5	



Analytical Report

8260 continued...

<u>Compounds</u>	<u>Sample Results (ug/L)</u>	<u>Reporting Limit (ug/L)</u>	<u>Flags</u>
1,1-Dichloroethane	< 5	5	
1,2-Dichloroethane	< 5	5	
1,1-Dichloroethene	< 5	5	
cis-1,2-Dichloroethene	< 5	5	
trans-1,2-Dichloroethene	< 5	5	
1,2-Dichloropropane	< 5	5	
1,3-Dichloropropane	< 5	5	
2,2-Dichloropropane	< 5	5	
1,1-Dichloropropene	< 5	5	
cis-1,3-Dichloropropene	< 4.1	4.1	
trans-1,3-Dichloropropene	< 4.1	4.1	
Ethylbenzene	< 5	5	
Ethyl methacrylate	< 100	100	
Hexachloro-1,3-butadiene	< 2.6	2.6	
n-Hexane	< 10	10	
2-Hexanone	< 10	10	
Iodomethane	< 10	10	
Isopropylbenzene (Cumene)	< 5	5	
p-Isopropyltoluene	< 5	5	
Methylene chloride	< 5	5	
4-Methyl-2-pentanone (MIBK)	< 10	10	
Methyl-tert-butyl-ether	< 5	5	
1-Methylnaphthalene	< 5	5	
2-Methylnaphthalene	< 5	5	
Naphthalene	< 1.4	1.4	
n-Propylbenzene	< 5	5	
Styrene	< 5	5	
1,1,1,2-Tetrachloroethane	< 5	5	
1,1,2,2-Tetrachloroethane	< 0.66	1	1
Tetrachloroethene	< 5	5	
Toluene	< 5	5	
1,2,3-Trichlorobenzene	< 5	5	
1,2,4-Trichlorobenzene	< 5	5	
1,1,1-Trichloroethane	< 5	5	
1,1,2-Trichloroethane	< 5	5	
Trichloroethene	< 5	5	
Trichlorofluoromethane	< 5	5	
1,2,3-Trichloropropane	< 1	1	
1,2,4-Trimethylbenzene	< 5	5	
1,3,5-Trimethylbenzene	< 5	5	
Vinyl acetate	< 10	10	
Vinyl chloride	< 2	2	
Xylene, M&P	< 5	5	
Xylene, Ortho	< 5	5	
Xylene (Total)	< 10	10	
Dibromofluoromethane (surrogate)	109%		
1,2-Dichloroethane-d4 (surrogate)	98%		
Toluene-d8 (surrogate)	93%		
4-bromofluorobenzene (surrogate)	108%		

Analysis Date/Time: 5-9-13/22:20

Analyst Initials



Analytical Report

Client Name: HEARTLAND ENV.
Project ID: UEA SAMPLE STREET
Client Project Manager: NIVAS VIJAY
ENVision Project Number: 2013-1188

Analytical Method: 8260
Prep Method: 5030B
Analytical Batch: 050913VW(2)

Client Sample ID: W-12 **Sample Collection Date/Time:** 5/1/13 10:10
Envision Sample Number: 13-8920 **Sample Received Date/Time:** 5/313 12:00
Sample Matrix: water

<u>Compounds</u>	<u>Sample Results (ug/L)</u>	<u>Reporting Limit (ug/L)</u>	<u>Flags</u>
Acetone	< 100	100	
Acrolein	< 1	1	
Acrylonitrile	< 0.45	1	1
Benzene	< 5	5	
Bromobenzene	< 5	5	
Bromochloromethane	< 5	5	
Bromodichloromethane	< 5	5	
Bromoform	< 5	5	
Bromomethane	< 5	5	
n-Butanol	< 50	50	
2-Butanone (MEK)	< 10	10	
n-Butylbenzene	< 5	5	
sec-Butylbenzene	< 5	5	
tert-Butylbenzene	< 5	5	
Carbon Disulfide	< 5	5	
Carbon Tetrachloride	< 5	5	
Chlorobenzene	< 5	5	
Chloroethane	< 5	5	
2-Chloroethylvinylether	< 50	50	
Chloroform	< 5	5	
Chloromethane	< 5	5	
2-Chlorotoluene	< 5	5	
4-Chlorotoluene	< 5	5	
1,2-Dibromo-3-chloropropane	< 1	1	
Dibromochloromethane	< 5	5	
1,2-Dibromoethane (EDB)	< 1	1	
Dibromomethane	< 5	5	
1,2-Dichlorobenzene	< 5	5	
1,3-Dichlorobenzene	< 5	5	
1,4-Dichlorobenzene	< 5	5	
trans-1,4-Dichloro-2-butene	< 1	1	
Dichlorodifluoromethane	< 5	5	



Analytical Report

8260 continued...

<u>Compounds</u>	<u>Sample Results (ug/L)</u>	<u>Reporting Limit (ug/L)</u>	<u>Flags</u>
1,1-Dichloroethane	< 5	5	
1,2-Dichloroethane	< 5	5	
1,1-Dichloroethene	6.41	5	
cis-1,2-Dichloroethene	< 5	5	
trans-1,2-Dichloroethene	< 5	5	
1,2-Dichloropropane	< 5	5	
1,3-Dichloropropane	< 5	5	
2,2-Dichloropropane	< 5	5	
1,1-Dichloropropene	< 5	5	
cis-1,3-Dichloropropene	< 4.1	4.1	
trans-1,3-Dichloropropene	< 4.1	4.1	
Ethylbenzene	< 5	5	
Ethyl methacrylate	< 100	100	
Hexachloro-1,3-butadiene	< 2.6	2.6	
n-Hexane	< 10	10	
2-Hexanone	< 10	10	
Iodomethane	< 10	10	
Isopropylbenzene (Cumene)	< 5	5	
p-Isopropyltoluene	< 5	5	
Methylene chloride	< 5	5	
4-Methyl-2-pentanone (MIBK)	< 10	10	
Methyl-tert-butyl-ether	< 5	5	
1-Methylnaphthalene	< 5	5	
2-Methylnaphthalene	< 5	5	
Naphthalene	< 1.4	1.4	
n-Propylbenzene	< 5	5	
Styrene	< 5	5	
1,1,1,2-Tetrachloroethane	< 5	5	
1,1,2,2-Tetrachloroethane	< 0.66	1	1
Tetrachloroethene	< 5	5	
Toluene	< 5	5	
1,2,3-Trichlorobenzene	< 5	5	
1,2,4-Trichlorobenzene	< 5	5	
1,1,1-Trichloroethane	< 5	5	
1,1,2-Trichloroethane	< 5	5	
Trichloroethene	< 5	5	
Trichlorofluoromethane	< 5	5	
1,2,3-Trichloropropane	< 1	1	
1,2,4-Trimethylbenzene	< 5	5	
1,3,5-Trimethylbenzene	< 5	5	
Vinyl acetate	< 10	10	
Vinyl chloride	< 2	2	
Xylene, M&P	< 5	5	
Xylene, Ortho	< 5	5	
Xylene (Total)	< 10	10	
Dibromofluoromethane (surrogate)	110%		
1,2-Dichloroethane-d4 (surrogate)	101%		
Toluene-d8 (surrogate)	94%		
4-bromofluorobenzene (surrogate)	110%		

Analysis Date/Time: 5-9-13/22:45

Analyst Initials



Analytical Report

Client Name: HEARTLAND ENV.
Project ID: UEA SAMPLE STREET
Client Project Manager: NIVAS VIJAY
ENVision Project Number: 2013-1188

Analytical Method: 8260
Prep Method: 5030B
Analytical Batch: 050913VW(2)

Client Sample ID: W-13 **Sample Collection Date/Time:** 5/1/13 11:40
Envision Sample Number: 13-8921 **Sample Received Date/Time:** 5/313 12:00
Sample Matrix: water

<u>Compounds</u>	<u>Sample Results (ug/L)</u>	<u>Reporting Limit (ug/L)</u>	<u>Flags</u>
Acetone	< 100	100	
Acrolein	< 1	1	
Acrylonitrile	< 0.45	1	1
Benzene	< 5	5	
Bromobenzene	< 5	5	
Bromochloromethane	< 5	5	
Bromodichloromethane	< 5	5	
Bromoform	< 5	5	
Bromomethane	< 5	5	
n-Butanol	< 50	50	
2-Butanone (MEK)	< 10	10	
n-Butylbenzene	< 5	5	
sec-Butylbenzene	< 5	5	
tert-Butylbenzene	< 5	5	
Carbon Disulfide	< 5	5	
Carbon Tetrachloride	< 5	5	
Chlorobenzene	< 5	5	
Chloroethane	< 5	5	
2-Chloroethylvinylether	< 50	50	
Chloroform	< 5	5	
Chloromethane	< 5	5	
2-Chlorotoluene	< 5	5	
4-Chlorotoluene	< 5	5	
1,2-Dibromo-3-chloropropane	< 1	1	
Dibromochloromethane	< 5	5	
1,2-Dibromoethane (EDB)	< 1	1	
Dibromomethane	< 5	5	
1,2-Dichlorobenzene	< 5	5	
1,3-Dichlorobenzene	< 5	5	
1,4-Dichlorobenzene	< 5	5	
trans-1,4-Dichloro-2-butene	< 1	1	
Dichlorodifluoromethane	< 5	5	



Analytical Report

8260 continued...

<u>Compounds</u>	<u>Sample Results (ug/L)</u>	<u>Reporting Limit (ug/L)</u>	<u>Flags</u>
1,1-Dichloroethane	< 5	5	
1,2-Dichloroethane	< 5	5	
1,1-Dichloroethene	< 5	5	
cis-1,2-Dichloroethene	< 5	5	
trans-1,2-Dichloroethene	< 5	5	
1,2-Dichloropropane	< 5	5	
1,3-Dichloropropane	< 5	5	
2,2-Dichloropropane	< 5	5	
1,1-Dichloropropene	< 5	5	
cis-1,3-Dichloropropene	< 4.1	4.1	
trans-1,3-Dichloropropene	< 4.1	4.1	
Ethylbenzene	< 5	5	
Ethyl methacrylate	< 100	100	
Hexachloro-1,3-butadiene	< 2.6	2.6	
n-Hexane	< 10	10	
2-Hexanone	< 10	10	
Iodomethane	< 10	10	
Isopropylbenzene (Cumene)	< 5	5	
p-Isopropyltoluene	< 5	5	
Methylene chloride	< 5	5	
4-Methyl-2-pentanone (MIBK)	< 10	10	
Methyl-tert-butyl-ether	< 5	5	
1-Methylnaphthalene	< 5	5	
2-Methylnaphthalene	< 5	5	
Naphthalene	< 1.4	1.4	
n-Propylbenzene	< 5	5	
Styrene	< 5	5	
1,1,1,2-Tetrachloroethane	< 5	5	
1,1,2,2-Tetrachloroethane	< 0.66	1	1
Tetrachloroethene	< 5	5	
Toluene	< 5	5	
1,2,3-Trichlorobenzene	< 5	5	
1,2,4-Trichlorobenzene	< 5	5	
1,1,1-Trichloroethane	< 5	5	
1,1,2-Trichloroethane	< 5	5	
Trichloroethene	< 5	5	
Trichlorofluoromethane	< 5	5	
1,2,3-Trichloropropane	< 1	1	
1,2,4-Trimethylbenzene	< 5	5	
1,3,5-Trimethylbenzene	< 5	5	
Vinyl acetate	< 10	10	
Vinyl chloride	< 2	2	
Xylene, M&P	< 5	5	
Xylene, Ortho	< 5	5	
Xylene (Total)	< 10	10	
Dibromofluoromethane (surrogate)	109%		
1,2-Dichloroethane-d4 (surrogate)	98%		
Toluene-d8 (surrogate)	93%		
4-bromofluorobenzene (surrogate)	107%		

Analysis Date/Time: 5-9-13/23:10

Analyst Initials



Analytical Report

Client Name: HEARTLAND ENV.
Project ID: UEA SAMPLE STREET
Client Project Manager: NIVAS VIJAY
ENVision Project Number: 2013-1188

Analytical Method: 8260
Prep Method: 5030B
Analytical Batch: 050913VW(2)

Client Sample ID: W-14B **Sample Collection Date/Time:** 5/1/13 13:05
Envision Sample Number: 13-8922 **Sample Received Date/Time:** 5/313 12:00
Sample Matrix: water

<u>Compounds</u>	<u>Sample Results (ug/L)</u>	<u>Reporting Limit (ug/L)</u>	<u>Flags</u>
Acetone	< 100	100	
Acrolein	< 1	1	
Acrylonitrile	< 0.45	1	1
Benzene	< 5	5	
Bromobenzene	< 5	5	
Bromochloromethane	< 5	5	
Bromodichloromethane	< 5	5	
Bromoform	< 5	5	
Bromomethane	< 5	5	
n-Butanol	< 50	50	
2-Butanone (MEK)	< 10	10	
n-Butylbenzene	< 5	5	
sec-Butylbenzene	< 5	5	
tert-Butylbenzene	< 5	5	
Carbon Disulfide	< 5	5	
Carbon Tetrachloride	< 5	5	
Chlorobenzene	< 5	5	
Chloroethane	< 5	5	
2-Chloroethylvinylether	< 50	50	
Chloroform	< 5	5	
Chloromethane	< 5	5	
2-Chlorotoluene	< 5	5	
4-Chlorotoluene	< 5	5	
1,2-Dibromo-3-chloropropane	< 1	1	
Dibromochloromethane	< 5	5	
1,2-Dibromoethane (EDB)	< 1	1	
Dibromomethane	< 5	5	
1,2-Dichlorobenzene	< 5	5	
1,3-Dichlorobenzene	< 5	5	
1,4-Dichlorobenzene	< 5	5	
trans-1,4-Dichloro-2-butene	< 1	1	
Dichlorodifluoromethane	< 5	5	



Analytical Report

8260 continued...

<u>Compounds</u>	<u>Sample Results (ug/L)</u>	<u>Reporting Limit (ug/L)</u>	<u>Flags</u>
1,1-Dichloroethane	< 5	5	
1,2-Dichloroethane	< 5	5	
1,1-Dichloroethene	< 5	5	
cis-1,2-Dichloroethene	< 5	5	
trans-1,2-Dichloroethene	< 5	5	
1,2-Dichloropropane	< 5	5	
1,3-Dichloropropane	< 5	5	
2,2-Dichloropropane	< 5	5	
1,1-Dichloropropene	< 5	5	
cis-1,3-Dichloropropene	< 4.1	4.1	
trans-1,3-Dichloropropene	< 4.1	4.1	
Ethylbenzene	< 5	5	
Ethyl methacrylate	< 100	100	
Hexachloro-1,3-butadiene	< 2.6	2.6	
n-Hexane	< 10	10	
2-Hexanone	< 10	10	
Iodomethane	< 10	10	
Isopropylbenzene (Cumene)	< 5	5	
p-Isopropyltoluene	< 5	5	
Methylene chloride	< 5	5	
4-Methyl-2-pentanone (MIBK)	< 10	10	
Methyl-tert-butyl-ether	< 5	5	
1-Methylnaphthalene	< 5	5	
2-Methylnaphthalene	< 5	5	
Naphthalene	< 1.4	1.4	
n-Propylbenzene	< 5	5	
Styrene	< 5	5	
1,1,1,2-Tetrachloroethane	< 5	5	
1,1,2,2-Tetrachloroethane	< 0.66	1	1
Tetrachloroethene	< 5	5	
Toluene	< 5	5	
1,2,3-Trichlorobenzene	< 5	5	
1,2,4-Trichlorobenzene	< 5	5	
1,1,1-Trichloroethane	< 5	5	
1,1,2-Trichloroethane	< 5	5	
Trichloroethene	< 5	5	
Trichlorofluoromethane	< 5	5	
1,2,3-Trichloropropane	< 1	1	
1,2,4-Trimethylbenzene	< 5	5	
1,3,5-Trimethylbenzene	< 5	5	
Vinyl acetate	< 10	10	
Vinyl chloride	< 2	2	
Xylene, M&P	< 5	5	
Xylene, Ortho	< 5	5	
Xylene (Total)	< 10	10	
Dibromofluoromethane (surrogate)	108%		
1,2-Dichloroethane-d4 (surrogate)	98%		
Toluene-d8 (surrogate)	94%		
4-bromofluorobenzene (surrogate)	106%		

Analysis Date/Time: 5-9-13/23:34

Analyst Initials



Analytical Report

Client Name: HEARTLAND ENV.
Project ID: UEA SAMPLE STREET
Client Project Manager: NIVAS VIJAY
ENVision Project Number: 2013-1188

Analytical Method: 8260
Prep Method: 5030B
Analytical Batch: 050913VW(2)

Client Sample ID: W-14A **Sample Collection Date/Time:** 5/1/13 14:05
Envision Sample Number: 13-8923 **Sample Received Date/Time:** 5/31/13 12:00
Sample Matrix: water

<u>Compounds</u>	<u>Sample Results (ug/L)</u>	<u>Reporting Limit (ug/L)</u>	<u>Flags</u>
Acetone	< 100	100	
Acrolein	< 1	1	
Acrylonitrile	< 0.45	1	1
Benzene	< 5	5	
Bromobenzene	< 5	5	
Bromochloromethane	< 5	5	
Bromodichloromethane	< 5	5	
Bromoform	< 5	5	
Bromomethane	< 5	5	
n-Butanol	< 50	50	
2-Butanone (MEK)	< 10	10	
n-Butylbenzene	< 5	5	
sec-Butylbenzene	< 5	5	
tert-Butylbenzene	< 5	5	
Carbon Disulfide	< 5	5	
Carbon Tetrachloride	< 5	5	
Chlorobenzene	< 5	5	
Chloroethane	< 5	5	
2-Chloroethylvinylether	< 50	50	
Chloroform	< 5	5	
Chloromethane	< 5	5	
2-Chlorotoluene	< 5	5	
4-Chlorotoluene	< 5	5	
1,2-Dibromo-3-chloropropane	< 1	1	
Dibromochloromethane	< 5	5	
1,2-Dibromoethane (EDB)	< 1	1	
Dibromomethane	< 5	5	
1,2-Dichlorobenzene	< 5	5	
1,3-Dichlorobenzene	< 5	5	
1,4-Dichlorobenzene	< 5	5	
trans-1,4-Dichloro-2-butene	< 1	1	
Dichlorodifluoromethane	< 5	5	



Analytical Report

8260 continued...

<u>Compounds</u>	<u>Sample Results (ug/L)</u>	<u>Reporting Limit (ug/L)</u>	<u>Flags</u>
1,1-Dichloroethane	< 5	5	
1,2-Dichloroethane	< 5	5	
1,1-Dichloroethene	< 5	5	
cis-1,2-Dichloroethene	< 5	5	
trans-1,2-Dichloroethene	< 5	5	
1,2-Dichloropropane	< 5	5	
1,3-Dichloropropane	< 5	5	
2,2-Dichloropropane	< 5	5	
1,1-Dichloropropene	< 5	5	
cis-1,3-Dichloropropene	< 4.1	4.1	
trans-1,3-Dichloropropene	< 4.1	4.1	
Ethylbenzene	< 5	5	
Ethyl methacrylate	< 100	100	
Hexachloro-1,3-butadiene	< 2.6	2.6	
n-Hexane	< 10	10	
2-Hexanone	< 10	10	
Iodomethane	< 10	10	
Isopropylbenzene (Cumene)	< 5	5	
p-Isopropyltoluene	< 5	5	
Methylene chloride	< 5	5	
4-Methyl-2-pentanone (MIBK)	< 10	10	
Methyl-tert-butyl-ether	< 5	5	
1-Methylnaphthalene	< 5	5	
2-Methylnaphthalene	< 5	5	
Naphthalene	< 1.4	1.4	
n-Propylbenzene	< 5	5	
Styrene	< 5	5	
1,1,1,2-Tetrachloroethane	< 5	5	
1,1,2,2-Tetrachloroethane	< 0.66	1	1
Tetrachloroethene	< 5	5	
Toluene	< 5	5	
1,2,3-Trichlorobenzene	< 5	5	
1,2,4-Trichlorobenzene	< 5	5	
1,1,1-Trichloroethane	< 5	5	
1,1,2-Trichloroethane	< 5	5	
Trichloroethene	< 5	5	
Trichlorofluoromethane	< 5	5	
1,2,3-Trichloropropane	< 1	1	
1,2,4-Trimethylbenzene	< 5	5	
1,3,5-Trimethylbenzene	< 5	5	
Vinyl acetate	< 10	10	
Vinyl chloride	< 2	2	
Xylene, M&P	< 5	5	
Xylene, Ortho	< 5	5	
Xylene (Total)	< 10	10	
Dibromofluoromethane (surrogate)	109%		
1,2-Dichloroethane-d4 (surrogate)	100%		
Toluene-d8 (surrogate)	93%		
4-bromofluorobenzene (surrogate)	110%		

Analysis Date/Time: 5-9-13/23:59

Analyst Initials



Analytical Report

Client Name: HEARTLAND ENV.
Project ID: UEA SAMPLE STREET
Client Project Manager: NIVAS VIJAY
ENVision Project Number: 2013-1188

Analytical Method: 8260
Prep Method: 5030B
Analytical Batch: 050913VW(2)

Client Sample ID: TRIP BLANK **Sample Collection Date/Time:** 4/29/13
Envision Sample Number: 13-8924 **Sample Received Date/Time:** 5/313 12:00
Sample Matrix: water

<u>Compounds</u>	<u>Sample Results (ug/L)</u>	<u>Reporting Limit (ug/L)</u>	<u>Flags</u>
Acetone	< 100	100	
Acrolein	< 1	1	
Acrylonitrile	< 0.45	1	1
Benzene	< 5	5	
Bromobenzene	< 5	5	
Bromochloromethane	< 5	5	
Bromodichloromethane	< 5	5	
Bromoform	< 5	5	
Bromomethane	< 5	5	
n-Butanol	< 50	50	
2-Butanone (MEK)	< 10	10	
n-Butylbenzene	< 5	5	
sec-Butylbenzene	< 5	5	
tert-Butylbenzene	< 5	5	
Carbon Disulfide	< 5	5	
Carbon Tetrachloride	< 5	5	
Chlorobenzene	< 5	5	
Chloroethane	< 5	5	
2-Chloroethylvinylether	< 50	50	
Chloroform	< 5	5	
Chloromethane	< 5	5	
2-Chlorotoluene	< 5	5	
4-Chlorotoluene	< 5	5	
1,2-Dibromo-3-chloropropane	< 1	1	
Dibromochloromethane	< 5	5	
1,2-Dibromoethane (EDB)	< 1	1	
Dibromomethane	< 5	5	
1,2-Dichlorobenzene	< 5	5	
1,3-Dichlorobenzene	< 5	5	
1,4-Dichlorobenzene	< 5	5	
trans-1,4-Dichloro-2-butene	< 1	1	
Dichlorodifluoromethane	< 5	5	



Analytical Report

8260 continued...

<u>Compounds</u>	<u>Sample Results (ug/L)</u>	<u>Reporting Limit (ug/L)</u>	<u>Flags</u>
1,1-Dichloroethane	< 5	5	
1,2-Dichloroethane	< 5	5	
1,1-Dichloroethene	< 5	5	
cis-1,2-Dichloroethene	< 5	5	
trans-1,2-Dichloroethene	< 5	5	
1,2-Dichloropropane	< 5	5	
1,3-Dichloropropane	< 5	5	
2,2-Dichloropropane	< 5	5	
1,1-Dichloropropene	< 5	5	
cis-1,3-Dichloropropene	< 4.1	4.1	
trans-1,3-Dichloropropene	< 4.1	4.1	
Ethylbenzene	< 5	5	
Ethyl methacrylate	< 100	100	
Hexachloro-1,3-butadiene	< 2.6	2.6	
n-Hexane	< 10	10	
2-Hexanone	< 10	10	
Iodomethane	< 10	10	
Isopropylbenzene (Cumene)	< 5	5	
p-Isopropyltoluene	< 5	5	
Methylene chloride	< 5	5	
4-Methyl-2-pentanone (MIBK)	< 10	10	
Methyl-tert-butyl-ether	< 5	5	
1-Methylnaphthalene	< 5	5	
2-Methylnaphthalene	< 5	5	
Naphthalene	< 1.4	1.4	
n-Propylbenzene	< 5	5	
Styrene	< 5	5	
1,1,1,2-Tetrachloroethane	< 5	5	
1,1,2,2-Tetrachloroethane	< 0.66	1	1
Tetrachloroethene	< 5	5	
Toluene	< 5	5	
1,2,3-Trichlorobenzene	< 5	5	
1,2,4-Trichlorobenzene	< 5	5	
1,1,1-Trichloroethane	< 5	5	
1,1,2-Trichloroethane	< 5	5	
Trichloroethene	< 5	5	
Trichlorofluoromethane	< 5	5	
1,2,3-Trichloropropane	< 1	1	
1,2,4-Trimethylbenzene	< 5	5	
1,3,5-Trimethylbenzene	< 5	5	
Vinyl acetate	< 10	10	
Vinyl chloride	< 2	2	
Xylene, M&P	< 5	5	
Xylene, Ortho	< 5	5	
Xylene (Total)	< 10	10	
Dibromofluoromethane (surrogate)	109%		
1,2-Dichloroethane-d4 (surrogate)	99%		
Toluene-d8 (surrogate)	94%		
4-bromofluorobenzene (surrogate)	110%		

Analysis Date/Time: 510-13/00:23

Analyst Initials



8260 Quality Control Data

ENVision Batch Number: 050913VW(1)

<u>Method Blank (MB):</u>	<u>MB Results (ug/L)</u>	<u>Rep Lim (ug/L)</u>	<u>Flag</u>
Acetone	< 100	100	
Acrolein	< 1	1	
Acrylonitrile	< 0.45	1	1
Benzene	< 5	5	
Bromobenzene	< 5	5	
Bromochloromethane	< 5	5	
Bromodichloromethane	< 5	5	
Bromoform	< 5	5	
Bromomethane	< 5	5	
n-Butanol	< 50	50	
2-Butanone (MEK)	< 10	10	
n-Butylbenzene	< 5	5	
sec-Butylbenzene	< 5	5	
tert-Butylbenzene	< 5	5	
Carbon Disulfide	< 5	5	
Carbon Tetrachloride	< 5	5	
Chlorobenzene	< 5	5	
Chloroethane	< 5	5	
2-Chloroethylvinylether	< 50	50	
Chloroform	< 5	5	
Chloromethane	< 5	5	
2-Chlorotoluene	< 5	5	
4-Chlorotoluene	< 5	5	
1,2-Dibromo-3-chloropropane	< 1	1	
Dibromochloromethane	< 5	5	
1,2-Dibromoethane (EDB)	< 1	1	
Dibromomethane	< 5	5	
1,2-Dichlorobenzene	< 5	5	
1,3-Dichlorobenzene	< 5	5	
1,4-Dichlorobenzene	< 5	5	
trans-1,4-Dichloro-2-butene	< 1	1	
Dichlorodifluoromethane	< 5	5	
1,1-Dichloroethane	< 5	5	
1,2-Dichloroethane	< 5	5	
1,1-Dichloroethene	< 5	5	
cis-1,2-Dichloroethene	< 5	5	
trans-1,2-Dichloroethene	< 5	5	
1,2-Dichloropropane	< 5	5	
1,3-Dichloropropane	< 5	5	
2,2-Dichloropropane	< 5	5	
1,1-Dichloropropene	< 5	5	
cis-1,3-Dichloropropene	< 4.1	4.1	
trans-1,3-Dichloropropene	< 4.1	4.1	
Ethylbenzene	< 5	5	
Ethyl methacrylate	< 100	100	



ENVision Laboratories, Inc.
 1439 Sadlier Circle West Drive
 Indianapolis, IN 46239
 Tel: 317.351.8632
 Fax: 317.351.8639
 www.envisionlaboratories.com

8260 QC Continued...

<u>Method Blank (MB):</u>	<u>MB Results (ug/L)</u>	<u>Rep Lim (ug/L)</u>	<u>Flag</u>
Hexachloro-1,3-butadiene	< 2.6	2.6	
2-Hexanone	< 10	10	
n-Hexane	< 10	10	
Iodomethane	< 10	10	
Isopropylbenzene (Cumene)	< 5	5	
p-Isopropyltoluene	< 5	5	
Methylene chloride	< 5	5	
4-Methyl-2-pentanone (MIBK)	< 10	10	
Methyl-tert-butyl-ether	< 5	5	
1-Methylnaphthalene	< 5	5	
2-Methylnaphthalene	< 5	5	
Naphthalene	< 1.4	1.4	
n-Propylbenzene	< 5	5	
Styrene	< 5	5	
1,1,1,2-Tetrachloroethane	< 5	5	
1,1,2,2-Tetrachloroethane	< 0.66	1	1
Tetrachloroethene	< 5	5	
Toluene	< 5	5	
1,2,3-Trichlorobenzene	< 5	5	
1,2,4-Trichlorobenzene	< 5	5	
1,1,1-Trichloroethane	< 5	5	
1,1,2-Trichloroethane	< 5	5	
Trichloroethene	< 5	5	
Trichlorofluoromethane	< 5	5	
1,2,3-Trichloropropane	< 1	1	
1,2,4-Trimethylbenzene	< 5	5	
1,3,5-Trimethylbenzene	< 5	5	
Vinyl acetate	< 10	10	
Vinyl chloride	< 2	2	
Xylene, M&P	< 5	5	
Xylene, Ortho	< 5	5	
Xylene (total)	< 10	10	
Dibromofluoromethane (surrogate)	108%		
1,2-Dichloroethane-d4 (surrogate)	98%		
Toluene-d8 (surrogate)	94%		
4-bromofluorobenzene (surrogate)	110%		
Analysis Date/Time:	5-9-13/08:49		
Analyst Initials	tjg		



ENVision Laboratories, Inc.
 1439 Sadlier Circle West Drive
 Indianapolis, IN 46239
 Tel: 317.351.8632
 Fax: 317.351.8639
 www.envisionlaboratories.com

8260 QC Continued...

<u>Laboratory Control Standard (LCS):</u>	<u>LCS Results (ug/L)</u>	<u>LCS Conc(ug/L)</u>	<u>% Rec</u>	<u>Flag</u>
Vinyl Chloride	49.2	50	98%	
1,1-Dichloroethene	46.6	50	93%	
trans-1,2-Dichloroethene	45.8	50	92%	
Methyl-tert-butyl-ether	51.2	50	102%	
1,1-Dichloroethane	45.5	50	91%	
cis-1,2-Dichloroethene	46.1	50	92%	
Chloroform	44.2	50	88%	
1,1,1-Trichloroethane	46.8	50	94%	
Benzene	44.8	50	90%	
Trichloroethene	45.7	50	91%	
Toluene	45.5	50	91%	
1,1,1,2-Tetrachloroethane	47.1	50	94%	
Chlorobenzene	46.9	50	94%	
Ethylbenzene	46.4	50	93%	
o-Xylene	46.0	50	92%	
n-Propylbenzene	46.9	50	94%	
Dibromofluoromethane (surrogate)	100%			
1,2-Dichloroethane-d4 (surrogate)	102%			
Toluene-d8 (surrogate)	99%			
4-bromofluorobenzene (surrogate)	103%			
Analysis Date/Time:	5-9-13/07:35			
Analyst Initials	tjg			



8260 Quality Control Data

ENVision Batch Number: 050913VW(2)

<u>Method Blank (MB):</u>	<u>MB Results (ug/L)</u>	<u>Rep Lim (ug/L)</u>	<u>Flag</u>
Acetone	< 100	100	
Acrolein	< 1	1	
Acrylonitrile	< 0.45	1	1
Benzene	< 5	5	
Bromobenzene	< 5	5	
Bromochloromethane	< 5	5	
Bromodichloromethane	< 5	5	
Bromoform	< 5	5	
Bromomethane	< 5	5	
n-Butanol	< 50	50	
2-Butanone (MEK)	< 10	10	
n-Butylbenzene	< 5	5	
sec-Butylbenzene	< 5	5	
tert-Butylbenzene	< 5	5	
Carbon Disulfide	< 5	5	
Carbon Tetrachloride	< 5	5	
Chlorobenzene	< 5	5	
Chloroethane	< 5	5	
2-Chloroethylvinylether	< 50	50	
Chloroform	< 5	5	
Chloromethane	< 5	5	
2-Chlorotoluene	< 5	5	
4-Chlorotoluene	< 5	5	
1,2-Dibromo-3-chloropropane	< 1	1	
Dibromochloromethane	< 5	5	
1,2-Dibromoethane (EDB)	< 1	1	
Dibromomethane	< 5	5	
1,2-Dichlorobenzene	< 5	5	
1,3-Dichlorobenzene	< 5	5	
1,4-Dichlorobenzene	< 5	5	
trans-1,4-Dichloro-2-butene	< 1	1	
Dichlorodifluoromethane	< 5	5	
1,1-Dichloroethane	< 5	5	
1,2-Dichloroethane	< 5	5	
1,1-Dichloroethene	< 5	5	
cis-1,2-Dichloroethene	< 5	5	
trans-1,2-Dichloroethene	< 5	5	
1,2-Dichloropropane	< 5	5	
1,3-Dichloropropane	< 5	5	
2,2-Dichloropropane	< 5	5	
1,1-Dichloropropene	< 5	5	
cis-1,3-Dichloropropene	< 4.1	4.1	
trans-1,3-Dichloropropene	< 4.1	4.1	
Ethylbenzene	< 5	5	
Ethyl methacrylate	< 100	100	



ENVision Laboratories, Inc.
 1439 Sadlier Circle West Drive
 Indianapolis, IN 46239
 Tel: 317.351.8632
 Fax: 317.351.8639
 www.envisionlaboratories.com

8260 QC Continued...

<u>Method Blank (MB):</u>	<u>MB Results (ug/L)</u>	<u>Rep Lim (ug/L)</u>	<u>Flag</u>
Hexachloro-1,3-butadiene	< 2.6	2.6	
2-Hexanone	< 10	10	
n-Hexane	< 10	10	
Iodomethane	< 10	10	
Isopropylbenzene (Cumene)	< 5	5	
p-Isopropyltoluene	< 5	5	
Methylene chloride	< 5	5	
4-Methyl-2-pentanone (MIBK)	< 10	10	
Methyl-tert-butyl-ether	< 5	5	
1-Methylnaphthalene	< 5	5	
2-Methylnaphthalene	< 5	5	
Naphthalene	< 1.4	1.4	
n-Propylbenzene	< 5	5	
Styrene	< 5	5	
1,1,1,2-Tetrachloroethane	< 5	5	
1,1,2,2-Tetrachloroethane	< 0.66	1	1
Tetrachloroethene	< 5	5	
Toluene	< 5	5	
1,2,3-Trichlorobenzene	< 5	5	
1,2,4-Trichlorobenzene	< 5	5	
1,1,1-Trichloroethane	< 5	5	
1,1,2-Trichloroethane	< 5	5	
Trichloroethene	< 5	5	
Trichlorofluoromethane	< 5	5	
1,2,3-Trichloropropane	< 1	1	
1,2,4-Trimethylbenzene	< 5	5	
1,3,5-Trimethylbenzene	< 5	5	
Vinyl acetate	< 10	10	
Vinyl chloride	< 2	2	
Xylene, M&P	< 5	5	
Xylene, Ortho	< 5	5	
Xylene (total)	< 10	10	
Dibromofluoromethane (surrogate)	111%		
1,2-Dichloroethane-d4 (surrogate)	99%		
Toluene-d8 (surrogate)	97%		
4-bromofluorobenzene (surrogate)	111%		
Analysis Date/Time:	5-9-13/21:06		
Analyst Initials	tjg		



ENVision Laboratories, Inc.
 1439 Sadler Circle West Drive
 Indianapolis, IN 46239
 Tel: 317.351.8632
 Fax: 317.351.8639
 www.envisionlaboratories.com

8260 QC Continued...

<u>Laboratory Control Standard (LCS):</u>	<u>LCS Results (ug/L)</u>	<u>LCS Conc(ug/L)</u>	<u>% Rec</u>	<u>Flag</u>
Vinyl Chloride	51.1	50	102%	
1,1-Dichloroethene	51.1	50	102%	
trans-1,2-Dichloroethene	50.6	50	101%	
Methyl-tert-butyl-ether	52.1	50	104%	
1,1-Dichloroethane	49.8	50	100%	
cis-1,2-Dichloroethene	50.0	50	100%	
Chloroform	48.2	50	96%	
1,1,1-Trichloroethane	50.8	50	102%	
Benzene	48.0	50	96%	
Trichloroethene	49.8	50	100%	
Toluene	49.0	50	98%	
1,1,1,2-Tetrachloroethane	49.9	50	100%	
Chlorobenzene	51.2	50	102%	
Ethylbenzene	51.3	50	103%	
o-Xylene	50.0	50	100%	
n-Propylbenzene	51.2	50	102%	
Dibromofluoromethane (surrogate)	101%			
1,2-Dichloroethane-d4 (surrogate)	102%			
Toluene-d8 (surrogate)	100%			
4-bromofluorobenzene (surrogate)	106%			
Analysis Date/Time:	5-9-13/19:52			
Analyst Initials	tjg			



ENVision Laboratories, Inc.
1439 Sadlier Circle West Drive
Indianapolis, IN 46239
Tel: 317.351.8632
Fax: 317.351.8639
www.envisionlaboratories.com

Flag Number

1

Comments

Reported value is below the reporting limit but above the MDL.



ENVISSION Laboratories, Inc. | 1439 Sadlier Circle West Drive | Indianapolis, IN 46239 | Phone: (317) 351-8632 | Fax: (317) 351-8639

CHAIN OF CUSTODY RECORD

Client: Heartland Environmental Invoice Address: Sawee

Report Address: 3410 Mishawaka Ave South Bend, IN 46615 Project Name: UEA Sample Street

Report To: N. Vas Vijay Lab Contact: David Nye

Phone: 574-360-0961 P.O. Number: 574-289-7480

Desired TAT: (Please Circle One) 1-2 days 3-6 days (Std 7 bus. days) QA/QC Required: (circle if applicable) Level III Level IV

REQUESTED PARAMETERS

VOC	
8260	

Please indicate number of containers per preservative below

Sample ID	Coll. Date	Coll. Time	Comp (C) Grab (g)	Matrix	Requested Parameters						ENVISSION Sample ID							
					HCl	HNO ₃	H ₂ SO ₄	NaOH	Other	None								
W5	4-29-13	09:55	G	W	X													
W9		11:40			X													
UNK-1 (S-3A)		12:55			X													
UNK-2 (S-3)		14:15			X													
W-10 B		17:15			X													
W-10 A		18:20			X													
W-1		16:00			X													
W-7	4-30-13	10:00			X													
W-8		10:35			X													
W 101 A		13:05			X													
W 101 B		12:20			X													

Comments:

Sample Integrity:

Cooler Temp: 3 °C
 (Circle) Samples on Ice? Yes No
 Samples In tact? Yes No
 Custody Seal: Yes No
 ENVISSION provided bottles: Yes No
 VOC vials free of head-space: Yes No
 pH checked? Yes No N/A
 Method 5035 collection used? Yes No
 5035 samples received within 48 hr of Collection? Yes No

Relinquished by:

David Nye

Date

5-2-13

Time

0900

Received by:

[Signature]

Date

5-2-13

Time

0900



CHAIN OF CUSTODY RECORD

ENVISSION Laboratories, Inc. | 1439 Sadlier Circle West Drive | Indianapolis, IN 46239 | Phone: (317) 351-8632 | Fax: (317) 351-8639

ENVISSION Proj #: 2013-1188 Page 2 of 2

Client: Heartland Environmental Invoice Address: Sauer

Report Address: 3410 Mishawaka Ave Project Name: CEA
South Bend, IN 46615 Sample Street

Report To: Nick's Vijay Lab Contact:

Phone: 574-360-0961 Sampled by:

Fax: 574-289-7480 P.O. Number:

Desired TAT: (Please Circle One) Std (7 bus. days) QA/QC Required: (circle if applicable)
1-2 days 3-6 days Level III Level IV

REQUESTED PARAMETERS

VOC 8260

Please indicate number of containers per preservative below

Sample ID	Coll. Date	Coll. Time	Comp (C) Grab (g)	Matrix	HCl	HNO ₃	H ₂ SO ₄	NaOH	Other	None	ENVISSION Sample ID
W 100 B	4-30-12	14:55	G	W	X						
W 100 A		15:25			X						
W-3		16:35			X						
W-15 A		17:55			X						
W-15 B		18:35			X						
W-16		19:40			X						
W-12	5-1-13	10:10			X						
W-13		11:40			X						
W 14 B		13:05			X						
W 14 A		14:05			X						
Trip Blank	4-29-13				X						

Comments:

Relinquished by:

David Lytle

Date

5-2-13

Time

09:00

Received by:

David Lytle

Date

5-2-13

Time

09:00

5/3/13 12:00