

TestAmerica, Incorporated

ANALYTICAL REPORT

Kevin Wildman
HULL & ASSOC. (Dublin)
6130 Wilcox Rd.
Dublin, OH 43016

09/18/2002

Job Number: 02.18521


Enclosed is the analytical report for the following samples submitted to the Dayton Division of TestAmerica, Inc. for analysis:

<u>Sample Number</u>	<u>Sample Description</u>	<u>Date Taken</u>	<u>Date Received</u>
788497	SBI013:ATW9d:091102:412	09/11/2002	09/13/2002
788498	SBI013:ATW9s:091102:412	09/11/2002	09/13/2002
788499	SBI013:FB1:091102:412	09/11/2002	09/13/2002
788500	SBI013:ATW10d:091102:412	09/11/2002	09/13/2002
788501	SBI013:ATW10s:091102:412	09/11/2002	09/13/2002
788502	SBI013:ATW11d:091102:412	09/11/2002	09/13/2002
788503	SBI013:ATW11s:091102:412	09/11/2002	09/13/2002
788504	SBI013:CTW1d:090902:412	09/09/2002	09/13/2002
788505	SBI013:CTW1s:090902:412	09/09/2002	09/13/2002
788506	SBI013:CTW2d:091102:412	09/11/2002	09/13/2002
788507	SBI013:CTW2s:091102:412	09/11/2002	09/13/2002
788508	SBI013:CTW4d:091102:412	09/11/2002	09/13/2002
788509	SBI013:CTW4s:091102:412	09/11/2002	09/13/2002
788510	SBO013:TB2:091202	09/12/2002	09/13/2002

TestAmerica, Inc. certifies that the analytical results contained herein apply only to the specific samples analyzed.

Reproduction of this analytical report is permitted only in its entirety.

Enclosure


Approved By

TestAmerica, Incorporated

PAGE 2 of 38

ANALYTICAL REPORT

Kevin Wildman
 HULL & ASSOC. (Dublin)
 6130 Wilcox Rd.
 Dublin, OH 43016

09/18/2002

Job Number: 02.18521

Client Project ID: SBI013

SAMPLE NO. 788497 **SAMPLE DESCRIPTION** SBI013:ATW9d:091102:412 **DATE/TIME TAKEN** 09/11/2002 10:00

	Result		Reporting	Date	Time	Prep	Run	Anal.	Reference
	Units	Limit	Flag						
ICPMS TOTAL METALS	Complete	Complete		09/16/2002	19:15		3322	ekh	SW 6020
Arsenic, ICPMS	0.0144 mg/L	<0.0050		09/16/2002	19:15	2233	4597	ekh	SW 6020
Lead, ICPMS	0.0331 mg/L	<0.0010		09/16/2002	19:15	2233	4563	ekh	SW 6020
Metals Digestion, ICPMS	Complete	Complete		09/16/2002	09:00	2233		jlr	SW 3010A
VOLATILE COMPOUNDS - 8260 (AQ)									
8260 - SW846 (AQ)	Complete	Complete		09/16/2002			4633	mrh	
Acetone	<20.0 ug/L	<20.0		09/16/2002			4633	mrh	SW 8260B
Benzene	<1.0 ug/L	<1.0		09/16/2002			4633	mrh	SW 8260B
tert-Butylbenzene	<1.0 ug/L	<1.0		09/16/2002			4633	mrh	SW 8260B
sec-Butylbenzene	<1.0 ug/L	<1.0		09/16/2002			4633	mrh	SW 8260B
n-Butylbenzene	<1.0 ug/L	<1.0		09/16/2002			4633	mrh	SW 8260B
Bromochloromethane	<1.0 ug/L	<1.0		09/16/2002			4633	mrh	SW 8260B
Bromodichloromethane	<1.0 ug/L	<1.0		09/16/2002			4633	mrh	SW 8260B
Bromoform	<1.0 ug/L	<1.0		09/16/2002			4633	mrh	SW 8260B
Bromobenzene	<1.0 ug/L	<1.0		09/16/2002			4633	mrh	SW 8260B
2-Butanone (MEK)	<12.5 ug/L	<12.5		09/16/2002			4633	mrh	SW 8260B
Carbon disulfide	<1.0 ug/L	<1.0		09/16/2002			4633	mrh	SW 8260B
Carbon tetrachloride	<1.0 ug/L	<1.0		09/16/2002			4633	mrh	SW 8260B
Chlorobenzene	<1.0 ug/L	<1.0		09/16/2002			4633	mrh	SW 8260B
Chloroethane	<5.0 ug/L	<5.0		09/16/2002			4633	mrh	SW 8260B
2-Chlorotoluene	<1.0 ug/L	<1.0		09/16/2002			4633	mrh	SW 8260B
4-Chlorotoluene	<1.0 ug/L	<1.0		09/16/2002			4633	mrh	SW 8260B
Chloroform	<1.0 ug/L	<1.0		09/16/2002			4633	mrh	SW 8260B
Chloromethane	<5.0 ug/L	<5.0		09/16/2002			4633	mrh	SW 8260B
Dibromochloromethane	<1.0 ug/L	<1.0		09/16/2002			4633	mrh	SW 8260B
Dibromomethane	<1.0 ug/L	<1.0		09/16/2002			4633	mrh	SW 8260B
Dichlorodifluoromethane	<1.0 ug/L	<1.0		09/16/2002			4633	mrh	SW 8260B
1,2-Dibromo-3-chloropropane	<5.0 ug/L	<5.0		09/16/2002			4633	mrh	SW 8260B
1,2-Dichlorobenzene	<1.0 ug/L	<1.0		09/16/2002			4633	mrh	SW 8260B
1,3-Dichlorobenzene	<1.0 ug/L	<1.0		09/16/2002			4633	mrh	SW 8260B
1,4-Dichlorobenzene	<1.0 ug/L	<1.0		09/16/2002			4633	mrh	SW 8260B

TestAmerica, Incorporated

PAGE 3 of 38

ANALYTICAL REPORT

Kevin Wildman
 HULL & ASSOC. (Dublin)
 6130 Wilcox Rd.
 Dublin, OH 43016

09/18/2002

Job Number: 02.18521

Client Project ID: SBI013

SAMPLE NO. 788497 **SAMPLE DESCRIPTION** SBI013:ATW9d:091102:412 **DATE/TIME TAKEN** 09/11/2002 10:00

	Result		Reporting		Date	Time	Prep	Run	Anal.	
	Units	Limit	Flag	Analyzed	Analyzed	Batch	Batch	Init.	Method	Reference
1,1-Dichloroethane	<1.0	ug/L	<1.0		09/16/2002		4633	mrh	SW	8260B
1,2-Dichloroethane	<1.0	ug/L	<1.0		09/16/2002		4633	mrh	SW	8260B
1,1-Dichloroethene	<1.0	ug/L	<1.0		09/16/2002		4633	mrh	SW	8260B
cis-1,2-Dichloroethene	5.6	ug/L	<1.0		09/16/2002		4633	mrh	SW	8260B
trans-1,2-Dichloroethene	<1.0	ug/L	<1.0		09/16/2002		4633	mrh	SW	8260B
1,2-Dichloropropane	<1.0	ug/L	<1.0		09/16/2002		4633	mrh	SW	8260B
1,3-Dichloropropane	<1.0	ug/L	<1.0		09/16/2002		4633	mrh	SW	8260B
2,2-Dichloropropane	<1.0	ug/L	<1.0		09/16/2002		4633	mrh	SW	8260B
1,1-Dichloropropene	<1.0	ug/L	<1.0		09/16/2002		4633	mrh	SW	8260B
cis-1,3-Dichloropropene	<1.0	ug/L	<1.0		09/16/2002		4633	mrh	SW	8260B
trans-1,3-Dichloropropene	<1.0	ug/L	<1.0		09/16/2002		4633	mrh	SW	8260B
Ethylbenzene	<1.0	ug/L	<1.0		09/16/2002		4633	mrh	SW	8260B
Hexachlorobutadiene	<5.0	ug/L	<5.0		09/16/2002		4633	mrh	SW	8260B
n-Hexane	<5.0	ug/L	<5.0		09/16/2002		4633	mrh	SW	8260B
2-Hexanone	<12.5	ug/L	<12.5		09/16/2002		4633	mrh	SW	8260B
Isopropylbenzene (Cumene)	<1.0	ug/L	<1.0		09/16/2002		4633	mrh	SW	8260B
p-Isopropyltoluene	<1.0	ug/L	<1.0		09/16/2002		4633	mrh	SW	8260B
Bromomethane	<5.0	ug/L	<5.0		09/16/2002		4633	mrh	SW	8260B
Methylene Chloride	<5.0	ug/L	<5.0		09/16/2002		4633	mrh	SW	8260B
Methyl t-butyl ether (MTBE)	<5.0	ug/L	<5.0		09/16/2002		4633	mrh	SW	8260B
4-Methyl-2-pentanone (MIBK)	<12.5	ug/L	<12.5		09/16/2002		4633	mrh	SW	8260B
n-Propylbenzene	<1.0	ug/L	<1.0		09/16/2002		4633	mrh	SW	8260B
Styrene	<1.0	ug/L	<1.0		09/16/2002		4633	mrh	SW	8260B
Naphthalene	<5.0	ug/L	<5.0		09/16/2002		4633	mrh	SW	8260B
1,1,1,2-Tetrachloroethane	<1.0	ug/L	<1.0		09/16/2002		4633	mrh	SW	8260B
1,1,2,2-Tetrachloroethane	<1.0	ug/L	<1.0		09/16/2002		4633	mrh	SW	8260B
Tetrachloroethene	10.0	ug/L	<1.0		09/16/2002		4633	mrh	SW	8260B
Toluene	<1.0	ug/L	<1.0		09/16/2002		4633	mrh	SW	8260B
1,2,4-Trichlorobenzene	<5.0	ug/L	<5.0		09/16/2002		4633	mrh	SW	8260B
1,1,1-Trichloroethane	<1.0	ug/L	<1.0		09/16/2002		4633	mrh	SW	8260B
1,1,2-Trichloroethane	<1.0	ug/L	<1.0		09/16/2002		4633	mrh	SW	8260B
Trichloroethene	3.2	ug/L	<1.0		09/16/2002		4633	mrh	SW	8260B

TestAmerica, Incorporated

PAGE 4 of 38

ANALYTICAL REPORT

Kevin Wildman
HULL & ASSOC. (Dublin)
6130 Wilcox Rd.
Dublin, OH 43016

09/18/2002

Job Number: 02.18521

Client Project ID: SBI013

SAMPLE NO. **SAMPLE DESCRIPTION** **DATE/TIME TAKEN**
788497 SBI013:ATW9d:091102:412 09/11/2002 10:00

	Result	Units	Reporting		Date Analyzed	Time Analyzed	Prep Batch	Run Batch	Anal.	
			Limit	Flag					Init.	Method Reference
Trichlorofluoromethane	<1.0	ug/L	<1.0		09/16/2002		4633	4633	mrh	SW 8260B
1,2,3-Trichloropropane	<5.0	ug/L	<5.0		09/16/2002		4633	4633	mrh	SW 8260B
1,2,4-Trimethylbenzene	<1.0	ug/L	<1.0		09/16/2002		4633	4633	mrh	SW 8260B
1,3,5-Trimethylbenzene	<1.0	ug/L	<1.0		09/16/2002		4633	4633	mrh	SW 8260B
Vinyl Acetate	<5.0	ug/L	<5.0		09/16/2002		4633	4633	mrh	SW 8260B
Vinyl Chloride	9.7	ug/L	<1.0		09/16/2002		4633	4633	mrh	SW 8260B
Xylenes	<1.0	ug/L	<1.0		09/16/2002		4633	4633	mrh	SW 8260B
d4-1,2-Dichloroethane (surr)	108	%	80-120		09/16/2002		4633	4633	mrh	SW 8260B
Dibromofluoromethane (surr)	105	%	86-118		09/16/2002		4633	4633	mrh	SW 8260B
d8-Toluene (surr)	99	%	88-110		09/16/2002		4633	4633	mrh	SW 8260B
Bromofluorobenzene (surr)	99	%	86-115		09/16/2002		4633	4633	mrh	SW 8260B

SAMPLE NO. **SAMPLE DESCRIPTION** **DATE/TIME TAKEN**
788498 SBI013:ATW9s:091102:412 09/11/2002 10:20

	Result	Units	Reporting		Date Analyzed	Time Analyzed	Prep Batch	Run Batch	Anal.	
			Limit	Flag					Init.	Method Reference
ICPMS TOTAL METALS	Complete		Complete		09/16/2002	19:19		3322	ekh	SW 6020
Arsenic, ICPMS	0.0234	mg/L	<0.0050		09/16/2002	19:19	2233	4597	ekh	SW 6020
Lead, ICPMS	0.0523	mg/L	<0.0010		09/16/2002	19:19	2233	4563	ekh	SW 6020
Metals Digestion, ICPMS	Complete		Complete		09/16/2002	09:00	2233		jlr	SW 3010A
VOLATILE COMPOUNDS - 8260 (AQ)										
8260 - SW846 (AQ)	Complete		Complete		09/16/2002			4633	mrh	
Acetone	<20.0	ug/L	<20.0		09/16/2002		4633	4633	mrh	SW 8260B
Benzene	<1.0	ug/L	<1.0		09/16/2002		4633	4633	mrh	SW 8260B
tert-Butylbenzene	<1.0	ug/L	<1.0		09/16/2002		4633	4633	mrh	SW 8260B
sec-Butylbenzene	<1.0	ug/L	<1.0		09/16/2002		4633	4633	mrh	SW 8260B

TestAmerica, Incorporated

PAGE 5 of 38

ANALYTICAL REPORT

Kevin Wildman
 HULL & ASSOC. (Dublin)
 6130 Wilcox Rd.
 Dublin, OH 43016

09/18/2002

Job Number: 02.18521

Client Project ID: SBI013

SAMPLE NO. 788498 **SAMPLE DESCRIPTION** SBI013:ATW9s:091102:412 **DATE/TIME TAKEN** 09/11/2002 10:20

	Result	Units	Reporting		Date Analyzed	Time Analyzed	Prep Batch	Run Batch	Anal. Init.	Method Reference
			Limit	Flag						
n-Butylbenzene	<1.0	ug/L	<1.0		09/16/2002		4633	mrh	SW	8260B
Bromochloromethane	<1.0	ug/L	<1.0		09/16/2002		4633	mrh	SW	8260B
Bromodichloromethane	<1.0	ug/L	<1.0		09/16/2002		4633	mrh	SW	8260B
Bromoform	<1.0	ug/L	<1.0		09/16/2002		4633	mrh	SW	8260B
Bromobenzene	<1.0	ug/L	<1.0		09/16/2002		4633	mrh	SW	8260B
2-Butanone (MEK)	<12.5	ug/L	<12.5		09/16/2002		4633	mrh	SW	8260B
Carbon disulfide	<1.0	ug/L	<1.0		09/16/2002		4633	mrh	SW	8260B
Carbon tetrachloride	<1.0	ug/L	<1.0		09/16/2002		4633	mrh	SW	8260B
Chlorobenzene	<1.0	ug/L	<1.0		09/16/2002		4633	mrh	SW	8260B
Chloroethane	<5.0	ug/L	<5.0		09/16/2002		4633	mrh	SW	8260B
2-Chlorotoluene	<1.0	ug/L	<1.0		09/16/2002		4633	mrh	SW	8260B
4-Chlorotoluene	<1.0	ug/L	<1.0		09/16/2002		4633	mrh	SW	8260B
Chloroform	<1.0	ug/L	<1.0		09/16/2002		4633	mrh	SW	8260B
Chloromethane	<5.0	ug/L	<5.0		09/16/2002		4633	mrh	SW	8260B
Dibromochloromethane	<1.0	ug/L	<1.0		09/16/2002		4633	mrh	SW	8260B
Dibromomethane	<1.0	ug/L	<1.0		09/16/2002		4633	mrh	SW	8260B
Dichlorodifluoromethane	<1.0	ug/L	<1.0		09/16/2002		4633	mrh	SW	8260B
1,2-Dibromo-3-chloropropane	<5.0	ug/L	<5.0		09/16/2002		4633	mrh	SW	8260B
1,2-Dichlorobenzene	<1.0	ug/L	<1.0		09/16/2002		4633	mrh	SW	8260B
1,3-Dichlorobenzene	<1.0	ug/L	<1.0		09/16/2002		4633	mrh	SW	8260B
1,4-Dichlorobenzene	<1.0	ug/L	<1.0		09/16/2002		4633	mrh	SW	8260B
1,1-Dichloroethane	<1.0	ug/L	<1.0		09/16/2002		4633	mrh	SW	8260B
1,2-Dichloroethane	<1.0	ug/L	<1.0		09/16/2002		4633	mrh	SW	8260B
1,1-Dichloroethene	<1.0	ug/L	<1.0		09/16/2002		4633	mrh	SW	8260B
cis-1,2-Dichloroethene	<1.0	ug/L	<1.0		09/16/2002		4633	mrh	SW	8260B
trans-1,2-Dichloroethene	<1.0	ug/L	<1.0		09/16/2002		4633	mrh	SW	8260B
1,2-Dichloropropane	<1.0	ug/L	<1.0		09/16/2002		4633	mrh	SW	8260B
1,3-Dichloropropane	<1.0	ug/L	<1.0		09/16/2002		4633	mrh	SW	8260B
2,2-Dichloropropane	<1.0	ug/L	<1.0		09/16/2002		4633	mrh	SW	8260B
1,1-Dichloropropene	<1.0	ug/L	<1.0		09/16/2002		4633	mrh	SW	8260B
cis-1,3-Dichloropropene	<1.0	ug/L	<1.0		09/16/2002		4633	mrh	SW	8260B
trans-1,3-Dichloropropene	<1.0	ug/L	<1.0		09/16/2002		4633	mrh	SW	8260B

TestAmerica, Incorporated

PAGE 6 of 38

ANALYTICAL REPORT

Kevin Wildman
 HULL & ASSOC. (Dublin)
 6130 Wilcox Rd.
 Dublin, OH 43016

09/18/2002

Job Number: 02.18521

Client Project ID: SBI013

SAMPLE NO. 788498 **SAMPLE DESCRIPTION** SBI013:ATW9s:091102:412 **DATE/TIME TAKEN** 09/11/2002 10:20

	Result		Reporting		Date	Time	Prep	Run	Anal.	Reference
	Units	Limit	Flag	Analyzed	Analyzed	Batch	Batch	Init. Method		
Ethylbenzene	<1.0	ug/L	<1.0		09/16/2002		4633	mrh	SW 8260B	
Hexachlorobutadiene	<5.0	ug/L	<5.0		09/16/2002		4633	mrh	SW 8260B	
n-Hexane	<5.0	ug/L	<5.0		09/16/2002		4633	mrh	SW 8260B	
2-Hexanone	<12.5	ug/L	<12.5		09/16/2002		4633	mrh	SW 8260B	
Isopropylbenzene (Cumene)	<1.0	ug/L	<1.0		09/16/2002		4633	mrh	SW 8260B	
p-Isopropyltoluene	<1.0	ug/L	<1.0		09/16/2002		4633	mrh	SW 8260B	
Bromomethane	<5.0	ug/L	<5.0		09/16/2002		4633	mrh	SW 8260B	
Methylene Chloride	<5.0	ug/L	<5.0		09/16/2002		4633	mrh	SW 8260B	
Methyl t-butyl ether (MTBE)	<5.0	ug/L	<5.0		09/16/2002		4633	mrh	SW 8260B	
4-Methyl-2-pentanone (MIBK)	<12.5	ug/L	<12.5		09/16/2002		4633	mrh	SW 8260B	
n-Propylbenzene	<1.0	ug/L	<1.0		09/16/2002		4633	mrh	SW 8260B	
Styrene	<1.0	ug/L	<1.0		09/16/2002		4633	mrh	SW 8260B	
Naphthalene	<5.0	ug/L	<5.0		09/16/2002		4633	mrh	SW 8260B	
1,1,1,2-Tetrachloroethane	<1.0	ug/L	<1.0		09/16/2002		4633	mrh	SW 8260B	
1,1,2,2-Tetrachloroethane	<1.0	ug/L	<1.0		09/16/2002		4633	mrh	SW 8260B	
Tetrachloroethene	3.4	ug/L	<1.0		09/16/2002		4633	mrh	SW 8260B	
Toluene	<1.0	ug/L	<1.0		09/16/2002		4633	mrh	SW 8260B	
1,2,4-Trichlorobenzene	<5.0	ug/L	<5.0		09/16/2002		4633	mrh	SW 8260B	
1,1,1-Trichloroethane	<1.0	ug/L	<1.0		09/16/2002		4633	mrh	SW 8260B	
1,1,2-Trichloroethane	<1.0	ug/L	<1.0		09/16/2002		4633	mrh	SW 8260B	
Trichloroethene	2.6	ug/L	<1.0		09/16/2002		4633	mrh	SW 8260B	
Trichlorofluoromethane	<1.0	ug/L	<1.0		09/16/2002		4633	mrh	SW 8260B	
1,2,3-Trichloropropane	<5.0	ug/L	<5.0		09/16/2002		4633	mrh	SW 8260B	
1,2,4-Trimethylbenzene	<1.0	ug/L	<1.0		09/16/2002		4633	mrh	SW 8260B	
1,3,5-Trimethylbenzene	<1.0	ug/L	<1.0		09/16/2002		4633	mrh	SW 8260B	
Vinyl Acetate	<5.0	ug/L	<5.0		09/16/2002		4633	mrh	SW 8260B	
Vinyl Chloride	2.3	ug/L	<1.0		09/16/2002		4633	mrh	SW 8260B	
Xylenes	<1.0	ug/L	<1.0		09/16/2002		4633	mrh	SW 8260B	
d4-1,2-Dichloroethane (surr)	108	%	80-120		09/16/2002		4633	mrh	SW 8260B	
Dibromofluoromethane (surr)	104	%	86-118		09/16/2002		4633	mrh	SW 8260B	
d8-Toluene (surr)	100	%	88-110		09/16/2002		4633	mrh	SW 8260B	
Bromofluorobenzene (surr)	100	%	86-115		09/16/2002		4633	mrh	SW 8260B	

TestAmerica, Incorporated

PAGE 7 of 38

ANALYTICAL REPORT

Kevin Wildman
HULL & ASSOC. (Dublin)
6130 Wilcox Rd.
Dublin, OH 43016

09/18/2002

Job Number: 02.18521

Client Project ID: SBI013

SAMPLE NO. 788499 **SAMPLE DESCRIPTION** SBI013:FB1:091102:412 **DATE/TIME TAKEN** 09/11/2002 10:30

	Result	Units	Reporting		Date Analyzed	Time Analyzed	Prep Batch	Run Batch	Anal.	
			Limit	Flag					Init.	Method Reference
ICPMS TOTAL METALS	Complete		Complete		09/16/2002	15:47		3322	ekh	SW 6020
Arsenic, ICPMS	<0.0050	mg/L	<0.0050		09/16/2002	15:47	2233	4597	ekh	SW 6020
Lead, ICPMS	0.0017	mg/L	<0.0010		09/16/2002	15:47	2233	4563	ekh	SW 6020
Metals Digestion, ICPMS	Complete		Complete		09/16/2002	09:00	2233		jlr	SW 3010A
VOLATILE COMPOUNDS - 8260 (AQ)										
8260 - SW846 (AQ)	Complete		Complete		09/16/2002			4633	mrh	
Acetone	<20.0	ug/L	<20.0		09/16/2002			4633	mrh	SW 8260B
Benzene	<1.0	ug/L	<1.0		09/16/2002			4633	mrh	SW 8260B
tert-Butylbenzene	<1.0	ug/L	<1.0		09/16/2002			4633	mrh	SW 8260B
sec-Butylbenzene	<1.0	ug/L	<1.0		09/16/2002			4633	mrh	SW 8260B
n-Butylbenzene	<1.0	ug/L	<1.0		09/16/2002			4633	mrh	SW 8260B
Bromochloromethane	<1.0	ug/L	<1.0		09/16/2002			4633	mrh	SW 8260B
Bromodichloromethane	<1.0	ug/L	<1.0		09/16/2002			4633	mrh	SW 8260B
Bromoform	<1.0	ug/L	<1.0		09/16/2002			4633	mrh	SW 8260B
Bromobenzene	<1.0	ug/L	<1.0		09/16/2002			4633	mrh	SW 8260B
2-Butanone (MEK)	<12.5	ug/L	<12.5		09/16/2002			4633	mrh	SW 8260B
Carbon disulfide	<1.0	ug/L	<1.0		09/16/2002			4633	mrh	SW 8260B
Carbon tetrachloride	<1.0	ug/L	<1.0		09/16/2002			4633	mrh	SW 8260B
Chlorobenzene	<1.0	ug/L	<1.0		09/16/2002			4633	mrh	SW 8260B
Chloroethane	<5.0	ug/L	<5.0		09/16/2002			4633	mrh	SW 8260B
2-Chlorotoluene	<1.0	ug/L	<1.0		09/16/2002			4633	mrh	SW 8260B
4-Chlorotoluene	<1.0	ug/L	<1.0		09/16/2002			4633	mrh	SW 8260B
Chloroform	<1.0	ug/L	<1.0		09/16/2002			4633	mrh	SW 8260B
Chloromethane	<5.0	ug/L	<5.0		09/16/2002			4633	mrh	SW 8260B
Dibromochloromethane	<1.0	ug/L	<1.0		09/16/2002			4633	mrh	SW 8260B
Dibromomethane	<1.0	ug/L	<1.0		09/16/2002			4633	mrh	SW 8260B
Dichlorodifluoromethane	<1.0	ug/L	<1.0		09/16/2002			4633	mrh	SW 8260B
1,2-Dibromo-3-chloropropane	<5.0	ug/L	<5.0		09/16/2002			4633	mrh	SW 8260B
1,2-Dichlorobenzene	<1.0	ug/L	<1.0		09/16/2002			4633	mrh	SW 8260B
1,3-Dichlorobenzene	<1.0	ug/L	<1.0		09/16/2002			4633	mrh	SW 8260B
1,4-Dichlorobenzene	<1.0	ug/L	<1.0		09/16/2002			4633	mrh	SW 8260B

TestAmerica, Incorporated

PAGE 8 of 38

ANALYTICAL REPORT

Kevin Wildman
 HULL & ASSOC. (Dublin)
 6130 Wilcox Rd.
 Dublin, OH 43016

09/18/2002

Job Number: 02.18521

Client Project ID: SBI013

SAMPLE NO. 788499 **SAMPLE DESCRIPTION** SBI013:FB1:091102:412 **DATE/TIME TAKEN** 09/11/2002 10:30

	Result	Units	Reporting Limit	Flag	Date Analyzed	Time Analyzed	Prep Batch	Run Batch	Anal. Init.	Method Reference
1,1-Dichloroethane	<1.0	ug/L	<1.0		09/16/2002		4633	mrh	SW	8260B
1,2-Dichloroethane	<1.0	ug/L	<1.0		09/16/2002		4633	mrh	SW	8260B
1,1-Dichloroethene	<1.0	ug/L	<1.0		09/16/2002		4633	mrh	SW	8260B
cis-1,2-Dichloroethene	<1.0	ug/L	<1.0		09/16/2002		4633	mrh	SW	8260B
trans-1,2-Dichloroethene	<1.0	ug/L	<1.0		09/16/2002		4633	mrh	SW	8260B
1,2-Dichloropropane	<1.0	ug/L	<1.0		09/16/2002		4633	mrh	SW	8260B
1,3-Dichloropropane	<1.0	ug/L	<1.0		09/16/2002		4633	mrh	SW	8260B
2,2-Dichloropropane	<1.0	ug/L	<1.0		09/16/2002		4633	mrh	SW	8260B
1,1-Dichloropropene	<1.0	ug/L	<1.0		09/16/2002		4633	mrh	SW	8260B
cis-1,3-Dichloropropene	<1.0	ug/L	<1.0		09/16/2002		4633	mrh	SW	8260B
trans-1,3-Dichloropropene	<1.0	ug/L	<1.0		09/16/2002		4633	mrh	SW	8260B
Ethylbenzene	<1.0	ug/L	<1.0		09/16/2002		4633	mrh	SW	8260B
Hexachlorobutadiene	<5.0	ug/L	<5.0		09/16/2002		4633	mrh	SW	8260B
n-Hexane	<5.0	ug/L	<5.0		09/16/2002		4633	mrh	SW	8260B
2-Hexanone	<12.5	ug/L	<12.5		09/16/2002		4633	mrh	SW	8260B
Isopropylbenzene (Cumene)	<1.0	ug/L	<1.0		09/16/2002		4633	mrh	SW	8260B
p-Isopropyltoluene	<1.0	ug/L	<1.0		09/16/2002		4633	mrh	SW	8260B
Bromomethane	<5.0	ug/L	<5.0		09/16/2002		4633	mrh	SW	8260B
Methylene Chloride	<5.0	ug/L	<5.0		09/16/2002		4633	mrh	SW	8260B
Methyl t-butyl ether (MTBE)	<5.0	ug/L	<5.0		09/16/2002		4633	mrh	SW	8260B
4-Methyl-2-pentanone (MIBK)	<12.5	ug/L	<12.5		09/16/2002		4633	mrh	SW	8260B
n-Propylbenzene	<1.0	ug/L	<1.0		09/16/2002		4633	mrh	SW	8260B
Styrene	<1.0	ug/L	<1.0		09/16/2002		4633	mrh	SW	8260B
Naphthalene	<5.0	ug/L	<5.0		09/16/2002		4633	mrh	SW	8260B
1,1,1,2-Tetrachloroethane	<1.0	ug/L	<1.0		09/16/2002		4633	mrh	SW	8260B
1,1,2,2-Tetrachloroethane	<1.0	ug/L	<1.0		09/16/2002		4633	mrh	SW	8260B
Tetrachloroethene	<1.0	ug/L	<1.0		09/16/2002		4633	mrh	SW	8260B
Toluene	<1.0	ug/L	<1.0		09/16/2002		4633	mrh	SW	8260B
1,2,4-Trichlorobenzene	<5.0	ug/L	<5.0		09/16/2002		4633	mrh	SW	8260B
1,1,1-Trichloroethane	<1.0	ug/L	<1.0		09/16/2002		4633	mrh	SW	8260B
1,1,2-Trichloroethane	<1.0	ug/L	<1.0		09/16/2002		4633	mrh	SW	8260B
Trichloroethene	<1.0	ug/L	<1.0		09/16/2002		4633	mrh	SW	8260B

TestAmerica, Incorporated

PAGE 9 of 38

ANALYTICAL REPORT

Kevin Wildman
 HULL & ASSOC. (Dublin)
 6130 Wilcox Rd.
 Dublin, OH 43016

09/18/2002

Job Number: 02.18521

Client Project ID: SBI013

SAMPLE NO. 788499 **SAMPLE DESCRIPTION** SBI013:FB1:091102:412 **DATE/TIME TAKEN** 09/11/2002 10:30

	Result	Units	Reporting		Date Analyzed	Time Analyzed	Prep Batch	Run Batch	Anal.	
			Limit	Flag					Init.	Method Reference
Trichlorofluoromethane	<1.0	ug/L	<1.0		09/16/2002		4633	mrh	SW	8260B
1,2,3-Trichloropropane	<5.0	ug/L	<5.0		09/16/2002		4633	mrh	SW	8260B
1,2,4-Trimethylbenzene	<1.0	ug/L	<1.0		09/16/2002		4633	mrh	SW	8260B
1,3,5-Trimethylbenzene	<1.0	ug/L	<1.0		09/16/2002		4633	mrh	SW	8260B
Vinyl Acetate	<5.0	ug/L	<5.0		09/16/2002		4633	mrh	SW	8260B
Vinyl Chloride	<1.0	ug/L	<1.0		09/16/2002		4633	mrh	SW	8260B
Xylenes	<1.0	ug/L	<1.0		09/16/2002		4633	mrh	SW	8260B
d4-1,2-Dichloroethane (surr)	107	%	80-120		09/16/2002		4633	mrh	SW	8260B
Dibromofluoromethane (surr)	104	%	86-118		09/16/2002		4633	mrh	SW	8260B
d8-Toluene (surr)	99	%	88-110		09/16/2002		4633	mrh	SW	8260B
Bromofluorobenzene (surr)	101	%	86-115		09/16/2002		4633	mrh	SW	8260B

SAMPLE NO. 788500 **SAMPLE DESCRIPTION** SBI013:ATW10d:091102:412 **DATE/TIME TAKEN** 09/11/2002 11:40

	Result	Units	Reporting		Date Analyzed	Time Analyzed	Prep Batch	Run Batch	Anal.	
			Limit	Flag					Init.	Method Reference
ICPMS TOTAL METALS	Complete		Complete		09/16/2002	19:24		3322	ekh	SW 6020
Arsenic, ICPMS	0.0217	mg/L	<0.0050		09/16/2002	19:24	2233	4597	ekh	SW 6020
Lead, ICPMS	0.0568	mg/L	<0.0010		09/16/2002	19:24	2233	4563	ekh	SW 6020
Metals Digestion, ICPMS	Complete		Complete		09/16/2002	09:00	2233		jlr	SW 3010A
VOLATILE COMPOUNDS - 8260 (AQ)										
8260 - SW846 (AQ)	Complete		Complete		09/18/2002			4642	mrh	
Acetone	<20.0	ug/L	<20.0		09/18/2002			4642	mrh	SW 8260B
Benzene	<1.0	ug/L	<1.0		09/18/2002			4642	mrh	SW 8260B
tert-Butylbenzene	<1.0	ug/L	<1.0		09/18/2002			4642	mrh	SW 8260B
sec-Butylbenzene	3.9	ug/L	<1.0		09/18/2002			4642	mrh	SW 8260B

TestAmerica, Incorporated

PAGE 10 of 38

ANALYTICAL REPORT

Kevin Wildman
 HULL & ASSOC. (Dublin)
 6130 Wilcox Rd.
 Dublin, OH 43016

09/18/2002

Job Number: 02.18521

Client Project ID: SBI013

SAMPLE NO. 788500 **SAMPLE DESCRIPTION** SBI013:ATW10d:091102:412 **DATE/TIME TAKEN** 09/11/2002 11:40

	Result	Units	Reporting		Date Analyzed	Time Analyzed	Prep Batch	Run Batch	Anal.	
			Limit	Flag					Init. Method	Reference
n-Butylbenzene	<1.0	ug/L	<1.0		09/18/2002		4642	mrh	SW	8260B
Bromochloromethane	<1.0	ug/L	<1.0		09/18/2002		4642	mrh	SW	8260B
Bromodichloromethane	<1.0	ug/L	<1.0		09/18/2002		4642	mrh	SW	8260B
Bromoform	<1.0	ug/L	<1.0		09/18/2002		4642	mrh	SW	8260B
Bromobenzene	<1.0	ug/L	<1.0		09/18/2002		4642	mrh	SW	8260B
2-Butanone (MEK)	<12.5	ug/L	<12.5		09/18/2002		4642	mrh	SW	8260B
Carbon disulfide	<1.0	ug/L	<1.0		09/18/2002		4642	mrh	SW	8260B
Carbon tetrachloride	<1.0	ug/L	<1.0		09/18/2002		4642	mrh	SW	8260B
Chlorobenzene	<1.0	ug/L	<1.0		09/18/2002		4642	mrh	SW	8260B
Chloroethane	<5.0	ug/L	<5.0		09/18/2002		4642	mrh	SW	8260B
2-Chlorotoluene	<1.0	ug/L	<1.0		09/18/2002		4642	mrh	SW	8260B
4-Chlorotoluene	<1.0	ug/L	<1.0		09/18/2002		4642	mrh	SW	8260B
Chloroform	<1.0	ug/L	<1.0		09/18/2002		4642	mrh	SW	8260B
Chloromethane	<5.0	ug/L	<5.0		09/18/2002		4642	mrh	SW	8260B
Dibromochloromethane	<1.0	ug/L	<1.0		09/18/2002		4642	mrh	SW	8260B
Dibromomethane	<1.0	ug/L	<1.0		09/18/2002		4642	mrh	SW	8260B
Dichlorodifluoromethane	<1.0	ug/L	<1.0		09/18/2002		4642	mrh	SW	8260B
1,2-Dibromo-3-chloropropane	<5.0	ug/L	<5.0		09/18/2002		4642	mrh	SW	8260B
1,2-Dichlorobenzene	<1.0	ug/L	<1.0		09/18/2002		4642	mrh	SW	8260B
1,3-Dichlorobenzene	<1.0	ug/L	<1.0		09/18/2002		4642	mrh	SW	8260B
1,4-Dichlorobenzene	<1.0	ug/L	<1.0		09/18/2002		4642	mrh	SW	8260B
1,1-Dichloroethane	<1.0	ug/L	<1.0		09/18/2002		4642	mrh	SW	8260B
1,2-Dichloroethane	<1.0	ug/L	<1.0		09/18/2002		4642	mrh	SW	8260B
1,1-Dichloroethene	<1.0	ug/L	<1.0		09/18/2002		4642	mrh	SW	8260B
cis-1,2-Dichloroethene	<1.0	ug/L	<1.0		09/18/2002		4642	mrh	SW	8260B
trans-1,2-Dichloroethene	<1.0	ug/L	<1.0		09/18/2002		4642	mrh	SW	8260B
1,2-Dichloropropane	<1.0	ug/L	<1.0		09/18/2002		4642	mrh	SW	8260B
1,3-Dichloropropane	<1.0	ug/L	<1.0		09/18/2002		4642	mrh	SW	8260B
2,2-Dichloropropane	<1.0	ug/L	<1.0		09/18/2002		4642	mrh	SW	8260B
1,1-Dichloropropene	<1.0	ug/L	<1.0		09/18/2002		4642	mrh	SW	8260B
cis-1,3-Dichloropropene	<1.0	ug/L	<1.0		09/18/2002		4642	mrh	SW	8260B
trans-1,3-Dichloropropene	<1.0	ug/L	<1.0		09/18/2002		4642	mrh	SW	8260B

TestAmerica, Incorporated

PAGE 11 of 38

ANALYTICAL REPORT

Kevin Wildman
 HULL & ASSOC. (Dublin)
 6130 Wilcox Rd.
 Dublin, OH 43016

09/18/2002

Job Number: 02.18521

Client Project ID: SBI013

SAMPLE NO. 788500 **SAMPLE DESCRIPTION** SBI013:ATW10d:091102:412 **DATE/TIME TAKEN** 09/11/2002 11:40

	Result		Reporting		Date	Time	Prep	Run	Anal.	Reference
	Units	Limit	Flag	Analyzed	Analyzed	Batch	Batch	Init. Method		
Ethylbenzene	<1.0	ug/L	<1.0		09/18/2002		4642	mrh	SW 8260B	
Hexachlorobutadiene	<5.0	ug/L	<5.0		09/18/2002		4642	mrh	SW 8260B	
n-Hexane	<5.0	ug/L	<5.0		09/18/2002		4642	mrh	SW 8260B	
2-Hexanone	<12.5	ug/L	<12.5		09/18/2002		4642	mrh	SW 8260B	
Isopropylbenzene (Cumene)	1.8	ug/L	<1.0		09/18/2002		4642	mrh	SW 8260B	
p-Isopropyltoluene	<1.0	ug/L	<1.0		09/18/2002		4642	mrh	SW 8260B	
Bromomethane	<5.0	ug/L	<5.0		09/18/2002		4642	mrh	SW 8260B	
Methylene Chloride	<5.0	ug/L	<5.0		09/18/2002		4642	mrh	SW 8260B	
Methyl t-butyl ether (MTBE)	<5.0	ug/L	<5.0		09/18/2002		4642	mrh	SW 8260B	
4-Methyl-2-pentanone (MIBK)	<12.5	ug/L	<12.5		09/18/2002		4642	mrh	SW 8260B	
n-Propylbenzene	<1.0	ug/L	<1.0		09/18/2002		4642	mrh	SW 8260B	
Styrene	<1.0	ug/L	<1.0		09/18/2002		4642	mrh	SW 8260B	
Naphthalene	<5.0	ug/L	<5.0		09/18/2002		4642	mrh	SW 8260B	
1,1,1,2-Tetrachloroethane	<1.0	ug/L	<1.0		09/18/2002		4642	mrh	SW 8260B	
1,1,2,2-Tetrachloroethane	<1.0	ug/L	<1.0		09/18/2002		4642	mrh	SW 8260B	
Tetrachloroethene	<1.0	ug/L	<1.0		09/18/2002		4642	mrh	SW 8260B	
Toluene	<1.0	ug/L	<1.0		09/18/2002		4642	mrh	SW 8260B	
1,2,4-Trichlorobenzene	<5.0	ug/L	<5.0		09/18/2002		4642	mrh	SW 8260B	
1,1,1-Trichloroethane	<1.0	ug/L	<1.0		09/18/2002		4642	mrh	SW 8260B	
1,1,2-Trichloroethane	<1.0	ug/L	<1.0		09/18/2002		4642	mrh	SW 8260B	
Trichloroethene	<1.0	ug/L	<1.0		09/18/2002		4642	mrh	SW 8260B	
Trichlorofluoromethane	<1.0	ug/L	<1.0		09/18/2002		4642	mrh	SW 8260B	
1,2,3-Trichloropropane	<5.0	ug/L	<5.0		09/18/2002		4642	mrh	SW 8260B	
1,2,4-Trimethylbenzene	<1.0	ug/L	<1.0		09/18/2002		4642	mrh	SW 8260B	
1,3,5-Trimethylbenzene	<1.0	ug/L	<1.0		09/18/2002		4642	mrh	SW 8260B	
Vinyl Acetate	<5.0	ug/L	<5.0		09/18/2002		4642	mrh	SW 8260B	
Vinyl Chloride	<1.0	ug/L	<1.0		09/18/2002		4642	mrh	SW 8260B	
Xylenes	<1.0	ug/L	<1.0		09/18/2002		4642	mrh	SW 8260B	
d4-1,2-Dichloroethane (surr)	100	%	80-120		09/18/2002		4642	mrh	SW 8260B	
Dibromofluoromethane (surr)	101	%	86-118		09/18/2002		4642	mrh	SW 8260B	
d8-Toluene (surr)	99	%	88-110		09/18/2002		4642	mrh	SW 8260B	
Bromofluorobenzene (surr)	103	%	86-115		09/18/2002		4642	mrh	SW 8260B	

TestAmerica, Incorporated

PAGE 12 of 38

ANALYTICAL REPORT

Kevin Wildman
 HULL & ASSOC. (Dublin)
 6130 Wilcox Rd.
 Dublin, OH 43016

09/18/2002

Job Number: 02.18521

Client Project ID: SBI013

SAMPLE NO.	SAMPLE DESCRIPTION	DATE/TIME TAKEN
788501	SBI013:ATW10s:091102:412	09/11/2002 12:00

	Result	Units	Reporting Limit	Flag	Date Analyzed	Time Analyzed	Prep Batch	Run Batch	Anal. Init.	Method Reference
ICPMS TOTAL METALS	Complete		Complete		09/16/2002	19:29		3322	ekh	SW 6020
Arsenic, ICPMS	0.0181	mg/L	<0.0050		09/16/2002	19:29	2233	4597	ekh	SW 6020
Lead, ICPMS	0.0165	mg/L	<0.0010		09/16/2002	19:29	2233	4563	ekh	SW 6020
Metals Digestion, ICPMS	Complete		Complete		09/16/2002	09:00	2233		jlr	SW 3010A
VOLATILE COMPOUNDS - 8260 (AQ)										
8260 - SW846 (AQ)	Complete		Complete		09/14/2002			4628	mrh	
Acetone	<20.0	ug/L	<20.0		09/14/2002			4628	mrh	SW 8260B
Benzene	<1.0	ug/L	<1.0		09/14/2002			4628	mrh	SW 8260B
tert-Butylbenzene	<1.0	ug/L	<1.0		09/14/2002			4628	mrh	SW 8260B
sec-Butylbenzene	3.5	ug/L	<1.0		09/14/2002			4628	mrh	SW 8260B
n-Butylbenzene	<1.0	ug/L	<1.0		09/14/2002			4628	mrh	SW 8260B
Bromochloromethane	<1.0	ug/L	<1.0		09/14/2002			4628	mrh	SW 8260B
Bromodichloromethane	<1.0	ug/L	<1.0		09/14/2002			4628	mrh	SW 8260B
Bromoform	<1.0	ug/L	<1.0		09/14/2002			4628	mrh	SW 8260B
Bromobenzene	<1.0	ug/L	<1.0		09/14/2002			4628	mrh	SW 8260B
2-Butanone (MEK)	<12.5	ug/L	<12.5		09/14/2002			4628	mrh	SW 8260B
Carbon disulfide	<1.0	ug/L	<1.0		09/14/2002			4628	mrh	SW 8260B
Carbon tetrachloride	<1.0	ug/L	<1.0		09/14/2002			4628	mrh	SW 8260B
Chlorobenzene	<1.0	ug/L	<1.0		09/14/2002			4628	mrh	SW 8260B
Chloroethane	<5.0	ug/L	<5.0		09/14/2002			4628	mrh	SW 8260B
2-Chlorotoluene	<1.0	ug/L	<1.0		09/14/2002			4628	mrh	SW 8260B
4-Chlorotoluene	<1.0	ug/L	<1.0		09/14/2002			4628	mrh	SW 8260B
Chloroform	<1.0	ug/L	<1.0		09/14/2002			4628	mrh	SW 8260B
Chloromethane	<5.0	ug/L	<5.0		09/14/2002			4628	mrh	SW 8260B
Dibromochloromethane	<1.0	ug/L	<1.0		09/14/2002			4628	mrh	SW 8260B
Dibromomethane	<1.0	ug/L	<1.0		09/14/2002			4628	mrh	SW 8260B
Dichlorodifluoromethane	<1.0	ug/L	<1.0		09/14/2002			4628	mrh	SW 8260B
1,2-Dibromo-3-chloropropane	<5.0	ug/L	<5.0		09/14/2002			4628	mrh	SW 8260B
1,2-Dichlorobenzene	<1.0	ug/L	<1.0		09/14/2002			4628	mrh	SW 8260B
1,3-Dichlorobenzene	<1.0	ug/L	<1.0		09/14/2002			4628	mrh	SW 8260B
1,4-Dichlorobenzene	<1.0	ug/L	<1.0		09/14/2002			4628	mrh	SW 8260B

TestAmerica, Incorporated

PAGE 13 of 38

ANALYTICAL REPORT

Kevin Wildman
 HULL & ASSOC. (Dublin)
 6130 Wilcox Rd.
 Dublin, OH 43016

09/18/2002

Job Number: 02.18521

Client Project ID: SBI013

SAMPLE NO. **SAMPLE DESCRIPTION** **DATE/TIME TAKEN**
 788501 SBI013:ATW10s:091102:412 09/11/2002 12:00

	Result	Units	Reporting		Date Analyzed	Time Analyzed	Prep Batch	Run Batch	Anal.		Reference
			Limit	Flag					Init.	Method	
1,1-Dichloroethane	<1.0	ug/L	<1.0		09/14/2002		4628	mrh	SW	8260B	
1,2-Dichloroethane	<1.0	ug/L	<1.0		09/14/2002		4628	mrh	SW	8260B	
1,1-Dichloroethene	<1.0	ug/L	<1.0		09/14/2002		4628	mrh	SW	8260B	
cis-1,2-Dichloroethene	<1.0	ug/L	<1.0		09/14/2002		4628	mrh	SW	8260B	
trans-1,2-Dichloroethene	<1.0	ug/L	<1.0		09/14/2002		4628	mrh	SW	8260B	
1,2-Dichloropropane	<1.0	ug/L	<1.0		09/14/2002		4628	mrh	SW	8260B	
1,3-Dichloropropane	<1.0	ug/L	<1.0		09/14/2002		4628	mrh	SW	8260B	
2,2-Dichloropropane	<1.0	ug/L	<1.0		09/14/2002		4628	mrh	SW	8260B	
1,1-Dichloropropene	<1.0	ug/L	<1.0		09/14/2002		4628	mrh	SW	8260B	
cis-1,3-Dichloropropene	<1.0	ug/L	<1.0		09/14/2002		4628	mrh	SW	8260B	
trans-1,3-Dichloropropene	<1.0	ug/L	<1.0		09/14/2002		4628	mrh	SW	8260B	
Ethylbenzene	<1.0	ug/L	<1.0		09/14/2002		4628	mrh	SW	8260B	
Hexachlorobutadiene	<5.0	ug/L	<5.0		09/14/2002		4628	mrh	SW	8260B	
n-Hexane	<5.0	ug/L	<5.0		09/14/2002		4628	mrh	SW	8260B	
2-Hexanone	<12.5	ug/L	<12.5		09/14/2002		4628	mrh	SW	8260B	
Isopropylbenzene (Cumene)	1.9	ug/L	<1.0		09/14/2002		4628	mrh	SW	8260B	
p-Isopropyltoluene	<1.0	ug/L	<1.0		09/14/2002		4628	mrh	SW	8260B	
Bromomethane	<5.0	ug/L	<5.0		09/14/2002		4628	mrh	SW	8260B	
Methylene Chloride	<5.0	ug/L	<5.0		09/14/2002		4628	mrh	SW	8260B	
Methyl t-butyl ether (MTBE)	<5.0	ug/L	<5.0		09/14/2002		4628	mrh	SW	8260B	
4-Methyl-2-pentanone (MIBK)	<12.5	ug/L	<12.5		09/14/2002		4628	mrh	SW	8260B	
n-Propylbenzene	<1.0	ug/L	<1.0		09/14/2002		4628	mrh	SW	8260B	
Styrene	<1.0	ug/L	<1.0		09/14/2002		4628	mrh	SW	8260B	
Naphthalene	<5.0	ug/L	<5.0		09/14/2002		4628	mrh	SW	8260B	
1,1,1,2-Tetrachloroethane	<1.0	ug/L	<1.0		09/14/2002		4628	mrh	SW	8260B	
1,1,1,2,2-Tetrachloroethane	<1.0	ug/L	<1.0		09/14/2002		4628	mrh	SW	8260B	
Tetrachloroethene	<1.0	ug/L	<1.0		09/14/2002		4628	mrh	SW	8260B	
Toluene	<1.0	ug/L	<1.0		09/14/2002		4628	mrh	SW	8260B	
1,2,4-Trichlorobenzene	<5.0	ug/L	<5.0		09/14/2002		4628	mrh	SW	8260B	
1,1,1-Trichloroethane	<1.0	ug/L	<1.0		09/14/2002		4628	mrh	SW	8260B	
1,1,2-Trichloroethane	<1.0	ug/L	<1.0		09/14/2002		4628	mrh	SW	8260B	
Trichloroethene	<1.0	ug/L	<1.0		09/14/2002		4628	mrh	SW	8260B	

TestAmerica, Incorporated

PAGE 14 of 38

ANALYTICAL REPORT

Kevin Wildman
 HULL & ASSOC. (Dublin)
 6130 Wilcox Rd.
 Dublin, OH 43016

09/18/2002

Job Number: 02.18521

Client Project ID: SBI013

SAMPLE NO. 788501 **SAMPLE DESCRIPTION** SBI013:ATW10s:091102:412 **DATE/TIME TAKEN** 09/11/2002 12:00

	Result	Units	Reporting		Date	Time	Prep	Run	Anal.	
			Limit	Flag	Analyzed	Analyzed	Batch	Batch	Init.	Method Reference
Trichlorofluoromethane	<1.0	ug/L	<1.0		09/14/2002		4628	mrh	SW	8260B
1,2,3-Trichloropropane	<5.0	ug/L	<5.0		09/14/2002		4628	mrh	SW	8260B
1,2,4-Trimethylbenzene	<1.0	ug/L	<1.0		09/14/2002		4628	mrh	SW	8260B
1,3,5-Trimethylbenzene	<1.0	ug/L	<1.0		09/14/2002		4628	mrh	SW	8260B
Vinyl Acetate	<5.0	ug/L	<5.0		09/14/2002		4628	mrh	SW	8260B
Vinyl Chloride	<1.0	ug/L	<1.0		09/14/2002		4628	mrh	SW	8260B
Xylenes	<1.0	ug/L	<1.0		09/14/2002		4628	mrh	SW	8260B
d4-1,2-Dichloroethane (surr)	105	%	80-120		09/14/2002		4628	mrh	SW	8260B
Dibromofluoromethane (surr)	103	%	86-118		09/14/2002		4628	mrh	SW	8260B
d8-Toluene (surr)	101	%	88-110		09/14/2002		4628	mrh	SW	8260B
Bromofluorobenzene (surr)	99	%	86-115		09/14/2002		4628	mrh	SW	8260B

SAMPLE NO. 788502 **SAMPLE DESCRIPTION** SBI013:ATW11d:091102:412 **DATE/TIME TAKEN** 09/11/2002 13:30

	Result	Units	Reporting		Date	Time	Prep	Run	Anal.	
			Limit	Flag	Analyzed	Analyzed	Batch	Batch	Init.	Method Reference
ICPMS TOTAL METALS	Complete		Complete		09/16/2002	20:49		3322	ekh	SW 6020
Arsenic, ICPMS	0.136	mg/L	<0.0050		09/16/2002	20:49	2233	4597	ekh	SW 6020
Lead, ICPMS	0.264	mg/L	<0.0010		09/16/2002	20:49	2233	4563	ekh	SW 6020
Metals Digestion, ICPMS	Complete		Complete		09/16/2002	09:00	2233		jlr	SW 3010A
VOLATILE COMPOUNDS - 8260 (AQ)										
8260 - SW846 (AQ)	Complete		Complete		09/18/2002			4642	mrh	
Acetone	<20.0	ug/L	<20.0		09/18/2002			4642	mrh	SW 8260B
Benzene	<1.0	ug/L	<1.0		09/18/2002			4642	mrh	SW 8260B
tert-Butylbenzene	<1.0	ug/L	<1.0		09/18/2002			4642	mrh	SW 8260B
sec-Butylbenzene	<1.0	ug/L	<1.0		09/18/2002			4642	mrh	SW 8260B

TestAmerica, Incorporated

PAGE 15 of 38

ANALYTICAL REPORT

Kevin Wildman
HULL & ASSOC. (Dublin)
6130 Wilcox Rd.
Dublin, OH 43016

09/18/2002

Job Number: 02.18521

Client Project ID: SBI013

SAMPLE NO. 788502 **SAMPLE DESCRIPTION** SBI013:ATW11d:091102:412 **DATE/TIME TAKEN** 09/11/2002 13:30

	Result		Reporting		Date	Time	Prep	Run	Anal.	Reference
	Units	Limit	Flag	Analyzed	Analyzed	Batch	Batch	Init. Method		
n-Butylbenzene	<1.0	ug/L	<1.0		09/18/2002		4642	mrh	SW 8260B	
Bromochloromethane	<1.0	ug/L	<1.0		09/18/2002		4642	mrh	SW 8260B	
Bromodichloromethane	<1.0	ug/L	<1.0		09/18/2002		4642	mrh	SW 8260B	
Bromoform	<1.0	ug/L	<1.0		09/18/2002		4642	mrh	SW 8260B	
Bromobenzene	<1.0	ug/L	<1.0		09/18/2002		4642	mrh	SW 8260B	
2-Butanone (MEK)	<12.5	ug/L	<12.5		09/18/2002		4642	mrh	SW 8260B	
Carbon disulfide	<1.0	ug/L	<1.0		09/18/2002		4642	mrh	SW 8260B	
Carbon tetrachloride	<1.0	ug/L	<1.0		09/18/2002		4642	mrh	SW 8260B	
Chlorobenzene	<1.0	ug/L	<1.0		09/18/2002		4642	mrh	SW 8260B	
Chloroethane	<5.0	ug/L	<5.0		09/18/2002		4642	mrh	SW 8260B	
2-Chlorotoluene	<1.0	ug/L	<1.0		09/18/2002		4642	mrh	SW 8260B	
4-Chlorotoluene	<1.0	ug/L	<1.0		09/18/2002		4642	mrh	SW 8260B	
Chloroform	<1.0	ug/L	<1.0		09/18/2002		4642	mrh	SW 8260B	
Chloromethane	<5.0	ug/L	<5.0		09/18/2002		4642	mrh	SW 8260B	
Dibromochloromethane	<1.0	ug/L	<1.0		09/18/2002		4642	mrh	SW 8260B	
Dibromomethane	<1.0	ug/L	<1.0		09/18/2002		4642	mrh	SW 8260B	
Dichlorodifluoromethane	<1.0	ug/L	<1.0		09/18/2002		4642	mrh	SW 8260B	
1,2-Dibromo-3-chloropropane	<5.0	ug/L	<5.0		09/18/2002		4642	mrh	SW 8260B	
1,2-Dichlorobenzene	<1.0	ug/L	<1.0		09/18/2002		4642	mrh	SW 8260B	
1,3-Dichlorobenzene	<1.0	ug/L	<1.0		09/18/2002		4642	mrh	SW 8260B	
1,4-Dichlorobenzene	<1.0	ug/L	<1.0		09/18/2002		4642	mrh	SW 8260B	
1,1-Dichloroethane	<1.0	ug/L	<1.0		09/18/2002		4642	mrh	SW 8260B	
1,2-Dichloroethane	<1.0	ug/L	<1.0		09/18/2002		4642	mrh	SW 8260B	
1,1-Dichloroethene	<1.0	ug/L	<1.0		09/18/2002		4642	mrh	SW 8260B	
cis-1,2-Dichloroethene	2.5	ug/L	<1.0		09/18/2002		4642	mrh	SW 8260B	
trans-1,2-Dichloroethene	<1.0	ug/L	<1.0		09/18/2002		4642	mrh	SW 8260B	
1,2-Dichloropropane	<1.0	ug/L	<1.0		09/18/2002		4642	mrh	SW 8260B	
1,3-Dichloropropane	<1.0	ug/L	<1.0		09/18/2002		4642	mrh	SW 8260B	
2,2-Dichloropropane	<1.0	ug/L	<1.0		09/18/2002		4642	mrh	SW 8260B	
1,1-Dichloropropene	<1.0	ug/L	<1.0		09/18/2002		4642	mrh	SW 8260B	
cis-1,3-Dichloropropene	<1.0	ug/L	<1.0		09/18/2002		4642	mrh	SW 8260B	
trans-1,3-Dichloropropene	<1.0	ug/L	<1.0		09/18/2002		4642	mrh	SW 8260B	

TestAmerica, Incorporated

PAGE 16 of 38

ANALYTICAL REPORT

Kevin Wildman
HULL & ASSOC. (Dublin)
6130 Wilcox Rd.
Dublin, OH 43016

09/18/2002

Job Number: 02.18521

Client Project ID: SBI013

SAMPLE NO. 788502 **SAMPLE DESCRIPTION** SBI013:ATW11d:091102:412 **DATE/TIME TAKEN** 09/11/2002 13:30

	Result		Reporting		Date	Time	Prep	Run	Anal.	
	Units	Limit	Flag	Analyzed	Analyzed	Batch	Batch	Init.	Method	Reference
Ethylbenzene	<1.0	ug/L	<1.0		09/18/2002		4642	mrh	SW	8260B
Hexachlorobutadiene	<5.0	ug/L	<5.0		09/18/2002		4642	mrh	SW	8260B
n-Hexane	<5.0	ug/L	<5.0		09/18/2002		4642	mrh	SW	8260B
2-Hexanone	<12.5	ug/L	<12.5		09/18/2002		4642	mrh	SW	8260B
Isopropylbenzene (Cumene)	<1.0	ug/L	<1.0		09/18/2002		4642	mrh	SW	8260B
p-Isopropyltoluene	<1.0	ug/L	<1.0		09/18/2002		4642	mrh	SW	8260B
Bromomethane	<5.0	ug/L	<5.0		09/18/2002		4642	mrh	SW	8260B
Methylene Chloride	<5.0	ug/L	<5.0		09/18/2002		4642	mrh	SW	8260B
Methyl t-butyl ether (MTBE)	<5.0	ug/L	<5.0		09/18/2002		4642	mrh	SW	8260B
4-Methyl-2-pentanone (MIBK)	<12.5	ug/L	<12.5		09/18/2002		4642	mrh	SW	8260B
n-Propylbenzene	<1.0	ug/L	<1.0		09/18/2002		4642	mrh	SW	8260B
Styrene	<1.0	ug/L	<1.0		09/18/2002		4642	mrh	SW	8260B
Naphthalene	<5.0	ug/L	<5.0		09/18/2002		4642	mrh	SW	8260B
1,1,1,2-Tetrachloroethane	<1.0	ug/L	<1.0		09/18/2002		4642	mrh	SW	8260B
1,1,2,2-Tetrachloroethane	<1.0	ug/L	<1.0		09/18/2002		4642	mrh	SW	8260B
Tetrachloroethene	1.1	ug/L	<1.0		09/18/2002		4642	mrh	SW	8260B
Toluene	<1.0	ug/L	<1.0		09/18/2002		4642	mrh	SW	8260B
1,2,4-Trichlorobenzene	<5.0	ug/L	<5.0		09/18/2002		4642	mrh	SW	8260B
1,1,1-Trichloroethane	<1.0	ug/L	<1.0		09/18/2002		4642	mrh	SW	8260B
1,1,2-Trichloroethane	<1.0	ug/L	<1.0		09/18/2002		4642	mrh	SW	8260B
Trichloroethene	7.9	ug/L	<1.0		09/18/2002		4642	mrh	SW	8260B
Trichlorofluoromethane	<1.0	ug/L	<1.0		09/18/2002		4642	mrh	SW	8260B
1,2,3-Trichloropropane	<5.0	ug/L	<5.0		09/18/2002		4642	mrh	SW	8260B
1,2,4-Trimethylbenzene	<1.0	ug/L	<1.0		09/18/2002		4642	mrh	SW	8260B
1,3,5-Trimethylbenzene	<1.0	ug/L	<1.0		09/18/2002		4642	mrh	SW	8260B
Vinyl Acetate	<5.0	ug/L	<5.0		09/18/2002		4642	mrh	SW	8260B
Vinyl Chloride	<1.0	ug/L	<1.0		09/18/2002		4642	mrh	SW	8260B
Xylenes	<1.0	ug/L	<1.0		09/18/2002		4642	mrh	SW	8260B
d4-1,2-Dichloroethane (surr)	101	%	80-120		09/18/2002		4642	mrh	SW	8260B
Dibromofluoromethane (surr)	102	%	86-118		09/18/2002		4642	mrh	SW	8260B
d8-Toluene (surr)	100	%	88-110		09/18/2002		4642	mrh	SW	8260B
Bromofluorobenzene (surr)	103	%	86-115		09/18/2002		4642	mrh	SW	8260B

TestAmerica, Incorporated

PAGE 17 of 38

ANALYTICAL REPORT

Kevin Wildman
 HULL & ASSOC. (Dublin)
 6130 Wilcox Rd.
 Dublin, OH 43016

09/18/2002

Job Number: 02.18521

Client Project ID: SBI013

SAMPLE NO. 788503 **SAMPLE DESCRIPTION** SBI013:ATW11s:091102:412 **DATE/TIME TAKEN** 09/11/2002 13:40

	Result	Units	Reporting Limit	Flag	Date Analyzed	Time Analyzed	Prep Batch	Run Batch	Anal. Init.	Method Reference
ICPMS TOTAL METALS										
Arsenic, ICPMS	0.0172	mg/L	<0.0050		09/16/2002	19:39	2233	4597	ekh	SW 6020
Lead, ICPMS	0.0379	mg/L	<0.0010		09/16/2002	19:39	2233	4563	ekh	SW 6020
Metals Digestion, ICPMS	Complete		Complete		09/16/2002	09:00	2233		jlr	SW 3010A
VOLATILE COMPOUNDS - 8260 (AQ)										
8260 - SW846 (AQ)	Complete		Complete		09/18/2002		4642		mrh	
Acetone	<20.0	ug/L	<20.0		09/18/2002		4642		mrh	SW 8260B
Benzene	<1.0	ug/L	<1.0		09/18/2002		4642		mrh	SW 8260B
tert-Butylbenzene	<1.0	ug/L	<1.0		09/18/2002		4642		mrh	SW 8260B
sec-Butylbenzene	<1.0	ug/L	<1.0		09/18/2002		4642		mrh	SW 8260B
n-Butylbenzene	<1.0	ug/L	<1.0		09/18/2002		4642		mrh	SW 8260B
Bromochloromethane	<1.0	ug/L	<1.0		09/18/2002		4642		mrh	SW 8260B
Bromodichloromethane	<1.0	ug/L	<1.0		09/18/2002		4642		mrh	SW 8260B
Bromoform	<1.0	ug/L	<1.0		09/18/2002		4642		mrh	SW 8260B
Bromobenzene	<1.0	ug/L	<1.0		09/18/2002		4642		mrh	SW 8260B
2-Butanone (MEK)	<12.5	ug/L	<12.5		09/18/2002		4642		mrh	SW 8260B
Carbon disulfide	<1.0	ug/L	<1.0		09/18/2002		4642		mrh	SW 8260B
Carbon tetrachloride	<1.0	ug/L	<1.0		09/18/2002		4642		mrh	SW 8260B
Chlorobenzene	<1.0	ug/L	<1.0		09/18/2002		4642		mrh	SW 8260B
Chloroethane	<5.0	ug/L	<5.0		09/18/2002		4642		mrh	SW 8260B
2-Chlorotoluene	<1.0	ug/L	<1.0		09/18/2002		4642		mrh	SW 8260B
4-Chlorotoluene	<1.0	ug/L	<1.0		09/18/2002		4642		mrh	SW 8260B
Chloroform	<1.0	ug/L	<1.0		09/18/2002		4642		mrh	SW 8260B
Chloromethane	<5.0	ug/L	<5.0		09/18/2002		4642		mrh	SW 8260B
Dibromochloromethane	<1.0	ug/L	<1.0		09/18/2002		4642		mrh	SW 8260B
Dibromomethane	<1.0	ug/L	<1.0		09/18/2002		4642		mrh	SW 8260B
Dichlorodifluoromethane	<1.0	ug/L	<1.0		09/18/2002		4642		mrh	SW 8260B
1,2-Dibromo-3-chloropropane	<5.0	ug/L	<5.0		09/18/2002		4642		mrh	SW 8260B
1,2-Dichlorobenzene	<1.0	ug/L	<1.0		09/18/2002		4642		mrh	SW 8260B
1,3-Dichlorobenzene	<1.0	ug/L	<1.0		09/18/2002		4642		mrh	SW 8260B
1,4-Dichlorobenzene	<1.0	ug/L	<1.0		09/18/2002		4642		mrh	SW 8260B

TestAmerica, Incorporated

PAGE 18 of 38

ANALYTICAL REPORT

Kevin Wildman
HULL & ASSOC. (Dublin)
6130 Wilcox Rd.
Dublin, OH 43016

09/18/2002

Job Number: 02.18521

Client Project ID: SBI013

SAMPLE NO. 788503 **SAMPLE DESCRIPTION** SBI013:ATW11s:091102:412 **DATE/TIME TAKEN** 09/11/2002 13:40

	Result		Reporting		Date	Time	Prep	Run	Anal.	
	Units	Limit	Flag	Analyzed	Analyzed	Batch	Batch	Init.	Method	Reference
1,1-Dichloroethane	<1.0	ug/L	<1.0		09/18/2002		4642	mrh	SW	8260B
1,2-Dichloroethane	<1.0	ug/L	<1.0		09/18/2002		4642	mrh	SW	8260B
1,1-Dichloroethene	<1.0	ug/L	<1.0		09/18/2002		4642	mrh	SW	8260B
cis-1,2-Dichloroethene	<1.0	ug/L	<1.0		09/18/2002		4642	mrh	SW	8260B
trans-1,2-Dichloroethene	<1.0	ug/L	<1.0		09/18/2002		4642	mrh	SW	8260B
1,2-Dichloropropane	<1.0	ug/L	<1.0		09/18/2002		4642	mrh	SW	8260B
1,3-Dichloropropane	<1.0	ug/L	<1.0		09/18/2002		4642	mrh	SW	8260B
2,2-Dichloropropane	<1.0	ug/L	<1.0		09/18/2002		4642	mrh	SW	8260B
1,1-Dichloropropene	<1.0	ug/L	<1.0		09/18/2002		4642	mrh	SW	8260B
cis-1,3-Dichloropropene	<1.0	ug/L	<1.0		09/18/2002		4642	mrh	SW	8260B
trans-1,3-Dichloropropene	<1.0	ug/L	<1.0		09/18/2002		4642	mrh	SW	8260B
Ethylbenzene	<1.0	ug/L	<1.0		09/18/2002		4642	mrh	SW	8260B
Hexachlorobutadiene	<5.0	ug/L	<5.0		09/18/2002		4642	mrh	SW	8260B
n-Hexane	<5.0	ug/L	<5.0		09/18/2002		4642	mrh	SW	8260B
2-Hexanone	<12.5	ug/L	<12.5		09/18/2002		4642	mrh	SW	8260B
Isopropylbenzene (Cumene)	<1.0	ug/L	<1.0		09/18/2002		4642	mrh	SW	8260B
p-Isopropyltoluene	<1.0	ug/L	<1.0		09/18/2002		4642	mrh	SW	8260B
Bromomethane	<5.0	ug/L	<5.0		09/18/2002		4642	mrh	SW	8260B
Methylene Chloride	<5.0	ug/L	<5.0		09/18/2002		4642	mrh	SW	8260B
Methyl t-butyl ether (MTBE)	<5.0	ug/L	<5.0		09/18/2002		4642	mrh	SW	8260B
4-Methyl-2-pentanone (MIBK)	<12.5	ug/L	<12.5		09/18/2002		4642	mrh	SW	8260B
n-Propylbenzene	<1.0	ug/L	<1.0		09/18/2002		4642	mrh	SW	8260B
Styrene	<1.0	ug/L	<1.0		09/18/2002		4642	mrh	SW	8260B
Naphthalene	<5.0	ug/L	<5.0		09/18/2002		4642	mrh	SW	8260B
1,1,1,2-Tetrachloroethane	<1.0	ug/L	<1.0		09/18/2002		4642	mrh	SW	8260B
1,1,2,2-Tetrachloroethane	<1.0	ug/L	<1.0		09/18/2002		4642	mrh	SW	8260B
Tetrachloroethene	1.3	ug/L	<1.0		09/18/2002		4642	mrh	SW	8260B
Toluene	<1.0	ug/L	<1.0		09/18/2002		4642	mrh	SW	8260B
1,2,4-Trichlorobenzene	<5.0	ug/L	<5.0		09/18/2002		4642	mrh	SW	8260B
1,1,1-Trichloroethane	<1.0	ug/L	<1.0		09/18/2002		4642	mrh	SW	8260B
1,1,2-Trichloroethane	<1.0	ug/L	<1.0		09/18/2002		4642	mrh	SW	8260B
Trichloroethene	8.4	ug/L	<1.0		09/18/2002		4642	mrh	SW	8260B

TestAmerica, Incorporated

PAGE 19 of 38

ANALYTICAL REPORT

Kevin Wildman
 HULL & ASSOC. (Dublin)
 6130 Wilcox Rd.
 Dublin, OH 43016

09/18/2002

Job Number: 02.18521

Client Project ID: SBI013

SAMPLE NO. 788503 **SAMPLE DESCRIPTION** SBI013:ATW11s:091102:412 **DATE/TIME TAKEN** 09/11/2002 13:40

	Result	Units	Reporting		Date	Time	Prep	Run	Anal.	
			Limit	Flag	Analyzed	Analyzed	Batch	Batch	Init.	Method Reference
Trichlorofluoromethane	<1.0	ug/L	<1.0		09/18/2002			4642	mrh	SW 8260B
1,2,3-Trichloropropane	<5.0	ug/L	<5.0		09/18/2002			4642	mrh	SW 8260B
1,2,4-Trimethylbenzene	<1.0	ug/L	<1.0		09/18/2002			4642	mrh	SW 8260B
1,3,5-Trimethylbenzene	<1.0	ug/L	<1.0		09/18/2002			4642	mrh	SW 8260B
Vinyl Acetate	<5.0	ug/L	<5.0		09/18/2002			4642	mrh	SW 8260B
Vinyl Chloride	<1.0	ug/L	<1.0		09/18/2002			4642	mrh	SW 8260B
Xylenes	<1.0	ug/L	<1.0		09/18/2002			4642	mrh	SW 8260B
d4-1,2-Dichloroethane (surr)	102	%	80-120		09/18/2002			4642	mrh	SW 8260B
Dibromofluoromethane (surr)	103	%	86-118		09/18/2002			4642	mrh	SW 8260B
d8-Toluene (surr)	100	%	88-110		09/18/2002			4642	mrh	SW 8260B
Bromofluorobenzene (surr)	106	%	86-115		09/18/2002			4642	mrh	SW 8260B

SAMPLE NO. 788504 **SAMPLE DESCRIPTION** SBI013:CTW1d:090902:412 **DATE/TIME TAKEN** 09/09/2002 17:00

	Result	Units	Reporting		Date	Time	Prep	Run	Anal.	
			Limit	Flag	Analyzed	Analyzed	Batch	Batch	Init.	Method Reference
ICPMS TOTAL METALS	Complete		Complete		09/16/2002	20:53		3322	ekh	SW 6020
Arsenic, ICPMS	0.0397	mg/L	<0.0050		09/16/2002	20:53	2233	4597	ekh	SW 6020
Lead, ICPMS	0.0872	mg/L	<0.0010		09/16/2002	20:53	2233	4563	ekh	SW 6020
Metals Digestion, ICPMS	Complete		Complete		09/16/2002	09:00	2233		jlr	SW 3010A
VOLATILE COMPOUNDS - 8260 (AQ)										
8260 - SW846 (AQ)	Complete		Complete		09/18/2002			4642	mrh	
Acetone	<20.0	ug/L	<20.0		09/18/2002			4642	mrh	SW 8260B
Benzene	<1.0	ug/L	<1.0		09/18/2002			4642	mrh	SW 8260B
tert-Butylbenzene	<1.0	ug/L	<1.0		09/18/2002			4642	mrh	SW 8260B
sec-Butylbenzene	<1.0	ug/L	<1.0		09/18/2002			4642	mrh	SW 8260B

TestAmerica, Incorporated

PAGE 20 of 38

ANALYTICAL REPORT

Kevin Wildman
 HULL & ASSOC. (Dublin)
 6130 Wilcox Rd.
 Dublin, OH 43016

09/18/2002

Job Number: 02.18521

Client Project ID: SBI013

SAMPLE NO. 788504 **SAMPLE DESCRIPTION** SBI013:CTW1d:090902:412 **DATE/TIME TAKEN** 09/09/2002 17:00

	Result		Reporting		Date	Time	Prep	Run	Anal.	
	Units	Limit	Flag	Analyzed	Analyzed	Batch	Batch	Init.	Method	Reference
n-Butylbenzene	<1.0	ug/L	<1.0		09/18/2002		4642	mrh	SW	8260B
Bromochloromethane	<1.0	ug/L	<1.0		09/18/2002		4642	mrh	SW	8260B
Bromodichloromethane	<1.0	ug/L	<1.0		09/18/2002		4642	mrh	SW	8260B
Bromoform	<1.0	ug/L	<1.0		09/18/2002		4642	mrh	SW	8260B
Bromobenzene	<1.0	ug/L	<1.0		09/18/2002		4642	mrh	SW	8260B
2-Butanone (MEK)	<12.5	ug/L	<12.5		09/18/2002		4642	mrh	SW	8260B
Carbon disulfide	<1.0	ug/L	<1.0		09/18/2002		4642	mrh	SW	8260B
Carbon tetrachloride	<1.0	ug/L	<1.0		09/18/2002		4642	mrh	SW	8260B
Chlorobenzene	<1.0	ug/L	<1.0		09/18/2002		4642	mrh	SW	8260B
Chloroethane	<5.0	ug/L	<5.0		09/18/2002		4642	mrh	SW	8260B
2-Chlorotoluene	<1.0	ug/L	<1.0		09/18/2002		4642	mrh	SW	8260B
4-Chlorotoluene	<1.0	ug/L	<1.0		09/18/2002		4642	mrh	SW	8260B
Chloroform	<1.0	ug/L	<1.0		09/18/2002		4642	mrh	SW	8260B
Chloromethane	<5.0	ug/L	<5.0		09/18/2002		4642	mrh	SW	8260B
Dibromochloromethane	<1.0	ug/L	<1.0		09/18/2002		4642	mrh	SW	8260B
Dibromomethane	<1.0	ug/L	<1.0		09/18/2002		4642	mrh	SW	8260B
Dichlorodifluoromethane	<1.0	ug/L	<1.0		09/18/2002		4642	mrh	SW	8260B
1,2-Dibromo-3-chloropropane	<5.0	ug/L	<5.0		09/18/2002		4642	mrh	SW	8260B
1,2-Dichlorobenzene	<1.0	ug/L	<1.0		09/18/2002		4642	mrh	SW	8260B
1,3-Dichlorobenzene	<1.0	ug/L	<1.0		09/18/2002		4642	mrh	SW	8260B
1,4-Dichlorobenzene	<1.0	ug/L	<1.0		09/18/2002		4642	mrh	SW	8260B
1,1-Dichloroethane	<1.0	ug/L	<1.0		09/18/2002		4642	mrh	SW	8260B
1,2-Dichloroethane	<1.0	ug/L	<1.0		09/18/2002		4642	mrh	SW	8260B
1,1-Dichloroethene	<1.0	ug/L	<1.0		09/18/2002		4642	mrh	SW	8260B
cis-1,2-Dichloroethene	<1.0	ug/L	<1.0		09/18/2002		4642	mrh	SW	8260B
trans-1,2-Dichloroethene	<1.0	ug/L	<1.0		09/18/2002		4642	mrh	SW	8260B
1,2-Dichloropropane	<1.0	ug/L	<1.0		09/18/2002		4642	mrh	SW	8260B
1,3-Dichloropropane	<1.0	ug/L	<1.0		09/18/2002		4642	mrh	SW	8260B
2,2-Dichloropropane	<1.0	ug/L	<1.0		09/18/2002		4642	mrh	SW	8260B
1,1-Dichloropropene	<1.0	ug/L	<1.0		09/18/2002		4642	mrh	SW	8260B
cis-1,3-Dichloropropene	<1.0	ug/L	<1.0		09/18/2002		4642	mrh	SW	8260B
trans-1,3-Dichloropropene	<1.0	ug/L	<1.0		09/18/2002		4642	mrh	SW	8260B

TestAmerica, Incorporated

PAGE 21 of 38

ANALYTICAL REPORT

Kevin Wildman
 HULL & ASSOC. (Dublin)
 6130 Wilcox Rd.
 Dublin, OH 43016

09/18/2002

Job Number: 02.18521

Client Project ID: SBI013

SAMPLE NO. **SAMPLE DESCRIPTION** **DATE/TIME TAKEN**
 788504 SBI013:CTW1d:090902:412 09/09/2002 17:00

	Result	Units	Reporting		Date Analyzed	Time Analyzed	Prep Batch	Run Batch	Anal.	
			Limit	Flag					Init.	Method Reference
Ethylbenzene	<1.0	ug/L	<1.0		09/18/2002		4642	mrh	SW	8260B
Hexachlorobutadiene	<5.0	ug/L	<5.0		09/18/2002		4642	mrh	SW	8260B
n-Hexane	<5.0	ug/L	<5.0		09/18/2002		4642	mrh	SW	8260B
2-Hexanone	<12.5	ug/L	<12.5		09/18/2002		4642	mrh	SW	8260B
Isopropylbenzene (Cumene)	<1.0	ug/L	<1.0		09/18/2002		4642	mrh	SW	8260B
p-Isopropyltoluene	<1.0	ug/L	<1.0		09/18/2002		4642	mrh	SW	8260B
Bromomethane	<5.0	ug/L	<5.0		09/18/2002		4642	mrh	SW	8260B
Methylene Chloride	<5.0	ug/L	<5.0		09/18/2002		4642	mrh	SW	8260B
Methyl t-butyl ether (MTBE)	<5.0	ug/L	<5.0		09/18/2002		4642	mrh	SW	8260B
4-Methyl-2-pentanone (MIBK)	<12.5	ug/L	<12.5		09/18/2002		4642	mrh	SW	8260B
n-Propylbenzene	<1.0	ug/L	<1.0		09/18/2002		4642	mrh	SW	8260B
Styrene	<1.0	ug/L	<1.0		09/18/2002		4642	mrh	SW	8260B
Naphthalene	<5.0	ug/L	<5.0		09/18/2002		4642	mrh	SW	8260B
1,1,1,2-Tetrachloroethane	<1.0	ug/L	<1.0		09/18/2002		4642	mrh	SW	8260B
1,1,2,2-Tetrachloroethane	<1.0	ug/L	<1.0		09/18/2002		4642	mrh	SW	8260B
Tetrachloroethene	<1.0	ug/L	<1.0		09/18/2002		4642	mrh	SW	8260B
Toluene	<1.0	ug/L	<1.0		09/18/2002		4642	mrh	SW	8260B
1,2,4-Trichlorobenzene	<5.0	ug/L	<5.0		09/18/2002		4642	mrh	SW	8260B
1,1,1-Trichloroethane	<1.0	ug/L	<1.0		09/18/2002		4642	mrh	SW	8260B
1,1,2-Trichloroethane	<1.0	ug/L	<1.0		09/18/2002		4642	mrh	SW	8260B
Trichloroethene	14.4	ug/L	<1.0		09/18/2002		4642	mrh	SW	8260B
Trichlorofluoromethane	<1.0	ug/L	<1.0		09/18/2002		4642	mrh	SW	8260B
1,2,3-Trichloropropane	<5.0	ug/L	<5.0		09/18/2002		4642	mrh	SW	8260B
1,2,4-Trimethylbenzene	<1.0	ug/L	<1.0		09/18/2002		4642	mrh	SW	8260B
1,3,5-Trimethylbenzene	<1.0	ug/L	<1.0		09/18/2002		4642	mrh	SW	8260B
Vinyl Acetate	<5.0	ug/L	<5.0		09/18/2002		4642	mrh	SW	8260B
Vinyl Chloride	<1.0	ug/L	<1.0		09/18/2002		4642	mrh	SW	8260B
Xylenes	<1.0	ug/L	<1.0		09/18/2002		4642	mrh	SW	8260B
d4-1,2-Dichloroethane (surr)	99	%	80-120		09/18/2002		4642	mrh	SW	8260B
Dibromofluoromethane (surr)	102	%	86-118		09/18/2002		4642	mrh	SW	8260B
d8-Toluene (surr)	100	%	88-110		09/18/2002		4642	mrh	SW	8260B
Bromofluorobenzene (surr)	104	%	86-115		09/18/2002		4642	mrh	SW	8260B

TestAmerica, Incorporated

PAGE 22 of 38

ANALYTICAL REPORT

Kevin Wildman
 HULL & ASSOC. (Dublin)
 6130 Wilcox Rd.
 Dublin, OH 43016

09/18/2002

Job Number: 02.18521

Client Project ID: SBI013

SAMPLE NO.	SAMPLE DESCRIPTION	DATE/TIME TAKEN
788505	SBI013:CTW1s:090902:412	09/09/2002 17:20

	Result	Units	Reporting Limit	Flag	Date Analyzed	Time Analyzed	Prep Batch	Run Batch	Anal. Init.	Method Reference
ICPMS TOTAL METALS	Complete		Complete		09/16/2002	19:49		3322	ekh	SW 6020
Arsenic, ICPMS	<0.0050	mg/L	<0.0050		09/16/2002	19:49	2233	4597	ekh	SW 6020
Lead, ICPMS	<0.0010	mg/L	<0.0010		09/16/2002	19:49	2233	4563	ekh	SW 6020
Metals Digestion, ICPMS	Complete		Complete		09/16/2002	09:00	2233		jlr	SW 3010A
VOLATILE COMPOUNDS - 8260 (AQ)										
8260 - SW846 (AQ)	Complete		Complete		09/17/2002			4640	jxc	
Acetone	<20.0	ug/L	<20.0		09/17/2002			4640	jxc	SW 8260B
Benzene	<1.0	ug/L	<1.0		09/17/2002			4640	jxc	SW 8260B
tert-Butylbenzene	<1.0	ug/L	<1.0		09/17/2002			4640	jxc	SW 8260B
sec-Butylbenzene	<1.0	ug/L	<1.0		09/17/2002			4640	jxc	SW 8260B
n-Butylbenzene	<1.0	ug/L	<1.0		09/17/2002			4640	jxc	SW 8260B
Bromochloromethane	<1.0	ug/L	<1.0		09/17/2002			4640	jxc	SW 8260B
Bromodichloromethane	<1.0	ug/L	<1.0		09/17/2002			4640	jxc	SW 8260B
Bromoform	<1.0	ug/L	<1.0		09/17/2002			4640	jxc	SW 8260B
Bromobenzene	<1.0	ug/L	<1.0		09/17/2002			4640	jxc	SW 8260B
2-Butanone (MEK)	<12.5	ug/L	<12.5		09/17/2002			4640	jxc	SW 8260B
Carbon disulfide	<1.0	ug/L	<1.0		09/17/2002			4640	jxc	SW 8260B
Carbon tetrachloride	<1.0	ug/L	<1.0		09/17/2002			4640	jxc	SW 8260B
Chlorobenzene	<1.0	ug/L	<1.0		09/17/2002			4640	jxc	SW 8260B
Chloroethane	<5.0	ug/L	<5.0		09/17/2002			4640	jxc	SW 8260B
2-Chlorotoluene	<1.0	ug/L	<1.0		09/17/2002			4640	jxc	SW 8260B
4-Chlorotoluene	<1.0	ug/L	<1.0		09/17/2002			4640	jxc	SW 8260B
Chloroform	<1.0	ug/L	<1.0		09/17/2002			4640	jxc	SW 8260B
Chloromethane	<5.0	ug/L	<5.0		09/17/2002			4640	jxc	SW 8260B
Dibromochloromethane	<1.0	ug/L	<1.0		09/17/2002			4640	jxc	SW 8260B
Dibromomethane	<1.0	ug/L	<1.0		09/17/2002			4640	jxc	SW 8260B
Dichlorodifluoromethane	<1.0	ug/L	<1.0		09/17/2002			4640	jxc	SW 8260B
1,2-Dibromo-3-chloropropane	<5.0	ug/L	<5.0		09/17/2002			4640	jxc	SW 8260B
1,2-Dichlorobenzene	<1.0	ug/L	<1.0		09/17/2002			4640	jxc	SW 8260B
1,3-Dichlorobenzene	<1.0	ug/L	<1.0		09/17/2002			4640	jxc	SW 8260B
1,4-Dichlorobenzene	<1.0	ug/L	<1.0		09/17/2002			4640	jxc	SW 8260B

TestAmerica, Incorporated

PAGE 23 of 38

ANALYTICAL REPORT

Kevin Wildman
 HULL & ASSOC. (Dublin)
 6130 Wilcox Rd.
 Dublin, OH 43016

09/18/2002

Job Number: 02.18521

Client Project ID: SBI013

SAMPLE NO. **SAMPLE DESCRIPTION** **DATE/TIME TAKEN**
 788505 SBI013:CTW1s:090902:412 09/09/2002 17:20

	Result		Reporting		Date	Time	Prep	Run	Anal.	
	Units	Limit	Flag	Analyzed	Analyzed	Batch	Batch	Init.	Method	Reference
1,1-Dichloroethane	<1.0	ug/L	<1.0		09/17/2002		4640	jxc	SW	8260B
1,2-Dichloroethane	<1.0	ug/L	<1.0		09/17/2002		4640	jxc	SW	8260B
1,1-Dichloroethene	<1.0	ug/L	<1.0		09/17/2002		4640	jxc	SW	8260B
cis-1,2-Dichloroethene	<1.0	ug/L	<1.0		09/17/2002		4640	jxc	SW	8260B
trans-1,2-Dichloroethene	<1.0	ug/L	<1.0		09/17/2002		4640	jxc	SW	8260B
1,2-Dichloropropane	<1.0	ug/L	<1.0		09/17/2002		4640	jxc	SW	8260B
1,3-Dichloropropane	<1.0	ug/L	<1.0		09/17/2002		4640	jxc	SW	8260B
2,2-Dichloropropane	<1.0	ug/L	<1.0		09/17/2002		4640	jxc	SW	8260B
1,1-Dichloropropene	<1.0	ug/L	<1.0		09/17/2002		4640	jxc	SW	8260B
cis-1,3-Dichloropropene	<1.0	ug/L	<1.0		09/17/2002		4640	jxc	SW	8260B
trans-1,3-Dichloropropene	<1.0	ug/L	<1.0		09/17/2002		4640	jxc	SW	8260B
Ethylbenzene	<1.0	ug/L	<1.0		09/17/2002		4640	jxc	SW	8260B
Hexachlorobutadiene	<5.0	ug/L	<5.0		09/17/2002		4640	jxc	SW	8260B
n-Hexane	<5.0	ug/L	<5.0		09/17/2002		4640	jxc	SW	8260B
2-Hexanone	<12.5	ug/L	<12.5		09/17/2002		4640	jxc	SW	8260B
Isopropylbenzene (Cumene)	<1.0	ug/L	<1.0		09/17/2002		4640	jxc	SW	8260B
p-Isopropyltoluene	<1.0	ug/L	<1.0		09/17/2002		4640	jxc	SW	8260B
Bromomethane	<5.0	ug/L	<5.0		09/17/2002		4640	jxc	SW	8260B
Methylene Chloride	<5.0	ug/L	<5.0		09/17/2002		4640	jxc	SW	8260B
Methyl t-butyl ether (MTBE)	<5.0	ug/L	<5.0		09/17/2002		4640	jxc	SW	8260B
4-Methyl-2-pentanone (MIBK)	<12.5	ug/L	<12.5		09/17/2002		4640	jxc	SW	8260B
n-Propylbenzene	<1.0	ug/L	<1.0		09/17/2002		4640	jxc	SW	8260B
Styrene	<1.0	ug/L	<1.0		09/17/2002		4640	jxc	SW	8260B
Naphthalene	<5.0	ug/L	<5.0		09/17/2002		4640	jxc	SW	8260B
1,1,1,2-Tetrachloroethane	<1.0	ug/L	<1.0		09/17/2002		4640	jxc	SW	8260B
1,1,2,2-Tetrachloroethane	<1.0	ug/L	<1.0		09/17/2002		4640	jxc	SW	8260B
Tetrachloroethene	<1.0	ug/L	<1.0		09/17/2002		4640	jxc	SW	8260B
Toluene	<1.0	ug/L	<1.0		09/17/2002		4640	jxc	SW	8260B
1,2,4-Trichlorobenzene	<5.0	ug/L	<5.0		09/17/2002		4640	jxc	SW	8260B
1,1,1-Trichloroethane	<1.0	ug/L	<1.0		09/17/2002		4640	jxc	SW	8260B
1,1,2-Trichloroethane	<1.0	ug/L	<1.0		09/17/2002		4640	jxc	SW	8260B
Trichloroethene	<1.0	ug/L	<1.0		09/17/2002		4640	jxc	SW	8260B

TestAmerica, Incorporated

PAGE 25 of 38

ANALYTICAL REPORT

Kevin Wildman
 HULL & ASSOC. (Dublin)
 6130 Wilcox Rd.
 Dublin, OH 43016

09/18/2002

Job Number: 02.18521

Client Project ID: SBI013

SAMPLE NO. 788506 **SAMPLE DESCRIPTION** SBI013:CTW2d:091102:412 **DATE/TIME TAKEN** 09/11/2002 15:25

	Result	Units	Reporting Limit	Flag	Date Analyzed	Time Analyzed	Prep Batch	Run Batch	Anal. Init.	Method Reference
n-Butylbenzene	<1.0	ug/L	<1.0		09/14/2002		4628	mrh	SW 8260B	
Bromochloromethane	<1.0	ug/L	<1.0		09/14/2002		4628	mrh	SW 8260B	
Bromodichloromethane	<1.0	ug/L	<1.0		09/14/2002		4628	mrh	SW 8260B	
Bromoform	<1.0	ug/L	<1.0		09/14/2002		4628	mrh	SW 8260B	
Bromobenzene	<1.0	ug/L	<1.0		09/14/2002		4628	mrh	SW 8260B	
2-Butanone (MEK)	<12.5	ug/L	<12.5		09/14/2002		4628	mrh	SW 8260B	
Carbon disulfide	<1.0	ug/L	<1.0		09/14/2002		4628	mrh	SW 8260B	
Carbon tetrachloride	<1.0	ug/L	<1.0		09/14/2002		4628	mrh	SW 8260B	
Chlorobenzene	<1.0	ug/L	<1.0		09/14/2002		4628	mrh	SW 8260B	
Chloroethane	<5.0	ug/L	<5.0		09/14/2002		4628	mrh	SW 8260B	
2-Chlorotoluene	<1.0	ug/L	<1.0		09/14/2002		4628	mrh	SW 8260B	
4-Chlorotoluene	<1.0	ug/L	<1.0		09/14/2002		4628	mrh	SW 8260B	
Chloroform	<1.0	ug/L	<1.0		09/14/2002		4628	mrh	SW 8260B	
Chloromethane	<5.0	ug/L	<5.0		09/14/2002		4628	mrh	SW 8260B	
Dibromochloromethane	<1.0	ug/L	<1.0		09/14/2002		4628	mrh	SW 8260B	
Dibromomethane	<1.0	ug/L	<1.0		09/14/2002		4628	mrh	SW 8260B	
Dichlorodifluoromethane	<1.0	ug/L	<1.0		09/14/2002		4628	mrh	SW 8260B	
1,2-Dibromo-3-chloropropane	<5.0	ug/L	<5.0		09/14/2002		4628	mrh	SW 8260B	
1,2-Dichlorobenzene	<1.0	ug/L	<1.0		09/14/2002		4628	mrh	SW 8260B	
1,3-Dichlorobenzene	<1.0	ug/L	<1.0		09/14/2002		4628	mrh	SW 8260B	
1,4-Dichlorobenzene	<1.0	ug/L	<1.0		09/14/2002		4628	mrh	SW 8260B	
1,1-Dichloroethane	<1.0	ug/L	<1.0		09/14/2002		4628	mrh	SW 8260B	
1,2-Dichloroethane	<1.0	ug/L	<1.0		09/14/2002		4628	mrh	SW 8260B	
1,1-Dichloroethene	<1.0	ug/L	<1.0		09/14/2002		4628	mrh	SW 8260B	
cis-1,2-Dichloroethene	<1.0	ug/L	<1.0		09/14/2002		4628	mrh	SW 8260B	
trans-1,2-Dichloroethene	<1.0	ug/L	<1.0		09/14/2002		4628	mrh	SW 8260B	
1,2-Dichloropropane	<1.0	ug/L	<1.0		09/14/2002		4628	mrh	SW 8260B	
1,3-Dichloropropane	<1.0	ug/L	<1.0		09/14/2002		4628	mrh	SW 8260B	
2,2-Dichloropropane	<1.0	ug/L	<1.0		09/14/2002		4628	mrh	SW 8260B	
1,1-Dichloropropene	<1.0	ug/L	<1.0		09/14/2002		4628	mrh	SW 8260B	
cis-1,3-Dichloropropene	<1.0	ug/L	<1.0		09/14/2002		4628	mrh	SW 8260B	
trans-1,3-Dichloropropene	<1.0	ug/L	<1.0		09/14/2002		4628	mrh	SW 8260B	

TestAmerica, Incorporated

PAGE 26 of 38

ANALYTICAL REPORT

Kevin Wildman
 HULL & ASSOC. (Dublin)
 6130 Wilcox Rd.
 Dublin, OH 43016

09/18/2002

Job Number: 02.18521

Client Project ID: SBI013

SAMPLE NO. **SAMPLE DESCRIPTION** **DATE/TIME TAKEN**
 788506 SBI013:CTW2d:091102:412 09/11/2002 15:25

	Result	Units	Reporting		Date Analyzed	Time Analyzed	Prep Batch	Run Batch	Anal.	
			Limit	Flag					Init.	Method Reference
Ethylbenzene	<1.0	ug/L	<1.0		09/14/2002		4628	mrh	SW	8260B
Hexachlorobutadiene	<5.0	ug/L	<5.0		09/14/2002		4628	mrh	SW	8260B
n-Hexane	<5.0	ug/L	<5.0		09/14/2002		4628	mrh	SW	8260B
2-Hexanone	<12.5	ug/L	<12.5		09/14/2002		4628	mrh	SW	8260B
Isopropylbenzene (Cumene)	<1.0	ug/L	<1.0		09/14/2002		4628	mrh	SW	8260B
p-Isopropyltoluene	<1.0	ug/L	<1.0		09/14/2002		4628	mrh	SW	8260B
Bromomethane	<5.0	ug/L	<5.0		09/14/2002		4628	mrh	SW	8260B
Methylene Chloride	<5.0	ug/L	<5.0		09/14/2002		4628	mrh	SW	8260B
Methyl t-butyl ether (MTBE)	<5.0	ug/L	<5.0		09/14/2002		4628	mrh	SW	8260B
4-Methyl-2-pentanone (MIBK)	<12.5	ug/L	<12.5		09/14/2002		4628	mrh	SW	8260B
n-Propylbenzene	<1.0	ug/L	<1.0		09/14/2002		4628	mrh	SW	8260B
Styrene	<1.0	ug/L	<1.0		09/14/2002		4628	mrh	SW	8260B
Naphthalene	<5.0	ug/L	<5.0		09/14/2002		4628	mrh	SW	8260B
1,1,1,2-Tetrachloroethane	<1.0	ug/L	<1.0		09/14/2002		4628	mrh	SW	8260B
1,1,1,2,2-Tetrachloroethane	<1.0	ug/L	<1.0		09/14/2002		4628	mrh	SW	8260B
Tetrachloroethene	<1.0	ug/L	<1.0		09/14/2002		4628	mrh	SW	8260B
Toluene	<1.0	ug/L	<1.0		09/14/2002		4628	mrh	SW	8260B
1,2,4-Trichlorobenzene	<5.0	ug/L	<5.0		09/14/2002		4628	mrh	SW	8260B
1,1,1-Trichloroethane	1.2	ug/L	<1.0		09/14/2002		4628	mrh	SW	8260B
1,1,2-Trichloroethane	<1.0	ug/L	<1.0		09/14/2002		4628	mrh	SW	8260B
Trichloroethene	26.7	ug/L	<1.0		09/14/2002		4628	mrh	SW	8260B
Trichlorofluoromethane	<1.0	ug/L	<1.0		09/14/2002		4628	mrh	SW	8260B
1,2,3-Trichloropropane	<5.0	ug/L	<5.0		09/14/2002		4628	mrh	SW	8260B
1,2,4-Trimethylbenzene	<1.0	ug/L	<1.0		09/14/2002		4628	mrh	SW	8260B
1,3,5-Trimethylbenzene	<1.0	ug/L	<1.0		09/14/2002		4628	mrh	SW	8260B
Vinyl Acetate	<5.0	ug/L	<5.0		09/14/2002		4628	mrh	SW	8260B
Vinyl Chloride	<1.0	ug/L	<1.0		09/14/2002		4628	mrh	SW	8260B
Xylenes	<1.0	ug/L	<1.0		09/14/2002		4628	mrh	SW	8260B
d4-1,2-Dichloroethane (surr)	106	%	80-120		09/14/2002		4628	mrh	SW	8260B
Dibromofluoromethane (surr)	103	%	86-118		09/14/2002		4628	mrh	SW	8260B
d8-Toluene (surr)	99	%	88-110		09/14/2002		4628	mrh	SW	8260B
Bromofluorobenzene (surr)	100	%	86-115		09/14/2002		4628	mrh	SW	8260B

TestAmerica, Incorporated

PAGE 27 of 38

ANALYTICAL REPORT

Kevin Wildman
 HULL & ASSOC. (Dublin)
 6130 Wilcox Rd.
 Dublin, OH 43016

09/18/2002

Job Number: 02.18521

Client Project ID: SBI013

SAMPLE NO. 788507 **SAMPLE DESCRIPTION** SBI013:CTW2s:091102:412 **DATE/TIME TAKEN** 09/11/2002 15:40

	Result	Units	Reporting Limit	Flag	Date Analyzed	Time Analyzed	Prep Batch	Run Batch	Anal. Init.	Method Reference
ICPMS TOTAL METALS	Complete		Complete		09/16/2002	20:13		3322	ekh	SW 6020
Arsenic, ICPMS	0.0112	mg/L	<0.0050		09/16/2002	20:13	2233	4597	ekh	SW 6020
Lead, ICPMS	0.0146	mg/L	<0.0010		09/16/2002	20:13	2233	4563	ekh	SW 6020
Metals Digestion, ICPMS	Complete		Complete		09/16/2002	09:00	2233		jlr	SW 3010A
VOLATILE COMPOUNDS - 8260 (AQ)										
8260 - SW846 (AQ)	Complete		Complete		09/14/2002			4628	mrh	
Acetone	<20.0	ug/L	<20.0		09/14/2002			4628	mrh	SW 8260B
Benzene	<1.0	ug/L	<1.0		09/14/2002			4628	mrh	SW 8260B
tert-Butylbenzene	<1.0	ug/L	<1.0		09/14/2002			4628	mrh	SW 8260B
sec-Butylbenzene	<1.0	ug/L	<1.0		09/14/2002			4628	mrh	SW 8260B
n-Butylbenzene	<1.0	ug/L	<1.0		09/14/2002			4628	mrh	SW 8260B
Bromochloromethane	<1.0	ug/L	<1.0		09/14/2002			4628	mrh	SW 8260B
Bromodichloromethane	<1.0	ug/L	<1.0		09/14/2002			4628	mrh	SW 8260B
Bromoform	<1.0	ug/L	<1.0		09/14/2002			4628	mrh	SW 8260B
Bromobenzene	<1.0	ug/L	<1.0		09/14/2002			4628	mrh	SW 8260B
2-Butanone (MEK)	<12.5	ug/L	<12.5		09/14/2002			4628	mrh	SW 8260B
Carbon disulfide	<1.0	ug/L	<1.0		09/14/2002			4628	mrh	SW 8260B
Carbon tetrachloride	<1.0	ug/L	<1.0		09/14/2002			4628	mrh	SW 8260B
Chlorobenzene	<1.0	ug/L	<1.0		09/14/2002			4628	mrh	SW 8260B
Chloroethane	<5.0	ug/L	<5.0		09/14/2002			4628	mrh	SW 8260B
2-Chlorotoluene	<1.0	ug/L	<1.0		09/14/2002			4628	mrh	SW 8260B
4-Chlorotoluene	<1.0	ug/L	<1.0		09/14/2002			4628	mrh	SW 8260B
Chloroform	<1.0	ug/L	<1.0		09/14/2002			4628	mrh	SW 8260B
Chloromethane	<5.0	ug/L	<5.0		09/14/2002			4628	mrh	SW 8260B
Dibromochloromethane	<1.0	ug/L	<1.0		09/14/2002			4628	mrh	SW 8260B
Dibromomethane	<1.0	ug/L	<1.0		09/14/2002			4628	mrh	SW 8260B
Dichlorodifluoromethane	<1.0	ug/L	<1.0		09/14/2002			4628	mrh	SW 8260B
1,2-Dibromo-3-chloropropane	<5.0	ug/L	<5.0		09/14/2002			4628	mrh	SW 8260B
1,2-Dichlorobenzene	<1.0	ug/L	<1.0		09/14/2002			4628	mrh	SW 8260B
1,3-Dichlorobenzene	<1.0	ug/L	<1.0		09/14/2002			4628	mrh	SW 8260B
1,4-Dichlorobenzene	<1.0	ug/L	<1.0		09/14/2002			4628	mrh	SW 8260B

TestAmerica, Incorporated

PAGE 28 of 38

ANALYTICAL REPORT

Kevin Wildman
 HULL & ASSOC. (Dublin)
 6130 Wilcox Rd.
 Dublin, OH 43016

09/18/2002

Job Number: 02.18521

Client Project ID: SBI013

SAMPLE NO. 788507 **SAMPLE DESCRIPTION** SBI013:CTW2s:091102:412 **DATE/TIME TAKEN** 09/11/2002 15:40

	Result	Units	Reporting		Date Analyzed	Time Analyzed	Prep Batch	Run Batch	Anal.	
			Limit	Flag					Init.	Method Reference
1,1-Dichloroethane	<1.0	ug/L	<1.0		09/14/2002		4628	mrh	SW	8260B
1,2-Dichloroethane	<1.0	ug/L	<1.0		09/14/2002		4628	mrh	SW	8260B
1,1-Dichloroethene	<1.0	ug/L	<1.0		09/14/2002		4628	mrh	SW	8260B
cis-1,2-Dichloroethene	<1.0	ug/L	<1.0		09/14/2002		4628	mrh	SW	8260B
trans-1,2-Dichloroethene	<1.0	ug/L	<1.0		09/14/2002		4628	mrh	SW	8260B
1,2-Dichloropropane	<1.0	ug/L	<1.0		09/14/2002		4628	mrh	SW	8260B
1,3-Dichloropropane	<1.0	ug/L	<1.0		09/14/2002		4628	mrh	SW	8260B
2,2-Dichloropropane	<1.0	ug/L	<1.0		09/14/2002		4628	mrh	SW	8260B
1,1-Dichloropropene	<1.0	ug/L	<1.0		09/14/2002		4628	mrh	SW	8260B
cis-1,3-Dichloropropene	<1.0	ug/L	<1.0		09/14/2002		4628	mrh	SW	8260B
trans-1,3-Dichloropropene	<1.0	ug/L	<1.0		09/14/2002		4628	mrh	SW	8260B
Ethylbenzene	<1.0	ug/L	<1.0		09/14/2002		4628	mrh	SW	8260B
Hexachlorobutadiene	<5.0	ug/L	<5.0		09/14/2002		4628	mrh	SW	8260B
n-Hexane	<5.0	ug/L	<5.0		09/14/2002		4628	mrh	SW	8260B
2-Hexanone	<12.5	ug/L	<12.5		09/14/2002		4628	mrh	SW	8260B
Isopropylbenzene (Cumene)	<1.0	ug/L	<1.0		09/14/2002		4628	mrh	SW	8260B
p-Isopropyltoluene	<1.0	ug/L	<1.0		09/14/2002		4628	mrh	SW	8260B
Bromomethane	<5.0	ug/L	<5.0		09/14/2002		4628	mrh	SW	8260B
Methylene Chloride	<5.0	ug/L	<5.0		09/14/2002		4628	mrh	SW	8260B
Methyl t-butyl ether (MTBE)	<5.0	ug/L	<5.0		09/14/2002		4628	mrh	SW	8260B
4-Methyl-2-pentanone (MIBK)	<12.5	ug/L	<12.5		09/14/2002		4628	mrh	SW	8260B
n-Propylbenzene	<1.0	ug/L	<1.0		09/14/2002		4628	mrh	SW	8260B
Styrene	<1.0	ug/L	<1.0		09/14/2002		4628	mrh	SW	8260B
Naphthalene	<5.0	ug/L	<5.0		09/14/2002		4628	mrh	SW	8260B
1,1,1,2-Tetrachloroethane	<1.0	ug/L	<1.0		09/14/2002		4628	mrh	SW	8260B
1,1,2,2-Tetrachloroethane	<1.0	ug/L	<1.0		09/14/2002		4628	mrh	SW	8260B
Tetrachloroethene	<1.0	ug/L	<1.0		09/14/2002		4628	mrh	SW	8260B
Toluene	<1.0	ug/L	<1.0		09/14/2002		4628	mrh	SW	8260B
1,2,4-Trichlorobenzene	<5.0	ug/L	<5.0		09/14/2002		4628	mrh	SW	8260B
1,1,1-Trichloroethane	1.1	ug/L	<1.0		09/14/2002		4628	mrh	SW	8260B
1,1,2-Trichloroethane	<1.0	ug/L	<1.0		09/14/2002		4628	mrh	SW	8260B
Trichloroethene	26.5	ug/L	<1.0		09/14/2002		4628	mrh	SW	8260B

TestAmerica, Incorporated

PAGE 29 of 38

ANALYTICAL REPORT

Kevin Wildman
 HULL & ASSOC. (Dublin)
 6130 Wilcox Rd.
 Dublin, OH 43016

09/18/2002

Job Number: 02.18521

Client Project ID: SBI013

SAMPLE NO. 788507 **SAMPLE DESCRIPTION** SBI013:CTW2s:091102:412 **DATE/TIME TAKEN** 09/11/2002 15:40

	Result	Units	Reporting		Date Analyzed	Time Analyzed	Prep Batch	Run Batch	Anal.	
			Limit	Flag					Init.	Method Reference
Trichlorofluoromethane	<1.0	ug/L	<1.0		09/14/2002		4628	4628	mrh	SW 8260B
1,2,3-Trichloropropane	<5.0	ug/L	<5.0		09/14/2002		4628	4628	mrh	SW 8260B
1,2,4-Trimethylbenzene	<1.0	ug/L	<1.0		09/14/2002		4628	4628	mrh	SW 8260B
1,3,5-Trimethylbenzene	<1.0	ug/L	<1.0		09/14/2002		4628	4628	mrh	SW 8260B
Vinyl Acetate	<5.0	ug/L	<5.0		09/14/2002		4628	4628	mrh	SW 8260B
Vinyl Chloride	<1.0	ug/L	<1.0		09/14/2002		4628	4628	mrh	SW 8260B
Xylenes	<1.0	ug/L	<1.0		09/14/2002		4628	4628	mrh	SW 8260B
d4-1,2-Dichloroethane(surr)	105	%	80-120		09/14/2002		4628	4628	mrh	SW 8260B
Dibromofluoromethane (surr)	103	%	86-118		09/14/2002		4628	4628	mrh	SW 8260B
d8-Toluene(surr)	99	%	88-110		09/14/2002		4628	4628	mrh	SW 8260B
Bromofluorobenzene(surr)	104	%	86-115		09/14/2002		4628	4628	mrh	SW 8260B

SAMPLE NO. 788508 **SAMPLE DESCRIPTION** SBI013:CTW4d:091102:412 **DATE/TIME TAKEN** 09/11/2002 17:40

	Result	Units	Reporting		Date Analyzed	Time Analyzed	Prep Batch	Run Batch	Anal.	
			Limit	Flag					Init.	Method Reference
ICPMS TOTAL METALS	Complete		Complete		09/16/2002	20:18		3322	ekh	SW 6020
Arsenic, ICPMS	<0.0050	mg/L	<0.0050		09/16/2002	20:18	2233	4597	ekh	SW 6020
Lead, ICPMS	0.0081	mg/L	<0.0010		09/16/2002	20:18	2233	4563	ekh	SW 6020
Metals Digestion, ICPMS	Complete		Complete		09/16/2002	09:00	2233		jlr	SW 3010A
VOLATILE COMPOUNDS - 8260 (AQ)										
8260 - SW846 (AQ)	Complete		Complete		09/18/2002			4642	mrh	
Acetone	<20.0	ug/L	<20.0		09/18/2002			4642	mrh	SW 8260B
Benzene	<1.0	ug/L	<1.0		09/18/2002			4642	mrh	SW 8260B
tert-Butylbenzene	<1.0	ug/L	<1.0		09/18/2002			4642	mrh	SW 8260B
sec-Butylbenzene	<1.0	ug/L	<1.0		09/18/2002			4642	mrh	SW 8260B

TestAmerica, Incorporated

PAGE 30 of 38

ANALYTICAL REPORT

Kevin Wildman
 HULL & ASSOC. (Dublin)
 6130 Wilcox Rd.
 Dublin, OH 43016

09/18/2002

Job Number: 02.18521

Client Project ID: SBI013

SAMPLE NO. 788508 **SAMPLE DESCRIPTION** SBI013:CTW4d:091102:412 **DATE/TIME TAKEN** 09/11/2002 17:40

	Result	Units	Reporting		Date Analyzed	Time Analyzed	Prep Batch	Run Batch	Anal.	
			Limit	Flag					Init.	Method Reference
n-Butylbenzene	<1.0	ug/L	<1.0		09/18/2002		4642	mrh	SW 8260B	
Bromochloromethane	<1.0	ug/L	<1.0		09/18/2002		4642	mrh	SW 8260B	
Bromodichloromethane	<1.0	ug/L	<1.0		09/18/2002		4642	mrh	SW 8260B	
Bromoform	<1.0	ug/L	<1.0		09/18/2002		4642	mrh	SW 8260B	
Bromobenzene	<1.0	ug/L	<1.0		09/18/2002		4642	mrh	SW 8260B	
2-Butanone (MEK)	<12.5	ug/L	<12.5		09/18/2002		4642	mrh	SW 8260B	
Carbon disulfide	<1.0	ug/L	<1.0		09/18/2002		4642	mrh	SW 8260B	
Carbon tetrachloride	<1.0	ug/L	<1.0		09/18/2002		4642	mrh	SW 8260B	
Chlorobenzene	<1.0	ug/L	<1.0		09/18/2002		4642	mrh	SW 8260B	
Chloroethane	<5.0	ug/L	<5.0		09/18/2002		4642	mrh	SW 8260B	
2-Chlorotoluene	<1.0	ug/L	<1.0		09/18/2002		4642	mrh	SW 8260B	
4-Chlorotoluene	<1.0	ug/L	<1.0		09/18/2002		4642	mrh	SW 8260B	
Chloroform	<1.0	ug/L	<1.0		09/18/2002		4642	mrh	SW 8260B	
Chloromethane	<5.0	ug/L	<5.0		09/18/2002		4642	mrh	SW 8260B	
Dibromochloromethane	<1.0	ug/L	<1.0		09/18/2002		4642	mrh	SW 8260B	
Dibromomethane	<1.0	ug/L	<1.0		09/18/2002		4642	mrh	SW 8260B	
Dichlorodifluoromethane	<1.0	ug/L	<1.0		09/18/2002		4642	mrh	SW 8260B	
1,2-Dibromo-3-chloropropane	<5.0	ug/L	<5.0		09/18/2002		4642	mrh	SW 8260B	
1,2-Dichlorobenzene	<1.0	ug/L	<1.0		09/18/2002		4642	mrh	SW 8260B	
1,3-Dichlorobenzene	<1.0	ug/L	<1.0		09/18/2002		4642	mrh	SW 8260B	
1,4-Dichlorobenzene	<1.0	ug/L	<1.0		09/18/2002		4642	mrh	SW 8260B	
1,1-Dichloroethane	<1.0	ug/L	<1.0		09/18/2002		4642	mrh	SW 8260B	
1,2-Dichloroethane	<1.0	ug/L	<1.0		09/18/2002		4642	mrh	SW 8260B	
1,1-Dichloroethene	<1.0	ug/L	<1.0		09/18/2002		4642	mrh	SW 8260B	
cis-1,2-Dichloroethene	<1.0	ug/L	<1.0		09/18/2002		4642	mrh	SW 8260B	
trans-1,2-Dichloroethene	<1.0	ug/L	<1.0		09/18/2002		4642	mrh	SW 8260B	
1,2-Dichloropropane	<1.0	ug/L	<1.0		09/18/2002		4642	mrh	SW 8260B	
1,3-Dichloropropane	<1.0	ug/L	<1.0		09/18/2002		4642	mrh	SW 8260B	
2,2-Dichloropropane	<1.0	ug/L	<1.0		09/18/2002		4642	mrh	SW 8260B	
1,1-Dichloropropene	<1.0	ug/L	<1.0		09/18/2002		4642	mrh	SW 8260B	
cis-1,3-Dichloropropene	<1.0	ug/L	<1.0		09/18/2002		4642	mrh	SW 8260B	
trans-1,3-Dichloropropene	<1.0	ug/L	<1.0		09/18/2002		4642	mrh	SW 8260B	

TestAmerica, Incorporated

PAGE 31 of 38

ANALYTICAL REPORT

Kevin Wildman
 HULL & ASSOC. (Dublin)
 6130 Wilcox Rd.
 Dublin, OH 43016

09/18/2002

Job Number: 02.18521

Client Project ID: SBI013

SAMPLE NO. **SAMPLE DESCRIPTION** **DATE/TIME TAKEN**
 788508 SBI013:CTW4d:091102:412 09/11/2002 17:40

	Result	Units	Reporting Limit	Flag	Date Analyzed	Time Analyzed	Prep Batch	Run Batch	Anal. Init.	Method Reference
Ethylbenzene	<1.0	ug/L	<1.0		09/18/2002		4642	mrh	SW	8260B
Hexachlorobutadiene	<5.0	ug/L	<5.0		09/18/2002		4642	mrh	SW	8260B
n-Hexane	<5.0	ug/L	<5.0		09/18/2002		4642	mrh	SW	8260B
2-Hexanone	<12.5	ug/L	<12.5		09/18/2002		4642	mrh	SW	8260B
Isopropylbenzene (Cumene)	<1.0	ug/L	<1.0		09/18/2002		4642	mrh	SW	8260B
p-Isopropyltoluene	<1.0	ug/L	<1.0		09/18/2002		4642	mrh	SW	8260B
Bromomethane	<5.0	ug/L	<5.0		09/18/2002		4642	mrh	SW	8260B
Methylene Chloride	<5.0	ug/L	<5.0		09/18/2002		4642	mrh	SW	8260B
Methyl t-butyl ether (MTBE)	<5.0	ug/L	<5.0		09/18/2002		4642	mrh	SW	8260B
4-Methyl-2-pentanone (MIBK)	<12.5	ug/L	<12.5		09/18/2002		4642	mrh	SW	8260B
n-Propylbenzene	<1.0	ug/L	<1.0		09/18/2002		4642	mrh	SW	8260B
Styrene	<1.0	ug/L	<1.0		09/18/2002		4642	mrh	SW	8260B
Naphthalene	<5.0	ug/L	<5.0		09/18/2002		4642	mrh	SW	8260B
1,1,1,2-Tetrachloroethane	<1.0	ug/L	<1.0		09/18/2002		4642	mrh	SW	8260B
1,1,2,2-Tetrachloroethane	<1.0	ug/L	<1.0		09/18/2002		4642	mrh	SW	8260B
Tetrachloroethene	<1.0	ug/L	<1.0		09/18/2002		4642	mrh	SW	8260B
Toluene	<1.0	ug/L	<1.0		09/18/2002		4642	mrh	SW	8260B
1,2,4-Trichlorobenzene	<5.0	ug/L	<5.0		09/18/2002		4642	mrh	SW	8260B
1,1,1-Trichloroethane	<1.0	ug/L	<1.0		09/18/2002		4642	mrh	SW	8260B
1,1,2-Trichloroethane	<1.0	ug/L	<1.0		09/18/2002		4642	mrh	SW	8260B
Trichloroethene	15.3	ug/L	<1.0		09/18/2002		4642	mrh	SW	8260B
Trichlorofluoromethane	<1.0	ug/L	<1.0		09/18/2002		4642	mrh	SW	8260B
1,2,3-Trichloropropane	<5.0	ug/L	<5.0		09/18/2002		4642	mrh	SW	8260B
1,2,4-Trimethylbenzene	<1.0	ug/L	<1.0		09/18/2002		4642	mrh	SW	8260B
1,3,5-Trimethylbenzene	<1.0	ug/L	<1.0		09/18/2002		4642	mrh	SW	8260B
Vinyl Acetate	<5.0	ug/L	<5.0		09/18/2002		4642	mrh	SW	8260B
Vinyl Chloride	<1.0	ug/L	<1.0		09/18/2002		4642	mrh	SW	8260B
Xylenes	<1.0	ug/L	<1.0		09/18/2002		4642	mrh	SW	8260B
d4-1,2-Dichloroethane (surr)	100	%	80-120		09/18/2002		4642	mrh	SW	8260B
Dibromofluoromethane (surr)	102	%	86-118		09/18/2002		4642	mrh	SW	8260B
d8-Toluene (surr)	100	%	88-110		09/18/2002		4642	mrh	SW	8260B
Bromofluorobenzene (surr)	99	%	86-115		09/18/2002		4642	mrh	SW	8260B

TestAmerica, Incorporated

PAGE 32 of 38

ANALYTICAL REPORT

Kevin Wildman
 HULL & ASSOC. (Dublin)
 6130 Wilcox Rd.
 Dublin, OH 43016

09/18/2002

Job Number: 02.18521

Client Project ID: SBI013

SAMPLE NO. 788509 **SAMPLE DESCRIPTION** SBI013:CTW4s:091102:412 **DATE/TIME TAKEN** 09/11/2002 17:50

	Result		Reporting	Date	Time	Prep	Run	Anal.	Method	Reference
	Units	Limit	Flag							
ICPMS TOTAL METALS	Complete	Complete		09/16/2002	20:23		3322	ekh	SW 6020	
Arsenic, ICPMS	0.0066 mg/L	<0.0050		09/16/2002	20:23	2233	4597	ekh	SW 6020	
Lead, ICPMS	0.0096 mg/L	<0.0010		09/16/2002	20:23	2233	4563	ekh	SW 6020	
Metals Digestion, ICPMS	Complete	Complete		09/16/2002	09:00	2233		jlr	SW 3010A	
VOLATILE COMPOUNDS - 8260 (AQ)										
8260 - SW846 (AQ)	Complete	Complete		09/18/2002			4642	mrh		
Acetone	<20.0 ug/L	<20.0		09/18/2002			4642	mrh	SW 8260B	
Benzene	<1.0 ug/L	<1.0		09/18/2002			4642	mrh	SW 8260B	
tert-Butylbenzene	<1.0 ug/L	<1.0		09/18/2002			4642	mrh	SW 8260B	
sec-Butylbenzene	<1.0 ug/L	<1.0		09/18/2002			4642	mrh	SW 8260B	
n-Butylbenzene	<1.0 ug/L	<1.0		09/18/2002			4642	mrh	SW 8260B	
Bromochloromethane	<1.0 ug/L	<1.0		09/18/2002			4642	mrh	SW 8260B	
Bromodichloromethane	<1.0 ug/L	<1.0		09/18/2002			4642	mrh	SW 8260B	
Bromoform	<1.0 ug/L	<1.0		09/18/2002			4642	mrh	SW 8260B	
Bromobenzene	<1.0 ug/L	<1.0		09/18/2002			4642	mrh	SW 8260B	
2-Butanone (MEK)	<12.5 ug/L	<12.5		09/18/2002			4642	mrh	SW 8260B	
Carbon disulfide	<1.0 ug/L	<1.0		09/18/2002			4642	mrh	SW 8260B	
Carbon tetrachloride	<1.0 ug/L	<1.0		09/18/2002			4642	mrh	SW 8260B	
Chlorobenzene	<1.0 ug/L	<1.0		09/18/2002			4642	mrh	SW 8260B	
Chloroethane	<5.0 ug/L	<5.0		09/18/2002			4642	mrh	SW 8260B	
2-Chlorotoluene	<1.0 ug/L	<1.0		09/18/2002			4642	mrh	SW 8260B	
4-Chlorotoluene	<1.0 ug/L	<1.0		09/18/2002			4642	mrh	SW 8260B	
Chloroform	<1.0 ug/L	<1.0		09/18/2002			4642	mrh	SW 8260B	
Chloromethane	<5.0 ug/L	<5.0		09/18/2002			4642	mrh	SW 8260B	
Dibromochloromethane	<1.0 ug/L	<1.0		09/18/2002			4642	mrh	SW 8260B	
Dibromomethane	<1.0 ug/L	<1.0		09/18/2002			4642	mrh	SW 8260B	
Dichlorodifluoromethane	<1.0 ug/L	<1.0		09/18/2002			4642	mrh	SW 8260B	
1,2-Dibromo-3-chloropropane	<5.0 ug/L	<5.0		09/18/2002			4642	mrh	SW 8260B	
1,2-Dichlorobenzene	<1.0 ug/L	<1.0		09/18/2002			4642	mrh	SW 8260B	
1,3-Dichlorobenzene	<1.0 ug/L	<1.0		09/18/2002			4642	mrh	SW 8260B	
1,4-Dichlorobenzene	<1.0 ug/L	<1.0		09/18/2002			4642	mrh	SW 8260B	

TestAmerica, Incorporated

PAGE 33 of 38

ANALYTICAL REPORT

Kevin Wildman
 HULL & ASSOC. (Dublin)
 6130 Wilcox Rd.
 Dublin, OH 43016

09/18/2002

Job Number: 02.18521

Client Project ID: SBI013

SAMPLE NO. 788509 **SAMPLE DESCRIPTION** SBI013:CTW4s:091102:412 **DATE/TIME TAKEN** 09/11/2002 17:50

	Result	Units	Reporting Limit	Flag	Date Analyzed	Time Analyzed	Prep Batch	Run Batch	Anal. Init.	Method Reference
1,1-Dichloroethane	<1.0	ug/L	<1.0		09/18/2002		4642	mrh	SW	8260B
1,2-Dichloroethane	<1.0	ug/L	<1.0		09/18/2002		4642	mrh	SW	8260B
1,1-Dichloroethene	<1.0	ug/L	<1.0		09/18/2002		4642	mrh	SW	8260B
cis-1,2-Dichloroethene	<1.0	ug/L	<1.0		09/18/2002		4642	mrh	SW	8260B
trans-1,2-Dichloroethene	<1.0	ug/L	<1.0		09/18/2002		4642	mrh	SW	8260B
1,2-Dichloropropane	<1.0	ug/L	<1.0		09/18/2002		4642	mrh	SW	8260B
1,3-Dichloropropane	<1.0	ug/L	<1.0		09/18/2002		4642	mrh	SW	8260B
2,2-Dichloropropane	<1.0	ug/L	<1.0		09/18/2002		4642	mrh	SW	8260B
1,1-Dichloropropene	<1.0	ug/L	<1.0		09/18/2002		4642	mrh	SW	8260B
cis-1,3-Dichloropropene	<1.0	ug/L	<1.0		09/18/2002		4642	mrh	SW	8260B
trans-1,3-Dichloropropene	<1.0	ug/L	<1.0		09/18/2002		4642	mrh	SW	8260B
Ethylbenzene	<1.0	ug/L	<1.0		09/18/2002		4642	mrh	SW	8260B
Hexachlorobutadiene	<5.0	ug/L	<5.0		09/18/2002		4642	mrh	SW	8260B
n-Hexane	<5.0	ug/L	<5.0		09/18/2002		4642	mrh	SW	8260B
2-Hexanone	<12.5	ug/L	<12.5		09/18/2002		4642	mrh	SW	8260B
Isopropylbenzene (Cumene)	<1.0	ug/L	<1.0		09/18/2002		4642	mrh	SW	8260B
p-Isopropyltoluene	<1.0	ug/L	<1.0		09/18/2002		4642	mrh	SW	8260B
Bromomethane	<5.0	ug/L	<5.0		09/18/2002		4642	mrh	SW	8260B
Methylene Chloride	<5.0	ug/L	<5.0		09/18/2002		4642	mrh	SW	8260B
Methyl t-butyl ether (MTBE)	<5.0	ug/L	<5.0		09/18/2002		4642	mrh	SW	8260B
4-Methyl-2-pentanone (MIBK)	<12.5	ug/L	<12.5		09/18/2002		4642	mrh	SW	8260B
n-Propylbenzene	<1.0	ug/L	<1.0		09/18/2002		4642	mrh	SW	8260B
Styrene	<1.0	ug/L	<1.0		09/18/2002		4642	mrh	SW	8260B
Naphthalene	<5.0	ug/L	<5.0		09/18/2002		4642	mrh	SW	8260B
1,1,1,2-Tetrachloroethane	<1.0	ug/L	<1.0		09/18/2002		4642	mrh	SW	8260B
1,1,2,2-Tetrachloroethane	<1.0	ug/L	<1.0		09/18/2002		4642	mrh	SW	8260B
Tetrachloroethene	<1.0	ug/L	<1.0		09/18/2002		4642	mrh	SW	8260B
Toluene	<1.0	ug/L	<1.0		09/18/2002		4642	mrh	SW	8260B
1,2,4-Trichlorobenzene	<5.0	ug/L	<5.0		09/18/2002		4642	mrh	SW	8260B
1,1,1-Trichloroethane	6.5	ug/L	<1.0		09/18/2002		4642	mrh	SW	8260B
1,1,2-Trichloroethane	<1.0	ug/L	<1.0		09/18/2002		4642	mrh	SW	8260B
Trichloroethene	14.0	ug/L	<1.0		09/18/2002		4642	mrh	SW	8260B

TestAmerica, Incorporated

PAGE 35 of 38

ANALYTICAL REPORT

Kevin Wildman
 HULL & ASSOC. (Dublin)
 6130 Wilcox Rd.
 Dublin, OH 43016

09/18/2002

Job Number: 02.18521

Client Project ID: SBI013

SAMPLE NO. 788510 **SAMPLE DESCRIPTION** SBO013:TB2:091202 **DATE/TIME TAKEN** 09/12/2002

	Result	Units	Reporting Limit	Flag	Date Analyzed	Time Analyzed	Prep Batch	Run Batch	Anal. Init.	Method Reference
VOLATILE COMPOUNDS - 8260 (AQ)										
8260 - SW846 (AQ)	Complete		Complete		09/14/2002			4628	mrh	
Acetone	<20.0	ug/L	<20.0		09/14/2002			4628	mrh	SW 8260B
Benzene	<1.0	ug/L	<1.0		09/14/2002			4628	mrh	SW 8260B
tert-Butylbenzene	<1.0	ug/L	<1.0		09/14/2002			4628	mrh	SW 8260B
sec-Butylbenzene	<1.0	ug/L	<1.0		09/14/2002			4628	mrh	SW 8260B
n-Butylbenzene	<1.0	ug/L	<1.0		09/14/2002			4628	mrh	SW 8260B
Bromochloromethane	<1.0	ug/L	<1.0		09/14/2002			4628	mrh	SW 8260B
Bromodichloromethane	<1.0	ug/L	<1.0		09/14/2002			4628	mrh	SW 8260B
Bromoform	<1.0	ug/L	<1.0		09/14/2002			4628	mrh	SW 8260B
Bromobenzene	<1.0	ug/L	<1.0		09/14/2002			4628	mrh	SW 8260B
2-Butanone (MEK)	<12.5	ug/L	<12.5		09/14/2002			4628	mrh	SW 8260B
Carbon disulfide	<1.0	ug/L	<1.0		09/14/2002			4628	mrh	SW 8260B
Carbon tetrachloride	<1.0	ug/L	<1.0		09/14/2002			4628	mrh	SW 8260B
Chlorobenzene	<1.0	ug/L	<1.0		09/14/2002			4628	mrh	SW 8260B
Chloroethane	<5.0	ug/L	<5.0		09/14/2002			4628	mrh	SW 8260B
2-Chlorotoluene	<1.0	ug/L	<1.0		09/14/2002			4628	mrh	SW 8260B
4-Chlorotoluene	<1.0	ug/L	<1.0		09/14/2002			4628	mrh	SW 8260B
Chloroform	<1.0	ug/L	<1.0		09/14/2002			4628	mrh	SW 8260B
Chloromethane	<5.0	ug/L	<5.0		09/14/2002			4628	mrh	SW 8260B
Dibromochloromethane	<1.0	ug/L	<1.0		09/14/2002			4628	mrh	SW 8260B
Dibromomethane	<1.0	ug/L	<1.0		09/14/2002			4628	mrh	SW 8260B
Dichlorodifluoromethane	<1.0	ug/L	<1.0		09/14/2002			4628	mrh	SW 8260B
1,2-Dibromo-3-chloropropane	<5.0	ug/L	<5.0		09/14/2002			4628	mrh	SW 8260B
1,2-Dichlorobenzene	<1.0	ug/L	<1.0		09/14/2002			4628	mrh	SW 8260B
1,3-Dichlorobenzene	<1.0	ug/L	<1.0		09/14/2002			4628	mrh	SW 8260B
1,4-Dichlorobenzene	<1.0	ug/L	<1.0		09/14/2002			4628	mrh	SW 8260B
1,1-Dichloroethane	<1.0	ug/L	<1.0		09/14/2002			4628	mrh	SW 8260B
1,2-Dichloroethane	<1.0	ug/L	<1.0		09/14/2002			4628	mrh	SW 8260B
1,1-Dichloroethene	<1.0	ug/L	<1.0		09/14/2002			4628	mrh	SW 8260B
cis-1,2-Dichloroethene	<1.0	ug/L	<1.0		09/14/2002			4628	mrh	SW 8260B
trans-1,2-Dichloroethene	<1.0	ug/L	<1.0		09/14/2002			4628	mrh	SW 8260B

TestAmerica, Incorporated

PAGE 36 of 38

ANALYTICAL REPORT

Kevin Wildman
 HULL & ASSOC. (Dublin)
 6130 Wilcox Rd.
 Dublin, OH 43016

09/18/2002

Job Number: 02.18521

Client Project ID: SBI013

SAMPLE NO. 788510 **SAMPLE DESCRIPTION** SBO013:TB2:091202 **DATE/TIME TAKEN** 09/12/2002

	Result	Units	Reporting		Date Analyzed	Time Analyzed	Prep Batch	Run Batch	Anal.	
			Limit	Flag					Init.	Method Reference
1,2-Dichloropropane	<1.0	ug/L	<1.0		09/14/2002		4628	mrh	SW 8260B	
1,3-Dichloropropane	<1.0	ug/L	<1.0		09/14/2002		4628	mrh	SW 8260B	
2,2-Dichloropropane	<1.0	ug/L	<1.0		09/14/2002		4628	mrh	SW 8260B	
1,1-Dichloropropene	<1.0	ug/L	<1.0		09/14/2002		4628	mrh	SW 8260B	
cis-1,3-Dichloropropene	<1.0	ug/L	<1.0		09/14/2002		4628	mrh	SW 8260B	
trans-1,3-Dichloropropene	<1.0	ug/L	<1.0		09/14/2002		4628	mrh	SW 8260B	
Ethylbenzene	<1.0	ug/L	<1.0		09/14/2002		4628	mrh	SW 8260B	
Hexachlorobutadiene	<5.0	ug/L	<5.0		09/14/2002		4628	mrh	SW 8260B	
n-Hexane	<5.0	ug/L	<5.0		09/14/2002		4628	mrh	SW 8260B	
2-Hexanone	<12.5	ug/L	<12.5		09/14/2002		4628	mrh	SW 8260B	
Isopropylbenzene (Cumene)	<1.0	ug/L	<1.0		09/14/2002		4628	mrh	SW 8260B	
p-Isopropyltoluene	<1.0	ug/L	<1.0		09/14/2002		4628	mrh	SW 8260B	
Bromomethane	<5.0	ug/L	<5.0		09/14/2002		4628	mrh	SW 8260B	
Methylene Chloride	<5.0	ug/L	<5.0		09/14/2002		4628	mrh	SW 8260B	
Methyl t-butyl ether (MTBE)	<5.0	ug/L	<5.0		09/14/2002		4628	mrh	SW 8260B	
4-Methyl-2-pentanone (MIBK)	<12.5	ug/L	<12.5		09/14/2002		4628	mrh	SW 8260B	
n-Propylbenzene	<1.0	ug/L	<1.0		09/14/2002		4628	mrh	SW 8260B	
Styrene	<1.0	ug/L	<1.0		09/14/2002		4628	mrh	SW 8260B	
Naphthalene	<5.0	ug/L	<5.0		09/14/2002		4628	mrh	SW 8260B	
1,1,1,2-Tetrachloroethane	<1.0	ug/L	<1.0		09/14/2002		4628	mrh	SW 8260B	
1,1,2,2-Tetrachloroethane	<1.0	ug/L	<1.0		09/14/2002		4628	mrh	SW 8260B	
Tetrachloroethene	<1.0	ug/L	<1.0		09/14/2002		4628	mrh	SW 8260B	
Toluene	<1.0	ug/L	<1.0		09/14/2002		4628	mrh	SW 8260B	
1,2,4-Trichlorobenzene	<5.0	ug/L	<5.0		09/14/2002		4628	mrh	SW 8260B	
1,1,1-Trichloroethane	<1.0	ug/L	<1.0		09/14/2002		4628	mrh	SW 8260B	
1,1,2-Trichloroethane	<1.0	ug/L	<1.0		09/14/2002		4628	mrh	SW 8260B	
Trichloroethene	<1.0	ug/L	<1.0		09/14/2002		4628	mrh	SW 8260B	
Trichlorofluoromethane	<1.0	ug/L	<1.0		09/14/2002		4628	mrh	SW 8260B	
1,2,3-Trichloropropane	<5.0	ug/L	<5.0		09/14/2002		4628	mrh	SW 8260B	
1,2,4-Trimethylbenzene	<1.0	ug/L	<1.0		09/14/2002		4628	mrh	SW 8260B	
1,3,5-Trimethylbenzene	<1.0	ug/L	<1.0		09/14/2002		4628	mrh	SW 8260B	
Vinyl Acetate	<5.0	ug/L	<5.0		09/14/2002		4628	mrh	SW 8260B	

TestAmerica, Incorporated

PAGE 37 of 38

ANALYTICAL REPORT

Kevin Wildman
HULL & ASSOC. (Dublin)
6130 Wilcox Rd.
Dublin, OH 43016

09/18/2002

Job Number: 02.18521

Client Project ID: SBI013

SAMPLE NO.	SAMPLE DESCRIPTION	DATE/TIME TAKEN								
788510	SBO013:TB2:091202	09/12/2002								
	Result	Units	Reporting Limit	Flag	Date Analyzed	Time Analyzed	Prep Batch	Run Batch	Anal. Init.	Method Reference
Vinyl Chloride	<1.0	ug/L	<1.0		09/14/2002		4628	mrh	SW 8260B	
Xylenes	<1.0	ug/L	<1.0		09/14/2002		4628	mrh	SW 8260B	
d4-1,2-Dichloroethane(surr)	104	%	80-120		09/14/2002		4628	mrh	SW 8260B	
Dibromofluoromethane(surr)	102	%	86-118		09/14/2002		4628	mrh	SW 8260B	
d8-Toluene(surr)	99	%	88-110		09/14/2002		4628	mrh	SW 8260B	
Bromofluorobenzene(surr)	99	%	86-115		09/14/2002		4628	mrh	SW 8260B	

TestAmerica, Incorporated

PAGE 38 of 38

QUALITY CONTROL FLAG DEFINITIONS

Job Number: 02.18521

(*) Indicates an out-of-control QC. The analytical data was reported based on other supporting quality control information.

(Note) Indicates to review the notes and comments section of the analytical report as there is additional information concerning this analytical result.

(MS) Indicates that the Matrix Spike (MS) was out of statistical advisory limits.

(MSD) Indicates that the Matrix Spike Duplicate (MSD) was out of statistical advisory limits.

(RPD) Indicates that the Relative Percent Difference (RPD) for the MS/MSD pair was outside of statistical advisory limits.

(SS) Indicates that the MS and MSD were out of statistical advisory limits.

(SSR) Indicates that the MS, MSD and RPD were out of statistical advisory limits.

(MSR) Indicates that the MS and RPD were out of statistical advisory limits.

(MSDR) Indicates that the MSD and RPD were out of statistical advisory limits.

(DL) Indicates that the MS and MSD were diluted out and the percent recoveries of the spikes could not be calculated.

(LS) Indicates that statistical accuracy and precision data is not available for spike concentrations which are $< 1/4$ of the sample amount. Care should be used in interpreting this data.

(J) Indicates estimated concentration due to internal standard areas or surrogate recoveries outside of control limits. A sample matrix effect is usually indicated.

(DW) Indicates Dry Weight.

Analytical Reporting Limits

The reporting limits listed for non-aqueous samples in the analytical report section are Practical Quantitation Limits (PQLs). These PQLs are based upon a typical standard weight used for a non-aqueous sample. The reporting limit for a sample may be different from the PQL listed depending upon the actual weight of sample used, the samples moisture content and any dilutions used during the analysis.

