

TestAmerica, Incorporated

ANALYTICAL REPORT

Kevin Wildman
HULL & ASSOC. (Dublin)
6130 Wilcox Rd.
Dublin, OH 43016

09/25/2002

Job Number: 02.18522

Enclosed is the analytical report for the following samples submitted to the Dayton Division of TestAmerica, Inc. for analysis:

<u>Sample Number</u>	<u>Sample Description</u>	<u>Date Taken</u>	<u>Date Received</u>
788511	SBI013:CTW3d:091102:412	09/11/2002	09/13/2002
788512	SBI013:CTW3dD:091102:412	09/11/2002	09/13/2002
788513	SBI013:CTW3s:091102:412	09/11/2002	09/13/2002
788514	SBI013:CTW5d:091202:412	09/12/2002	09/13/2002
788515	SBI013:CTW5s:091202:412	09/12/2002	09/13/2002
788516	SBI013:CTW6d:091202:412	09/12/2002	09/13/2002
788517	SBI013:CTW6s:091202:412	09/12/2002	09/13/2002
788518	SBI013:CTW7d:091202:412	09/12/2002	09/13/2002
788519	SBI013:CTW7s:091202:412	09/12/2002	09/13/2002
788520	SBI013:CTW8d:091202:412	09/12/2002	09/13/2002
788521	SBI013:CTW8s:091202:412	09/12/2002	09/13/2002
788522	SBI013:CTW9d:091202:412	09/12/2002	09/13/2002
788523	SBI013:CTW9s:091202:412	09/12/2002	09/13/2002
788524	SBI013:FB1:091202:412	09/12/2002	09/13/2002
788525	SBI013:FB2:091202:412	09/12/2002	09/13/2002
788526	SBI013:CTW5dD:091202:412	09/12/2002	09/13/2002
788527	SBI013:TB3:091202	09/12/2002	09/13/2002

TestAmerica, Inc. certifies that the analytical results contained herein apply only to the specific samples analyzed.

Reproduction of this analytical report is permitted only in its entirety.

Enclosure


Approved By

TestAmerica, Incorporated

PAGE 2 of 45

ANALYTICAL REPORT

Kevin Wildman
 HULL & ASSOC. (Dublin)
 6130 Wilcox Rd.
 Dublin, OH 43016

09/25/2002

Job Number: 02.18522

Client Project ID: SBI013

SAMPLE NO. 788511 **SAMPLE DESCRIPTION** SBI013:CTW3d:091102:412 **DATE/TIME TAKEN** 09/11/2002 16:30

	Result		Reporting	Date	Time	Prep	Run	Anal.	Method	Reference
	Units	Limit	Flag							
ICPMS TOTAL METALS	Complete		Complete	09/17/2002	00:06		3324	ekh	SW	6020
Arsenic, ICPMS	0.0122	mg/L	<0.0050	09/17/2002	00:06	2232	4599	ekh	SW	6020
Lead, ICPMS	0.0450	mg/L	<0.0010	09/17/2002	00:06	2232	4565	ekh	SW	6020
Metals Digestion, ICPMS	Complete		Complete	09/16/2002	09:45	2232		jlr	SW	3010A
VOLATILE COMPOUNDS - 8260 (AQ)										
8260 - SW846 (AQ)	Complete		Complete	09/18/2002			4642	mrh		
Acetone	<20.0	ug/L	<20.0	09/18/2002			4642	mrh	SW	8260B
Benzene	<1.0	ug/L	<1.0	09/18/2002			4642	mrh	SW	8260B
tert-Butylbenzene	<1.0	ug/L	<1.0	09/18/2002			4642	mrh	SW	8260B
sec-Butylbenzene	<1.0	ug/L	<1.0	09/18/2002			4642	mrh	SW	8260B
n-Butylbenzene	<1.0	ug/L	<1.0	09/18/2002			4642	mrh	SW	8260B
Bromochloromethane	<1.0	ug/L	<1.0	09/18/2002			4642	mrh	SW	8260B
Bromodichloromethane	<1.0	ug/L	<1.0	09/18/2002			4642	mrh	SW	8260B
Bromoform	<1.0	ug/L	<1.0	09/18/2002			4642	mrh	SW	8260B
Bromobenzene	<1.0	ug/L	<1.0	09/18/2002			4642	mrh	SW	8260B
2-Butanone (MEK)	<12.5	ug/L	<12.5	09/18/2002			4642	mrh	SW	8260B
Carbon disulfide	<1.0	ug/L	<1.0	09/18/2002			4642	mrh	SW	8260B
Carbon tetrachloride	<1.0	ug/L	<1.0	09/18/2002			4642	mrh	SW	8260B
Chlorobenzene	<1.0	ug/L	<1.0	09/18/2002			4642	mrh	SW	8260B
Chloroethane	<5.0	ug/L	<5.0	09/18/2002			4642	mrh	SW	8260B
2-Chlorotoluene	<1.0	ug/L	<1.0	09/18/2002			4642	mrh	SW	8260B
4-Chlorotoluene	<1.0	ug/L	<1.0	09/18/2002			4642	mrh	SW	8260B
Chloroform	<1.0	ug/L	<1.0	09/18/2002			4642	mrh	SW	8260B
Chloromethane	<5.0	ug/L	<5.0	09/18/2002			4642	mrh	SW	8260B
Dibromochloromethane	<1.0	ug/L	<1.0	09/18/2002			4642	mrh	SW	8260B
Dibromomethane	<1.0	ug/L	<1.0	09/18/2002			4642	mrh	SW	8260B
Dichlorodifluoromethane	<1.0	ug/L	<1.0	09/18/2002			4642	mrh	SW	8260B
1,2-Dibromo-3-chloropropane	<5.0	ug/L	<5.0	09/18/2002			4642	mrh	SW	8260B
1,2-Dichlorobenzene	<1.0	ug/L	<1.0	09/18/2002			4642	mrh	SW	8260B
1,3-Dichlorobenzene	<1.0	ug/L	<1.0	09/18/2002			4642	mrh	SW	8260B
1,4-Dichlorobenzene	<1.0	ug/L	<1.0	09/18/2002			4642	mrh	SW	8260B

TestAmerica, Incorporated

PAGE 3 of 45

ANALYTICAL REPORT

Kevin Wildman
 HULL & ASSOC. (Dublin)
 6130 Wilcox Rd.
 Dublin, OH 43016

09/25/2002

Job Number: 02.18522

Client Project ID: SBI013

SAMPLE NO. **SAMPLE DESCRIPTION** **DATE/TIME TAKEN**
 788511 SBI013:CTW3d:091102:412 09/11/2002 16:30

	Result		Reporting	Date	Time	Prep	Run	Anal.	Reference
	Units	Limit	Flag						
1,1-Dichloroethane	2.4	ug/L	<1.0	09/18/2002			4642	mrh	SW 8260B
1,2-Dichloroethane	<1.0	ug/L	<1.0	09/18/2002			4642	mrh	SW 8260B
1,1-Dichloroethene	1.4	ug/L	<1.0	09/18/2002			4642	mrh	SW 8260B
cis-1,2-Dichloroethene	<1.0	ug/L	<1.0	09/18/2002			4642	mrh	SW 8260B
trans-1,2-Dichloroethene	<1.0	ug/L	<1.0	09/18/2002			4642	mrh	SW 8260B
1,2-Dichloropropane	<1.0	ug/L	<1.0	09/18/2002			4642	mrh	SW 8260B
1,3-Dichloropropane	<1.0	ug/L	<1.0	09/18/2002			4642	mrh	SW 8260B
2,2-Dichloropropane	<1.0	ug/L	<1.0	09/18/2002			4642	mrh	SW 8260B
1,1-Dichloropropene	<1.0	ug/L	<1.0	09/18/2002			4642	mrh	SW 8260B
cis-1,3-Dichloropropene	<1.0	ug/L	<1.0	09/18/2002			4642	mrh	SW 8260B
trans-1,3-Dichloropropene	<1.0	ug/L	<1.0	09/18/2002			4642	mrh	SW 8260B
Ethylbenzene	<1.0	ug/L	<1.0	09/18/2002			4642	mrh	SW 8260B
Hexachlorobutadiene	<5.0	ug/L	<5.0	09/18/2002			4642	mrh	SW 8260B
n-Hexane	<5.0	ug/L	<5.0	09/18/2002			4642	mrh	SW 8260B
2-Hexanone	<12.5	ug/L	<12.5	09/18/2002			4642	mrh	SW 8260B
Isopropylbenzene (Cumene)	<1.0	ug/L	<1.0	09/18/2002			4642	mrh	SW 8260B
p-Isopropyltoluene	<1.0	ug/L	<1.0	09/18/2002			4642	mrh	SW 8260B
Bromomethane	<5.0	ug/L	<5.0	09/18/2002			4642	mrh	SW 8260B
Methylene Chloride	<5.0	ug/L	<5.0	09/18/2002			4642	mrh	SW 8260B
Methyl t-butyl ether (MTBE)	<5.0	ug/L	<5.0	09/18/2002			4642	mrh	SW 8260B
4-Methyl-2-pentanone (MIBK)	<12.5	ug/L	<12.5	09/18/2002			4642	mrh	SW 8260B
n-Propylbenzene	<1.0	ug/L	<1.0	09/18/2002			4642	mrh	SW 8260B
Styrene	<1.0	ug/L	<1.0	09/18/2002			4642	mrh	SW 8260B
Naphthalene	<5.0	ug/L	<5.0	09/18/2002			4642	mrh	SW 8260B
1,1,1,2-Tetrachloroethane	<1.0	ug/L	<1.0	09/18/2002			4642	mrh	SW 8260B
1,1,2,2-Tetrachloroethane	<1.0	ug/L	<1.0	09/18/2002			4642	mrh	SW 8260B
Tetrachloroethene	<1.0	ug/L	<1.0	09/18/2002			4642	mrh	SW 8260B
Toluene	<1.0	ug/L	<1.0	09/18/2002			4642	mrh	SW 8260B
1,2,4-Trichlorobenzene	<5.0	ug/L	<5.0	09/18/2002			4642	mrh	SW 8260B
1,1,1-Trichloroethane	32.6	ug/L	<1.0	09/18/2002			4642	mrh	SW 8260B
1,1,2-Trichloroethane	<1.0	ug/L	<1.0	09/18/2002			4642	mrh	SW 8260B
Trichloroethene	134	ug/L	<1.0	09/18/2002			4642	mrh	SW 8260B

TestAmerica, Incorporated

PAGE 4 of 45

ANALYTICAL REPORT

Kevin Wildman
 HULL & ASSOC. (Dublin)
 6130 Wilcox Rd.
 Dublin, OH 43016

09/25/2002

Job Number: 02.18522

Client Project ID: SBI013

SAMPLE NO. 788511 **SAMPLE DESCRIPTION** SBI013:CTW3d:091102:412 **DATE/TIME TAKEN** 09/11/2002 16:30

	Result		Reporting		Date	Time	Prep	Run	Anal.	
	Units	Limit	Flag	Analyzed	Analyzed	Batch	Batch	Init.	Method	Reference
Trichlorofluoromethane	<1.0	ug/L	<1.0		09/18/2002		4642	mrh	SW	8260B
1,2,3-Trichloropropane	<5.0	ug/L	<5.0		09/18/2002		4642	mrh	SW	8260B
1,2,4-Trimethylbenzene	<1.0	ug/L	<1.0		09/18/2002		4642	mrh	SW	8260B
1,3,5-Trimethylbenzene	<1.0	ug/L	<1.0		09/18/2002		4642	mrh	SW	8260B
Vinyl Acetate	<5.0	ug/L	<5.0		09/18/2002		4642	mrh	SW	8260B
Vinyl Chloride	<1.0	ug/L	<1.0		09/18/2002		4642	mrh	SW	8260B
Xylenes	<1.0	ug/L	<1.0		09/18/2002		4642	mrh	SW	8260B
d4-1,2-Dichloroethane(surr)	101	%	80-120		09/18/2002		4642	mrh	SW	8260B
Dibromofluoromethane(surr)	101	%	86-118		09/18/2002		4642	mrh	SW	8260B
d8-Toluene(surr)	99	%	88-110		09/18/2002		4642	mrh	SW	8260B
Bromofluorobenzene(surr)	107	%	86-115		09/18/2002		4642	mrh	SW	8260B

SAMPLE NO. 788512 **SAMPLE DESCRIPTION** SBI013:CTW3dD:091102:412 **DATE/TIME TAKEN** 09/11/2002 16:30

	Result		Reporting		Date	Time	Prep	Run	Anal.	
	Units	Limit	Flag	Analyzed	Analyzed	Batch	Batch	Init.	Method	Reference
ICPMS TOTAL METALS	Complete		Complete		09/17/2002	00:10		3324	ekh	SW 6020
Arsenic, ICPMS	0.0106	mg/L	<0.0050		09/17/2002	00:10	2232	4599	ekh	SW 6020
Lead, ICPMS	0.0459	mg/L	<0.0010		09/17/2002	00:10	2232	4565	ekh	SW 6020
Metals Digestion, ICPMS	Complete		Complete		09/16/2002	09:45	2232		jlr	SW 3010A
VOLATILE COMPOUNDS - 8260 (AQ)										
8260 - SW846 (AQ)	Complete		Complete		09/18/2002			4642	mrh	
Acetone	<20.0	ug/L	<20.0		09/18/2002			4642	mrh	SW 8260B
Benzene	<1.0	ug/L	<1.0		09/18/2002			4642	mrh	SW 8260B
tert-Butylbenzene	<1.0	ug/L	<1.0		09/18/2002			4642	mrh	SW 8260B
sec-Butylbenzene	<1.0	ug/L	<1.0		09/18/2002			4642	mrh	SW 8260B

TestAmerica, Incorporated

PAGE 5 of 45

ANALYTICAL REPORT

Kevin Wildman
 HULL & ASSOC. (Dublin)
 6130 Wilcox Rd.
 Dublin, OH 43016

09/25/2002

Job Number: 02.18522

Client Project ID: SBI013

SAMPLE NO. 788512 **SAMPLE DESCRIPTION** SBI013:CTW3dD:091102:412 **DATE/TIME TAKEN** 09/11/2002 16:30

	Result		Reporting		Date	Time	Prep	Run	Anal.	
	Units	Limit	Flag	Analyzed	Analyzed	Batch	Batch	Init.	Method	Reference
n-Butylbenzene	<1.0	ug/L	<1.0		09/18/2002		4642	mrh	SW	8260B
Bromochloromethane	<1.0	ug/L	<1.0		09/18/2002		4642	mrh	SW	8260B
Bromodichloromethane	<1.0	ug/L	<1.0		09/18/2002		4642	mrh	SW	8260B
Bromoform	<1.0	ug/L	<1.0		09/18/2002		4642	mrh	SW	8260B
Bromobenzene	<1.0	ug/L	<1.0		09/18/2002		4642	mrh	SW	8260B
2-Butanone (MEK)	<12.5	ug/L	<12.5		09/18/2002		4642	mrh	SW	8260B
Carbon disulfide	<1.0	ug/L	<1.0		09/18/2002		4642	mrh	SW	8260B
Carbon tetrachloride	<1.0	ug/L	<1.0		09/18/2002		4642	mrh	SW	8260B
Chlorobenzene	<1.0	ug/L	<1.0		09/18/2002		4642	mrh	SW	8260B
Chloroethane	<5.0	ug/L	<5.0		09/18/2002		4642	mrh	SW	8260B
2-Chlorotoluene	<1.0	ug/L	<1.0		09/18/2002		4642	mrh	SW	8260B
4-Chlorotoluene	<1.0	ug/L	<1.0		09/18/2002		4642	mrh	SW	8260B
Chloroform	<1.0	ug/L	<1.0		09/18/2002		4642	mrh	SW	8260B
Chloromethane	<5.0	ug/L	<5.0		09/18/2002		4642	mrh	SW	8260B
Dibromochloromethane	<1.0	ug/L	<1.0		09/18/2002		4642	mrh	SW	8260B
Dibromomethane	<1.0	ug/L	<1.0		09/18/2002		4642	mrh	SW	8260B
Dichlorodifluoromethane	<1.0	ug/L	<1.0		09/18/2002		4642	mrh	SW	8260B
1,2-Dibromo-3-chloropropane	<5.0	ug/L	<5.0		09/18/2002		4642	mrh	SW	8260B
1,2-Dichlorobenzene	<1.0	ug/L	<1.0		09/18/2002		4642	mrh	SW	8260B
1,3-Dichlorobenzene	<1.0	ug/L	<1.0		09/18/2002		4642	mrh	SW	8260B
1,4-Dichlorobenzene	<1.0	ug/L	<1.0		09/18/2002		4642	mrh	SW	8260B
1,1-Dichloroethane	2.5	ug/L	<1.0		09/18/2002		4642	mrh	SW	8260B
1,2-Dichloroethane	<1.0	ug/L	<1.0		09/18/2002		4642	mrh	SW	8260B
1,1-Dichloroethene	1.5	ug/L	<1.0		09/18/2002		4642	mrh	SW	8260B
cis-1,2-Dichloroethene	<1.0	ug/L	<1.0		09/18/2002		4642	mrh	SW	8260B
trans-1,2-Dichloroethene	<1.0	ug/L	<1.0		09/18/2002		4642	mrh	SW	8260B
1,2-Dichloropropane	<1.0	ug/L	<1.0		09/18/2002		4642	mrh	SW	8260B
1,3-Dichloropropane	<1.0	ug/L	<1.0		09/18/2002		4642	mrh	SW	8260B
2,2-Dichloropropane	<1.0	ug/L	<1.0		09/18/2002		4642	mrh	SW	8260B
1,1-Dichloropropene	<1.0	ug/L	<1.0		09/18/2002		4642	mrh	SW	8260B
cis-1,3-Dichloropropene	<1.0	ug/L	<1.0		09/18/2002		4642	mrh	SW	8260B
trans-1,3-Dichloropropene	<1.0	ug/L	<1.0		09/18/2002		4642	mrh	SW	8260B

TestAmerica, Incorporated

PAGE 6 of 45

ANALYTICAL REPORT

Kevin Wildman
 HULL & ASSOC. (Dublin)
 6130 Wilcox Rd.
 Dublin, OH 43016

09/25/2002

Job Number: 02.18522

Client Project ID: SBI013

SAMPLE NO. 788512 **SAMPLE DESCRIPTION** SBI013:CTW3dD:091102:412 **DATE/TIME TAKEN** 09/11/2002 16:30

	Result		Reporting		Date	Time	Prep	Run	Anal.	
	Units	Limit	Flag	Analyzed	Analyzed	Batch	Batch	Init.	Method	Reference
Ethylbenzene	<1.0	ug/L	<1.0		09/18/2002		4642	mrh	SW	8260B
Hexachlorobutadiene	<5.0	ug/L	<5.0		09/18/2002		4642	mrh	SW	8260B
n-Hexane	<5.0	ug/L	<5.0		09/18/2002		4642	mrh	SW	8260B
2-Hexanone	<12.5	ug/L	<12.5		09/18/2002		4642	mrh	SW	8260B
Isopropylbenzene (Cumene)	<1.0	ug/L	<1.0		09/18/2002		4642	mrh	SW	8260B
p-Isopropyltoluene	<1.0	ug/L	<1.0		09/18/2002		4642	mrh	SW	8260B
Bromomethane	<5.0	ug/L	<5.0		09/18/2002		4642	mrh	SW	8260B
Methylene Chloride	<5.0	ug/L	<5.0		09/18/2002		4642	mrh	SW	8260B
Methyl t-butyl ether (MTBE)	<5.0	ug/L	<5.0		09/18/2002		4642	mrh	SW	8260B
4-Methyl-2-pentanone (MIBK)	<12.5	ug/L	<12.5		09/18/2002		4642	mrh	SW	8260B
n-Propylbenzene	<1.0	ug/L	<1.0		09/18/2002		4642	mrh	SW	8260B
Styrene	<1.0	ug/L	<1.0		09/18/2002		4642	mrh	SW	8260B
Napthalene	<5.0	ug/L	<5.0		09/18/2002		4642	mrh	SW	8260B
1,1,1,2-Tetrachloroethane	<1.0	ug/L	<1.0		09/18/2002		4642	mrh	SW	8260B
1,1,2,2-Tetrachloroethane	<1.0	ug/L	<1.0		09/18/2002		4642	mrh	SW	8260B
Tetrachloroethene	<1.0	ug/L	<1.0		09/18/2002		4642	mrh	SW	8260B
Toluene	<1.0	ug/L	<1.0		09/18/2002		4642	mrh	SW	8260B
1,2,4-Trichlorobenzene	<5.0	ug/L	<5.0		09/18/2002		4642	mrh	SW	8260B
1,1,1-Trichloroethane	34.4	ug/L	<1.0		09/18/2002		4642	mrh	SW	8260B
1,1,2-Trichloroethane	<1.0	ug/L	<1.0		09/18/2002		4642	mrh	SW	8260B
Trichloroethene	144	ug/L	<1.0		09/18/2002		4642	mrh	SW	8260B
Trichlorofluoromethane	<1.0	ug/L	<1.0		09/18/2002		4642	mrh	SW	8260B
1,2,3-Trichloropropane	<5.0	ug/L	<5.0		09/18/2002		4642	mrh	SW	8260B
1,2,4-Trimethylbenzene	<1.0	ug/L	<1.0		09/18/2002		4642	mrh	SW	8260B
1,3,5-Trimethylbenzene	<1.0	ug/L	<1.0		09/18/2002		4642	mrh	SW	8260B
Vinyl Acetate	<5.0	ug/L	<5.0		09/18/2002		4642	mrh	SW	8260B
Vinyl Chloride	<1.0	ug/L	<1.0		09/18/2002		4642	mrh	SW	8260B
Xylenes	<1.0	ug/L	<1.0		09/18/2002		4642	mrh	SW	8260B
d4-1,2-Dichloroethane (surr)	101	%	80-120		09/18/2002		4642	mrh	SW	8260B
Dibromofluoromethane (surr)	102	%	86-118		09/18/2002		4642	mrh	SW	8260B
d8-Toluene (surr)	100	%	88-110		09/18/2002		4642	mrh	SW	8260B
Bromofluorobenzene (surr)	105	%	86-115		09/18/2002		4642	mrh	SW	8260B

TestAmerica, Incorporated

PAGE 7 of 45

ANALYTICAL REPORT

Kevin Wildman
HULL & ASSOC. (Dublin)
6130 Wilcox Rd.
Dublin, OH 43016

09/25/2002

Job Number: 02.18522

Client Project ID: SBI013

SAMPLE NO. 788513 **SAMPLE DESCRIPTION** SBI013:CTW3s:091102:412 **DATE/TIME TAKEN** 09/11/2002 16:40

	Result		Reporting	Date	Time	Prep	Run	Anal.	Method	Reference
	Units	Limit	Flag							
ICPMS TOTAL METALS	Complete		Complete	09/17/2002	00:15		3324	ekh	SW	6020
Arsenic, ICPMS	0.0051	mg/L	<0.0050	09/17/2002	00:15	2232	4599	ekh	SW	6020
Lead, ICPMS	0.0204	mg/L	<0.0010	09/17/2002	00:15	2232	4565	ekh	SW	6020
Metals Digestion, ICPMS	Complete		Complete	09/16/2002	09:45	2232		jlr	SW	3010A
VOLATILE COMPOUNDS - 8260 (AQ)										
8260 - SW846 (AQ)	Complete		Complete	09/18/2002			4642	mrh		
Acetone	<20.0	ug/L	<20.0	09/18/2002			4642	mrh	SW	8260B
Benzene	<1.0	ug/L	<1.0	09/18/2002			4642	mrh	SW	8260B
tert-Butylbenzene	<1.0	ug/L	<1.0	09/18/2002			4642	mrh	SW	8260B
sec-Butylbenzene	<1.0	ug/L	<1.0	09/18/2002			4642	mrh	SW	8260B
n-Butylbenzene	<1.0	ug/L	<1.0	09/18/2002			4642	mrh	SW	8260B
Bromochloromethane	<1.0	ug/L	<1.0	09/18/2002			4642	mrh	SW	8260B
Bromodichloromethane	<1.0	ug/L	<1.0	09/18/2002			4642	mrh	SW	8260B
Bromoform	<1.0	ug/L	<1.0	09/18/2002			4642	mrh	SW	8260B
Bromobenzene	<1.0	ug/L	<1.0	09/18/2002			4642	mrh	SW	8260B
2-Butanone (MEK)	<12.5	ug/L	<12.5	09/18/2002			4642	mrh	SW	8260B
Carbon disulfide	<1.0	ug/L	<1.0	09/18/2002			4642	mrh	SW	8260B
Carbon tetrachloride	<1.0	ug/L	<1.0	09/18/2002			4642	mrh	SW	8260B
Chlorobenzene	<1.0	ug/L	<1.0	09/18/2002			4642	mrh	SW	8260B
Chloroethane	<5.0	ug/L	<5.0	09/18/2002			4642	mrh	SW	8260B
2-Chlorotoluene	<1.0	ug/L	<1.0	09/18/2002			4642	mrh	SW	8260B
4-Chlorotoluene	<1.0	ug/L	<1.0	09/18/2002			4642	mrh	SW	8260B
Chloroform	<1.0	ug/L	<1.0	09/18/2002			4642	mrh	SW	8260B
Chloromethane	<5.0	ug/L	<5.0	09/18/2002			4642	mrh	SW	8260B
Dibromochloromethane	<1.0	ug/L	<1.0	09/18/2002			4642	mrh	SW	8260B
Dibromomethane	<1.0	ug/L	<1.0	09/18/2002			4642	mrh	SW	8260B
Dichlorodifluoromethane	<1.0	ug/L	<1.0	09/18/2002			4642	mrh	SW	8260B
1,2-Dibromo-3-chloropropane	<5.0	ug/L	<5.0	09/18/2002			4642	mrh	SW	8260B
1,2-Dichlorobenzene	<1.0	ug/L	<1.0	09/18/2002			4642	mrh	SW	8260B
1,3-Dichlorobenzene	<1.0	ug/L	<1.0	09/18/2002			4642	mrh	SW	8260B
1,4-Dichlorobenzene	<1.0	ug/L	<1.0	09/18/2002			4642	mrh	SW	8260B

TestAmerica, Incorporated

PAGE 8 of 45

ANALYTICAL REPORT

Kevin Wildman
 HULL & ASSOC. (Dublin)
 6130 Wilcox Rd.
 Dublin, OH 43016

09/25/2002

Job Number: 02.18522

Client Project ID: SBI013

SAMPLE NO.	SAMPLE DESCRIPTION	DATE/TIME TAKEN
788513	SBI013:CTW3s:091102:412	09/11/2002 16:40

	Result	Units	Reporting		Date Analyzed	Time Analyzed	Prep Batch	Run Batch	Anal.	
			Limit	Flag					Init.	Method Reference
1,1-Dichloroethane	<1.0	ug/L	<1.0		09/18/2002		4642	mrh	SW	8260B
1,2-Dichloroethane	<1.0	ug/L	<1.0		09/18/2002		4642	mrh	SW	8260B
1,1-Dichloroethene	<1.0	ug/L	<1.0		09/18/2002		4642	mrh	SW	8260B
cis-1,2-Dichloroethene	<1.0	ug/L	<1.0		09/18/2002		4642	mrh	SW	8260B
trans-1,2-Dichloroethene	<1.0	ug/L	<1.0		09/18/2002		4642	mrh	SW	8260B
1,2-Dichloropropane	<1.0	ug/L	<1.0		09/18/2002		4642	mrh	SW	8260B
1,3-Dichloropropane	<1.0	ug/L	<1.0		09/18/2002		4642	mrh	SW	8260B
2,2-Dichloropropane	<1.0	ug/L	<1.0		09/18/2002		4642	mrh	SW	8260B
1,1-Dichloropropene	<1.0	ug/L	<1.0		09/18/2002		4642	mrh	SW	8260B
cis-1,3-Dichloropropene	<1.0	ug/L	<1.0		09/18/2002		4642	mrh	SW	8260B
trans-1,3-Dichloropropene	<1.0	ug/L	<1.0		09/18/2002		4642	mrh	SW	8260B
Ethylbenzene	<1.0	ug/L	<1.0		09/18/2002		4642	mrh	SW	8260B
Hexachlorobutadiene	<5.0	ug/L	<5.0		09/18/2002		4642	mrh	SW	8260B
n-Hexane	<5.0	ug/L	<5.0		09/18/2002		4642	mrh	SW	8260B
2-Hexanone	<12.5	ug/L	<12.5		09/18/2002		4642	mrh	SW	8260B
Isopropylbenzene (Cumene)	<1.0	ug/L	<1.0		09/18/2002		4642	mrh	SW	8260B
p-Isopropyltoluene	<1.0	ug/L	<1.0		09/18/2002		4642	mrh	SW	8260B
Bromomethane	<5.0	ug/L	<5.0		09/18/2002		4642	mrh	SW	8260B
Methylene Chloride	<5.0	ug/L	<5.0		09/18/2002		4642	mrh	SW	8260B
Methyl t-butyl ether (MTBE)	<5.0	ug/L	<5.0		09/18/2002		4642	mrh	SW	8260B
4-Methyl-2-pentanone (MIBK)	<12.5	ug/L	<12.5		09/18/2002		4642	mrh	SW	8260B
n-Propylbenzene	<1.0	ug/L	<1.0		09/18/2002		4642	mrh	SW	8260B
Styrene	<1.0	ug/L	<1.0		09/18/2002		4642	mrh	SW	8260B
Naphthalene	<5.0	ug/L	<5.0		09/18/2002		4642	mrh	SW	8260B
1,1,1,2-Tetrachloroethane	<1.0	ug/L	<1.0		09/18/2002		4642	mrh	SW	8260B
1,1,2,2-Tetrachloroethane	<1.0	ug/L	<1.0		09/18/2002		4642	mrh	SW	8260B
Tetrachloroethene	<1.0	ug/L	<1.0		09/18/2002		4642	mrh	SW	8260B
Toluene	<1.0	ug/L	<1.0		09/18/2002		4642	mrh	SW	8260B
1,2,4-Trichlorobenzene	<5.0	ug/L	<5.0		09/18/2002		4642	mrh	SW	8260B
1,1,1-Trichloroethane	31.4	ug/L	<1.0		09/18/2002		4642	mrh	SW	8260B
1,1,2-Trichloroethane	<1.0	ug/L	<1.0		09/18/2002		4642	mrh	SW	8260B
Trichloroethene	136	ug/L	<1.0		09/18/2002		4642	mrh	SW	8260B

TestAmerica, Incorporated

PAGE 9 of 45

ANALYTICAL REPORT

Kevin Wildman
HULL & ASSOC. (Dublin)
6130 Wilcox Rd.
Dublin, OH 43016

09/25/2002

Job Number: 02.18522

Client Project ID: SBI013

SAMPLE NO. 788513 **SAMPLE DESCRIPTION** SBI013:CTW3s:091102:412 **DATE/TIME TAKEN** 09/11/2002 16:40

	Result	Units	Reporting		Date Analyzed	Time Analyzed	Prep Batch	Run Batch	Anal.	
			Limit	Flag					Init.	Method Reference
Trichlorofluoromethane	<1.0	ug/L	<1.0		09/18/2002		4642	mrh	SW	8260B
1,2,3-Trichloropropane	<5.0	ug/L	<5.0		09/18/2002		4642	mrh	SW	8260B
1,2,4-Trimethylbenzene	<1.0	ug/L	<1.0		09/18/2002		4642	mrh	SW	8260B
1,3,5-Trimethylbenzene	<1.0	ug/L	<1.0		09/18/2002		4642	mrh	SW	8260B
Vinyl Acetate	<5.0	ug/L	<5.0		09/18/2002		4642	mrh	SW	8260B
Vinyl Chloride	<1.0	ug/L	<1.0		09/18/2002		4642	mrh	SW	8260B
Xylenes	<1.0	ug/L	<1.0		09/18/2002		4642	mrh	SW	8260B
d4-1,2-Dichloroethane(surr)	103	%	80-120		09/18/2002		4642	mrh	SW	8260B
Dibromofluoromethane(surr)	102	%	86-118		09/18/2002		4642	mrh	SW	8260B
d8-Toluene(surr)	99	%	88-110		09/18/2002		4642	mrh	SW	8260B
Bromofluorobenzene(surr)	101	%	86-115		09/18/2002		4642	mrh	SW	8260B

SAMPLE NO. 788514 **SAMPLE DESCRIPTION** SBI013:CTW5d:091202:412 **DATE/TIME TAKEN** 09/12/2002 08:50

	Result	Units	Reporting		Date Analyzed	Time Analyzed	Prep Batch	Run Batch	Anal.	
			Limit	Flag					Init.	Method Reference
ICPMS TOTAL METALS	Complete		Complete		09/17/2002	23:39		3325	ekh	SW 6020
Arsenic, ICPMS	0.0215	mg/L	<0.0050		09/17/2002	23:39	2232	4601	ekh	SW 6020
Lead, ICPMS	0.0433	mg/L	<0.0010		09/17/2002	23:39	2232	4567	ekh	SW 6020
Metals Digestion, ICPMS	Complete		Complete		09/16/2002	09:45	2232		jlr	SW 3010A
VOLATILE COMPOUNDS - 8260 (AQ)										
8260 - SW846 (AQ)	Complete		Complete		09/18/2002			4642	mrh	
Acetone	<20.0	ug/L	<20.0		09/18/2002			4642	mrh	SW 8260B
Benzene	<1.0	ug/L	<1.0		09/18/2002			4642	mrh	SW 8260B
tert-Butylbenzene	<1.0	ug/L	<1.0		09/18/2002			4642	mrh	SW 8260B
sec-Butylbenzene	<1.0	ug/L	<1.0		09/18/2002			4642	mrh	SW 8260B

TestAmerica, Incorporated

PAGE 10 of 45

ANALYTICAL REPORT

Kevin Wildman
 HULL & ASSOC. (Dublin)
 6130 Wilcox Rd.
 Dublin, OH 43016

09/25/2002

Job Number: 02.18522

Client Project ID: SBI013

SAMPLE NO. 788514 **SAMPLE DESCRIPTION** SBI013:CTW5d:091202:412 **DATE/TIME TAKEN** 09/12/2002 08:50

	Result	Units	Reporting		Date Analyzed	Time Analyzed	Prep Batch	Run Batch	Anal.	
			Limit	Flag					Init.	Method Reference
n-Butylbenzene	<1.0	ug/L	<1.0		09/18/2002		4642	mrh	SW 8260B	
Bromochloromethane	<1.0	ug/L	<1.0		09/18/2002		4642	mrh	SW 8260B	
Bromodichloromethane	<1.0	ug/L	<1.0		09/18/2002		4642	mrh	SW 8260B	
Bromoform	<1.0	ug/L	<1.0		09/18/2002		4642	mrh	SW 8260B	
Bromobenzene	<1.0	ug/L	<1.0		09/18/2002		4642	mrh	SW 8260B	
2-Butanone (MEK)	<12.5	ug/L	<12.5		09/18/2002		4642	mrh	SW 8260B	
Carbon disulfide	<1.0	ug/L	<1.0		09/18/2002		4642	mrh	SW 8260B	
Carbon tetrachloride	<1.0	ug/L	<1.0		09/18/2002		4642	mrh	SW 8260B	
Chlorobenzene	<1.0	ug/L	<1.0		09/18/2002		4642	mrh	SW 8260B	
Chloroethane	<5.0	ug/L	<5.0		09/18/2002		4642	mrh	SW 8260B	
2-Chlorotoluene	<1.0	ug/L	<1.0		09/18/2002		4642	mrh	SW 8260B	
4-Chlorotoluene	<1.0	ug/L	<1.0		09/18/2002		4642	mrh	SW 8260B	
Chloroform	<1.0	ug/L	<1.0		09/18/2002		4642	mrh	SW 8260B	
Chloromethane	<5.0	ug/L	<5.0		09/18/2002		4642	mrh	SW 8260B	
Dibromochloromethane	<1.0	ug/L	<1.0		09/18/2002		4642	mrh	SW 8260B	
Dibromomethane	<1.0	ug/L	<1.0		09/18/2002		4642	mrh	SW 8260B	
Dichlorodifluoromethane	<1.0	ug/L	<1.0		09/18/2002		4642	mrh	SW 8260B	
1,2-Dibromo-3-chloropropane	<5.0	ug/L	<5.0		09/18/2002		4642	mrh	SW 8260B	
1,2-Dichlorobenzene	<1.0	ug/L	<1.0		09/18/2002		4642	mrh	SW 8260B	
1,3-Dichlorobenzene	<1.0	ug/L	<1.0		09/18/2002		4642	mrh	SW 8260B	
1,4-Dichlorobenzene	<1.0	ug/L	<1.0		09/18/2002		4642	mrh	SW 8260B	
1,1-Dichloroethane	<1.0	ug/L	<1.0		09/18/2002		4642	mrh	SW 8260B	
1,2-Dichloroethane	<1.0	ug/L	<1.0		09/18/2002		4642	mrh	SW 8260B	
1,1-Dichloroethene	<1.0	ug/L	<1.0		09/18/2002		4642	mrh	SW 8260B	
cis-1,2-Dichloroethene	<1.0	ug/L	<1.0		09/18/2002		4642	mrh	SW 8260B	
trans-1,2-Dichloroethene	<1.0	ug/L	<1.0		09/18/2002		4642	mrh	SW 8260B	
1,2-Dichloropropane	<1.0	ug/L	<1.0		09/18/2002		4642	mrh	SW 8260B	
1,3-Dichloropropane	<1.0	ug/L	<1.0		09/18/2002		4642	mrh	SW 8260B	
2,2-Dichloropropane	<1.0	ug/L	<1.0		09/18/2002		4642	mrh	SW 8260B	
1,1-Dichloropropene	<1.0	ug/L	<1.0		09/18/2002		4642	mrh	SW 8260B	
cis-1,3-Dichloropropene	<1.0	ug/L	<1.0		09/18/2002		4642	mrh	SW 8260B	
trans-1,3-Dichloropropene	<1.0	ug/L	<1.0		09/18/2002		4642	mrh	SW 8260B	

TestAmerica, Incorporated

PAGE 11 of 45

ANALYTICAL REPORT

Kevin Wildman
 HULL & ASSOC. (Dublin)
 6130 Wilcox Rd.
 Dublin, OH 43016

09/25/2002

Job Number: 02.18522

Client Project ID: SBI013

SAMPLE NO. **SAMPLE DESCRIPTION** **DATE/TIME TAKEN**
 788514 SBI013:CTW5d:091202:412 09/12/2002 08:50

	Result		Reporting	Date	Time	Prep	Run	Anal.	Init.	Method	Reference
	Units	Limit	Flag								
Ethylbenzene	<1.0	ug/L	<1.0	09/18/2002			4642	mrh	SW	8260B	
Hexachlorobutadiene	<5.0	ug/L	<5.0	09/18/2002			4642	mrh	SW	8260B	
n-Hexane	<5.0	ug/L	<5.0	09/18/2002			4642	mrh	SW	8260B	
2-Hexanone	<12.5	ug/L	<12.5	09/18/2002			4642	mrh	SW	8260B	
Isopropylbenzene (Cumene)	<1.0	ug/L	<1.0	09/18/2002			4642	mrh	SW	8260B	
p-Isopropyltoluene	<1.0	ug/L	<1.0	09/18/2002			4642	mrh	SW	8260B	
Bromomethane	<5.0	ug/L	<5.0	09/18/2002			4642	mrh	SW	8260B	
Methylene Chloride	<5.0	ug/L	<5.0	09/18/2002			4642	mrh	SW	8260B	
Methyl t-butyl ether (MTBE)	<5.0	ug/L	<5.0	09/18/2002			4642	mrh	SW	8260B	
4-Methyl-2-pentanone (MIBK)	<12.5	ug/L	<12.5	09/18/2002			4642	mrh	SW	8260B	
n-Propylbenzene	<1.0	ug/L	<1.0	09/18/2002			4642	mrh	SW	8260B	
Styrene	<1.0	ug/L	<1.0	09/18/2002			4642	mrh	SW	8260B	
Naphthalene	<5.0	ug/L	<5.0	09/18/2002			4642	mrh	SW	8260B	
1,1,1,2-Tetrachloroethane	<1.0	ug/L	<1.0	09/18/2002			4642	mrh	SW	8260B	
1,1,2,2-Tetrachloroethane	<1.0	ug/L	<1.0	09/18/2002			4642	mrh	SW	8260B	
Tetrachloroethene	<1.0	ug/L	<1.0	09/18/2002			4642	mrh	SW	8260B	
Toluene	<1.0	ug/L	<1.0	09/18/2002			4642	mrh	SW	8260B	
1,2,4-Trichlorobenzene	<5.0	ug/L	<5.0	09/18/2002			4642	mrh	SW	8260B	
1,1,1-Trichloroethane	<1.0	ug/L	<1.0	09/18/2002			4642	mrh	SW	8260B	
1,1,2-Trichloroethane	<1.0	ug/L	<1.0	09/18/2002			4642	mrh	SW	8260B	
Trichloroethene	20.9	ug/L	<1.0	09/18/2002			4642	mrh	SW	8260B	
Trichlorofluoromethane	<1.0	ug/L	<1.0	09/18/2002			4642	mrh	SW	8260B	
1,2,3-Trichloropropane	<5.0	ug/L	<5.0	09/18/2002			4642	mrh	SW	8260B	
1,2,4-Trimethylbenzene	<1.0	ug/L	<1.0	09/18/2002			4642	mrh	SW	8260B	
1,3,5-Trimethylbenzene	<1.0	ug/L	<1.0	09/18/2002			4642	mrh	SW	8260B	
Vinyl Acetate	<5.0	ug/L	<5.0	09/18/2002			4642	mrh	SW	8260B	
Vinyl Chloride	<1.0	ug/L	<1.0	09/18/2002			4642	mrh	SW	8260B	
Xylenes	<1.0	ug/L	<1.0	09/18/2002			4642	mrh	SW	8260B	
d4-1,2-Dichloroethane (surr)	101	%	80-120	09/18/2002			4642	mrh	SW	8260B	
Dibromofluoromethane (surr)	101	%	86-118	09/18/2002			4642	mrh	SW	8260B	
d8-Toluene (surr)	99	%	88-110	09/18/2002			4642	mrh	SW	8260B	
Bromofluorobenzene (surr)	103	%	86-115	09/18/2002			4642	mrh	SW	8260B	

TestAmerica, Incorporated

PAGE 12 of 45

ANALYTICAL REPORT

Kevin Wildman
 HULL & ASSOC. (Dublin)
 6130 Wilcox Rd.
 Dublin, OH 43016

09/25/2002

Job Number: 02.18522

Client Project ID: SBI013

SAMPLE NO. 788515 **SAMPLE DESCRIPTION** SBI013:CTW5s:091202:412 **DATE/TIME TAKEN** 09/12/2002 09:05

	Result	Units	Reporting Limit	Flag	Date Analyzed	Time Analyzed	Prep Batch	Run Batch	Anal. Init.	Method Reference
ICPMS TOTAL METALS	Complete		Complete		09/17/2002	23:43		3325	ekh	SW 6020
Arsenic, ICPMS	0.0801	mg/L	<0.0050		09/17/2002	23:43	2232	4601	ekh	SW 6020
Lead, ICPMS	0.0452	mg/L	<0.0010		09/17/2002	23:43	2232	4567	ekh	SW 6020
Metals Digestion, ICPMS	Complete		Complete		09/16/2002	09:45	2232		jlr	SW 3010A
VOLATILE COMPOUNDS - 8260 (AQ)										
8260 - SW846 (AQ)	Complete		Complete		09/18/2002			4642	mrh	
Acetone	<20.0	ug/L	<20.0		09/18/2002			4642	mrh	SW 8260B
Benzene	<1.0	ug/L	<1.0		09/18/2002			4642	mrh	SW 8260B
tert-Butylbenzene	<1.0	ug/L	<1.0		09/18/2002			4642	mrh	SW 8260B
sec-Butylbenzene	<1.0	ug/L	<1.0		09/18/2002			4642	mrh	SW 8260B
n-Butylbenzene	<1.0	ug/L	<1.0		09/18/2002			4642	mrh	SW 8260B
Bromochloromethane	<1.0	ug/L	<1.0		09/18/2002			4642	mrh	SW 8260B
Bromodichloromethane	<1.0	ug/L	<1.0		09/18/2002			4642	mrh	SW 8260B
Bromoform	<1.0	ug/L	<1.0		09/18/2002			4642	mrh	SW 8260B
Bromobenzene	<1.0	ug/L	<1.0		09/18/2002			4642	mrh	SW 8260B
2-Butanone (MEK)	<12.5	ug/L	<12.5		09/18/2002			4642	mrh	SW 8260B
Carbon disulfide	<1.0	ug/L	<1.0		09/18/2002			4642	mrh	SW 8260B
Carbon tetrachloride	<1.0	ug/L	<1.0		09/18/2002			4642	mrh	SW 8260B
Chlorobenzene	<1.0	ug/L	<1.0		09/18/2002			4642	mrh	SW 8260B
Chloroethane	<5.0	ug/L	<5.0		09/18/2002			4642	mrh	SW 8260B
2-Chlorotoluene	<1.0	ug/L	<1.0		09/18/2002			4642	mrh	SW 8260B
4-Chlorotoluene	<1.0	ug/L	<1.0		09/18/2002			4642	mrh	SW 8260B
Chloroform	<1.0	ug/L	<1.0		09/18/2002			4642	mrh	SW 8260B
Chloromethane	<5.0	ug/L	<5.0		09/18/2002			4642	mrh	SW 8260B
Dibromochloromethane	<1.0	ug/L	<1.0		09/18/2002			4642	mrh	SW 8260B
Dibromomethane	<1.0	ug/L	<1.0		09/18/2002			4642	mrh	SW 8260B
Dichlorodifluoromethane	<1.0	ug/L	<1.0		09/18/2002			4642	mrh	SW 8260B
1,2-Dibromo-3-chloropropane	<5.0	ug/L	<5.0		09/18/2002			4642	mrh	SW 8260B
1,2-Dichlorobenzene	<1.0	ug/L	<1.0		09/18/2002			4642	mrh	SW 8260B
1,3-Dichlorobenzene	<1.0	ug/L	<1.0		09/18/2002			4642	mrh	SW 8260B
1,4-Dichlorobenzene	<1.0	ug/L	<1.0		09/18/2002			4642	mrh	SW 8260B

TestAmerica, Incorporated

PAGE 13 of 45

ANALYTICAL REPORT

Kevin Wildman
HULL & ASSOC. (Dublin)
6130 Wilcox Rd.
Dublin, OH 43016

09/25/2002

Job Number: 02.18522

Client Project ID: SBI013

SAMPLE NO. 788515 **SAMPLE DESCRIPTION** SBI013:CTW5s:091202:412 **DATE/TIME TAKEN** 09/12/2002 09:05

	Result	Units	Reporting Limit	Flag	Date Analyzed	Time Analyzed	Prep Batch	Run Batch	Anal. Init.	Method Reference
1,1-Dichloroethane	<1.0	ug/L	<1.0		09/18/2002			4642	mrh	SW 8260B
1,2-Dichloroethane	<1.0	ug/L	<1.0		09/18/2002			4642	mrh	SW 8260B
1,1-Dichloroethene	<1.0	ug/L	<1.0		09/18/2002			4642	mrh	SW 8260B
cis-1,2-Dichloroethene	<1.0	ug/L	<1.0		09/18/2002			4642	mrh	SW 8260B
trans-1,2-Dichloroethene	<1.0	ug/L	<1.0		09/18/2002			4642	mrh	SW 8260B
1,2-Dichloropropane	<1.0	ug/L	<1.0		09/18/2002			4642	mrh	SW 8260B
1,3-Dichloropropane	<1.0	ug/L	<1.0		09/18/2002			4642	mrh	SW 8260B
2,2-Dichloropropane	<1.0	ug/L	<1.0		09/18/2002			4642	mrh	SW 8260B
1,1-Dichloropropene	<1.0	ug/L	<1.0		09/18/2002			4642	mrh	SW 8260B
cis-1,3-Dichloropropene	<1.0	ug/L	<1.0		09/18/2002			4642	mrh	SW 8260B
trans-1,3-Dichloropropene	<1.0	ug/L	<1.0		09/18/2002			4642	mrh	SW 8260B
Ethylbenzene	<1.0	ug/L	<1.0		09/18/2002			4642	mrh	SW 8260B
Hexachlorobutadiene	<5.0	ug/L	<5.0		09/18/2002			4642	mrh	SW 8260B
n-Hexane	<5.0	ug/L	<5.0		09/18/2002			4642	mrh	SW 8260B
2-Hexanone	<12.5	ug/L	<12.5		09/18/2002			4642	mrh	SW 8260B
Isopropylbenzene (Cumene)	<1.0	ug/L	<1.0		09/18/2002			4642	mrh	SW 8260B
p-Isopropyltoluene	<1.0	ug/L	<1.0		09/18/2002			4642	mrh	SW 8260B
Bromomethane	<5.0	ug/L	<5.0		09/18/2002			4642	mrh	SW 8260B
Methylene Chloride	<5.0	ug/L	<5.0		09/18/2002			4642	mrh	SW 8260B
Methyl t-butyl ether (MTBE)	<5.0	ug/L	<5.0		09/18/2002			4642	mrh	SW 8260B
4-Methyl-2-pentanone (MIBK)	<12.5	ug/L	<12.5		09/18/2002			4642	mrh	SW 8260B
n-Propylbenzene	<1.0	ug/L	<1.0		09/18/2002			4642	mrh	SW 8260B
Styrene	<1.0	ug/L	<1.0		09/18/2002			4642	mrh	SW 8260B
Naphthalene	<5.0	ug/L	<5.0		09/18/2002			4642	mrh	SW 8260B
1,1,1,2-Tetrachloroethane	<1.0	ug/L	<1.0		09/18/2002			4642	mrh	SW 8260B
1,1,2,2-Tetrachloroethane	<1.0	ug/L	<1.0		09/18/2002			4642	mrh	SW 8260B
Tetrachloroethene	<1.0	ug/L	<1.0		09/18/2002			4642	mrh	SW 8260B
Toluene	<1.0	ug/L	<1.0		09/18/2002			4642	mrh	SW 8260B
1,2,4-Trichlorobenzene	<5.0	ug/L	<5.0		09/18/2002			4642	mrh	SW 8260B
1,1,1-Trichloroethane	<1.0	ug/L	<1.0		09/18/2002			4642	mrh	SW 8260B
1,1,2-Trichloroethane	<1.0	ug/L	<1.0		09/18/2002			4642	mrh	SW 8260B
Trichloroethene	21.0	ug/L	<1.0		09/18/2002			4642	mrh	SW 8260B

TestAmerica, Incorporated

ANALYTICAL REPORT

Kevin Wildman
 HULL & ASSOC. (Dublin)
 6130 Wilcox Rd.
 Dublin, OH 43016

09/25/2002

Job Number: 02.18522

Client Project ID: SBI013

SAMPLE NO. 788515 **SAMPLE DESCRIPTION** SBI013:CTW5s:091202:412 **DATE/TIME TAKEN** 09/12/2002 09:05

	Result	Units	Reporting		Date Analyzed	Time Analyzed	Prep Batch	Run Batch	Anal.	
			Limit	Flag					Init.	Method Reference
Trichlorofluoromethane	<1.0	ug/L	<1.0		09/18/2002		4642	mrh	SW 8260B	
1,2,3-Trichloropropane	<5.0	ug/L	<5.0		09/18/2002		4642	mrh	SW 8260B	
1,2,4-Trimethylbenzene	<1.0	ug/L	<1.0		09/18/2002		4642	mrh	SW 8260B	
1,3,5-Trimethylbenzene	<1.0	ug/L	<1.0		09/18/2002		4642	mrh	SW 8260B	
Vinyl Acetate	<5.0	ug/L	<5.0		09/18/2002		4642	mrh	SW 8260B	
Vinyl Chloride	<1.0	ug/L	<1.0		09/18/2002		4642	mrh	SW 8260B	
Xylenes	<1.0	ug/L	<1.0		09/18/2002		4642	mrh	SW 8260B	
d4-1,2-Dichloroethane(surr)	101	%	80-120		09/18/2002		4642	mrh	SW 8260B	
Dibromofluoromethane(surr)	101	%	86-118		09/18/2002		4642	mrh	SW 8260B	
d8-Toluene(surr)	100	%	88-110		09/18/2002		4642	mrh	SW 8260B	
Bromofluorobenzene(surr)	105	%	86-115		09/18/2002		4642	mrh	SW 8260B	

SAMPLE NO. 788516 **SAMPLE DESCRIPTION** SBI013:CTW6d:091202:412 **DATE/TIME TAKEN** 09/12/2002 10:20

	Result	Units	Reporting		Date Analyzed	Time Analyzed	Prep Batch	Run Batch	Anal.	
			Limit	Flag					Init.	Method Reference
ICPMS TOTAL METALS	Complete		Complete		09/17/2002	23:48		3325	ekh	SW 6020
Arsenic, ICPMS	0.0144	mg/L	<0.0050		09/17/2002	23:48	2232	4601	ekh	SW 6020
Lead, ICPMS	0.0292	mg/L	<0.0010		09/17/2002	23:48	2232	4567	ekh	SW 6020
Metals Digestion, ICPMS	Complete		Complete		09/16/2002	09:45	2232		jlr	SW 3010A
VOLATILE COMPOUNDS - 8260 (AQ)										
8260 - SW846 (AQ)	Complete		Complete		09/23/2002			4660	bmh	
Acetone	<20.0	ug/L	<20.0		09/23/2002			4660	bmh	SW 8260B
Benzene	<1.0	ug/L	<1.0		09/23/2002			4660	bmh	SW 8260B
tert-Butylbenzene	<1.0	ug/L	<1.0		09/23/2002			4660	bmh	SW 8260B
sec-Butylbenzene	<1.0	ug/L	<1.0		09/23/2002			4660	bmh	SW 8260B

TestAmerica, Incorporated

ANALYTICAL REPORT

Kevin Wildman
 HULL & ASSOC. (Dublin)
 6130 Wilcox Rd.
 Dublin, OH 43016

09/25/2002

Job Number: 02.18522

Client Project ID: SBI013

SAMPLE NO. 788516 **SAMPLE DESCRIPTION** SBI013:CTW6d:091202:412 **DATE/TIME TAKEN** 09/12/2002 10:20

	Result	Units	Reporting		Date Analyzed	Time Analyzed	Prep Batch	Run Batch	Anal.	
			Limit	Flag					Init.	Method Reference
n-Butylbenzene	<1.0	ug/L	<1.0		09/23/2002		4660	bmh	SW 8260B	
Bromochloromethane	<1.0	ug/L	<1.0		09/23/2002		4660	bmh	SW 8260B	
Bromodichloromethane	<1.0	ug/L	<1.0		09/23/2002		4660	bmh	SW 8260B	
Bromoform	<1.0	ug/L	<1.0		09/23/2002		4660	bmh	SW 8260B	
Bromobenzene	<1.0	ug/L	<1.0		09/23/2002		4660	bmh	SW 8260B	
2-Butanone (MEK)	<12.5	ug/L	<12.5		09/23/2002		4660	bmh	SW 8260B	
Carbon disulfide	<1.0	ug/L	<1.0		09/23/2002		4660	bmh	SW 8260B	
Carbon tetrachloride	<1.0	ug/L	<1.0		09/23/2002		4660	bmh	SW 8260B	
Chlorobenzene	<1.0	ug/L	<1.0		09/23/2002		4660	bmh	SW 8260B	
Chloroethane	<5.0	ug/L	<5.0		09/23/2002		4660	bmh	SW 8260B	
2-Chlorotoluene	<1.0	ug/L	<1.0		09/23/2002		4660	bmh	SW 8260B	
4-Chlorotoluene	<1.0	ug/L	<1.0		09/23/2002		4660	bmh	SW 8260B	
Chloroform	<1.0	ug/L	<1.0		09/23/2002		4660	bmh	SW 8260B	
Chloromethane	<5.0	ug/L	<5.0		09/23/2002		4660	bmh	SW 8260B	
Dibromochloromethane	<1.0	ug/L	<1.0		09/23/2002		4660	bmh	SW 8260B	
Dibromomethane	<1.0	ug/L	<1.0		09/23/2002		4660	bmh	SW 8260B	
Dichlorodifluoromethane	<1.0	ug/L	<1.0		09/23/2002		4660	bmh	SW 8260B	
1,2-Dibromo-3-chloropropane	<5.0	ug/L	<5.0		09/23/2002		4660	bmh	SW 8260B	
1,2-Dichlorobenzene	<1.0	ug/L	<1.0		09/23/2002		4660	bmh	SW 8260B	
1,3-Dichlorobenzene	<1.0	ug/L	<1.0		09/23/2002		4660	bmh	SW 8260B	
1,4-Dichlorobenzene	<1.0	ug/L	<1.0		09/23/2002		4660	bmh	SW 8260B	
1,1-Dichloroethane	<1.0	ug/L	<1.0		09/23/2002		4660	bmh	SW 8260B	
1,2-Dichloroethane	<1.0	ug/L	<1.0		09/23/2002		4660	bmh	SW 8260B	
1,1-Dichloroethene	<1.0	ug/L	<1.0		09/23/2002		4660	bmh	SW 8260B	
cis-1,2-Dichloroethene	6.2	ug/L	<1.0		09/23/2002		4660	bmh	SW 8260B	
trans-1,2-Dichloroethene	<1.0	ug/L	<1.0		09/23/2002		4660	bmh	SW 8260B	
1,2-Dichloropropane	<1.0	ug/L	<1.0		09/23/2002		4660	bmh	SW 8260B	
1,3-Dichloropropane	<1.0	ug/L	<1.0		09/23/2002		4660	bmh	SW 8260B	
2,2-Dichloropropane	<1.0	ug/L	<1.0		09/23/2002		4660	bmh	SW 8260B	
1,1-Dichloropropene	<1.0	ug/L	<1.0		09/23/2002		4660	bmh	SW 8260B	
cis-1,3-Dichloropropene	<1.0	ug/L	<1.0		09/23/2002		4660	bmh	SW 8260B	
trans-1,3-Dichloropropene	<1.0	ug/L	<1.0		09/23/2002		4660	bmh	SW 8260B	

TestAmerica, Incorporated

PAGE 16 of 45

ANALYTICAL REPORT

Kevin Wildman
 HULL & ASSOC. (Dublin)
 6130 Wilcox Rd.
 Dublin, OH 43016

09/25/2002

Job Number: 02.18522

Client Project ID: SBI013

SAMPLE NO. 788516 **SAMPLE DESCRIPTION** SBI013:CTW6d:091202:412 **DATE/TIME TAKEN** 09/12/2002 10:20

	Result	Units	Reporting		Date Analyzed	Time Analyzed	Prep Batch	Run Batch	Anal.	
			Limit	Flag					Init.	Method Reference
Ethylbenzene	<1.0	ug/L	<1.0		09/23/2002		4660	bmh	SW 8260B	
Hexachlorobutadiene	<5.0	ug/L	<5.0		09/23/2002		4660	bmh	SW 8260B	
n-Hexane	<5.0	ug/L	<5.0		09/23/2002		4660	bmh	SW 8260B	
2-Hexanone	<12.5	ug/L	<12.5		09/23/2002		4660	bmh	SW 8260B	
Isopropylbenzene (Cumene)	<1.0	ug/L	<1.0		09/23/2002		4660	bmh	SW 8260B	
p-Isopropyltoluene	<1.0	ug/L	<1.0		09/23/2002		4660	bmh	SW 8260B	
Bromomethane	<5.0	ug/L	<5.0		09/23/2002		4660	bmh	SW 8260B	
Methylene Chloride	<5.0	ug/L	<5.0		09/23/2002		4660	bmh	SW 8260B	
Methyl t-butyl ether (MTBE)	<5.0	ug/L	<5.0		09/23/2002		4660	bmh	SW 8260B	
4-Methyl-2-pentanone (MIBK)	<12.5	ug/L	<12.5		09/23/2002		4660	bmh	SW 8260B	
n-Propylbenzene	<1.0	ug/L	<1.0		09/23/2002		4660	bmh	SW 8260B	
Styrene	<1.0	ug/L	<1.0		09/23/2002		4660	bmh	SW 8260B	
Naphthalene	<5.0	ug/L	<5.0		09/23/2002		4660	bmh	SW 8260B	
1,1,1,2-Tetrachloroethane	<1.0	ug/L	<1.0		09/23/2002		4660	bmh	SW 8260B	
1,1,2,2-Tetrachloroethane	<1.0	ug/L	<1.0		09/23/2002		4660	bmh	SW 8260B	
Tetrachloroethene	132	ug/L	<1.0		09/23/2002		4660	bmh	SW 8260B	
Toluene	<1.0	ug/L	<1.0		09/23/2002		4660	bmh	SW 8260B	
1,2,4-Trichlorobenzene	<5.0	ug/L	<5.0		09/23/2002		4660	bmh	SW 8260B	
1,1,1-Trichloroethane	2.2	ug/L	<1.0		09/23/2002		4660	bmh	SW 8260B	
1,1,2-Trichloroethane	<1.0	ug/L	<1.0		09/23/2002		4660	bmh	SW 8260B	
Trichloroethene	39.0	ug/L	<1.0		09/23/2002		4660	bmh	SW 8260B	
Trichlorofluoromethane	<1.0	ug/L	<1.0		09/23/2002		4660	bmh	SW 8260B	
1,2,3-Trichloropropane	<5.0	ug/L	<5.0		09/23/2002		4660	bmh	SW 8260B	
1,2,4-Trimethylbenzene	<1.0	ug/L	<1.0		09/23/2002		4660	bmh	SW 8260B	
1,3,5-Trimethylbenzene	<1.0	ug/L	<1.0		09/23/2002		4660	bmh	SW 8260B	
Vinyl Acetate	<5.0	ug/L	<5.0		09/23/2002		4660	bmh	SW 8260B	
Vinyl Chloride	1.2	ug/L	<1.0		09/23/2002		4660	bmh	SW 8260B	
Xylenes	<1.0	ug/L	<1.0		09/23/2002		4660	bmh	SW 8260B	
d4-1,2-Dichloroethane (surr)	114	%	80-120		09/23/2002		4660	bmh	SW 8260B	
Dibromofluoromethane (surr)	107	%	86-118		09/23/2002		4660	bmh	SW 8260B	
d8-Toluene (surr)	93	%	88-110		09/23/2002		4660	bmh	SW 8260B	
Bromofluorobenzene (surr)	98	%	86-115		09/23/2002		4660	bmh	SW 8260B	

TestAmerica, Incorporated

PAGE 17 of 45

ANALYTICAL REPORT

Kevin Wildman
HULL & ASSOC. (Dublin)
6130 Wilcox Rd.
Dublin, OH 43016

09/25/2002

Job Number: 02.18522

Client Project ID: SBI013

SAMPLE NO.	SAMPLE DESCRIPTION	DATE/TIME TAKEN
788517	SBI013:CTW6s:091202:412	09/12/2002 10:35

	Result	Units	Reporting Limit	Flag	Date Analyzed	Time Analyzed	Prep Batch	Run Batch	Anal. Init.	Method Reference
ICPMS TOTAL METALS	Complete		Complete		09/17/2002	23:53		3325	ekh	SW 6020
Arsenic, ICPMS	0.0202	mg/L	<0.0050		09/17/2002	23:53	2232	4601	ekh	SW 6020
Lead, ICPMS	0.0262	mg/L	<0.0010		09/17/2002	23:53	2232	4567	ekh	SW 6020
Metals Digestion, ICPMS	Complete		Complete		09/16/2002	09:45	2232		jlr	SW 3010A
VOLATILE COMPOUNDS - 8260 (AQ)										
8260 - SW846 (AQ)	Complete		Complete		09/18/2002			4642	mrh	
Acetone	<20.0	ug/L	<20.0		09/18/2002			4642	mrh	SW 8260B
Benzene	<1.0	ug/L	<1.0		09/18/2002			4642	mrh	SW 8260B
tert-Butylbenzene	<1.0	ug/L	<1.0		09/18/2002			4642	mrh	SW 8260B
sec-Butylbenzene	<1.0	ug/L	<1.0		09/18/2002			4642	mrh	SW 8260B
n-Butylbenzene	<1.0	ug/L	<1.0		09/18/2002			4642	mrh	SW 8260B
Bromochloromethane	<1.0	ug/L	<1.0		09/18/2002			4642	mrh	SW 8260B
Bromodichloromethane	<1.0	ug/L	<1.0		09/18/2002			4642	mrh	SW 8260B
Bromoform	<1.0	ug/L	<1.0		09/18/2002			4642	mrh	SW 8260B
Bromobenzene	<1.0	ug/L	<1.0		09/18/2002			4642	mrh	SW 8260B
2-Butanone (MEK)	<12.5	ug/L	<12.5		09/18/2002			4642	mrh	SW 8260B
Carbon disulfide	<1.0	ug/L	<1.0		09/18/2002			4642	mrh	SW 8260B
Carbon tetrachloride	<1.0	ug/L	<1.0		09/18/2002			4642	mrh	SW 8260B
Chlorobenzene	<1.0	ug/L	<1.0		09/18/2002			4642	mrh	SW 8260B
Chloroethane	<5.0	ug/L	<5.0		09/18/2002			4642	mrh	SW 8260B
2-Chlorotoluene	<1.0	ug/L	<1.0		09/18/2002			4642	mrh	SW 8260B
4-Chlorotoluene	<1.0	ug/L	<1.0		09/18/2002			4642	mrh	SW 8260B
Chloroform	<1.0	ug/L	<1.0		09/18/2002			4642	mrh	SW 8260B
Chloromethane	<5.0	ug/L	<5.0		09/18/2002			4642	mrh	SW 8260B
Dibromochloromethane	<1.0	ug/L	<1.0		09/18/2002			4642	mrh	SW 8260B
Dibromomethane	<1.0	ug/L	<1.0		09/18/2002			4642	mrh	SW 8260B
Dichlorodifluoromethane	<1.0	ug/L	<1.0		09/18/2002			4642	mrh	SW 8260B
1,2-Dibromo-3-chloropropane	<5.0	ug/L	<5.0		09/18/2002			4642	mrh	SW 8260B
1,2-Dichlorobenzene	<1.0	ug/L	<1.0		09/18/2002			4642	mrh	SW 8260B
1,3-Dichlorobenzene	<1.0	ug/L	<1.0		09/18/2002			4642	mrh	SW 8260B
1,4-Dichlorobenzene	<1.0	ug/L	<1.0		09/18/2002			4642	mrh	SW 8260B

TestAmerica, Incorporated

PAGE 18 of 45

ANALYTICAL REPORT

Kevin Wildman
 HULL & ASSOC. (Dublin)
 6130 Wilcox Rd.
 Dublin, OH 43016

09/25/2002

Job Number: 02.18522

Client Project ID: SBI013

SAMPLE NO. 788517 **SAMPLE DESCRIPTION** SBI013:CTW6s:091202:412 **DATE/TIME TAKEN** 09/12/2002 10:35

	Result	Units	Reporting		Date Analyzed	Time Analyzed	Prep Batch	Run Batch	Anal.	
			Limit	Flag					Init.	Method Reference
1,1-Dichloroethane	<1.0	ug/L	<1.0		09/18/2002		4642	mrh	SW 8260B	
1,2-Dichloroethane	<1.0	ug/L	<1.0		09/18/2002		4642	mrh	SW 8260B	
1,1-Dichloroethene	<1.0	ug/L	<1.0		09/18/2002		4642	mrh	SW 8260B	
cis-1,2-Dichloroethene	4.5	ug/L	<1.0		09/18/2002		4642	mrh	SW 8260B	
trans-1,2-Dichloroethene	<1.0	ug/L	<1.0		09/18/2002		4642	mrh	SW 8260B	
1,2-Dichloropropane	<1.0	ug/L	<1.0		09/18/2002		4642	mrh	SW 8260B	
1,3-Dichloropropane	<1.0	ug/L	<1.0		09/18/2002		4642	mrh	SW 8260B	
2,2-Dichloropropane	<1.0	ug/L	<1.0		09/18/2002		4642	mrh	SW 8260B	
1,1-Dichloropropene	<1.0	ug/L	<1.0		09/18/2002		4642	mrh	SW 8260B	
cis-1,3-Dichloropropene	<1.0	ug/L	<1.0		09/18/2002		4642	mrh	SW 8260B	
trans-1,3-Dichloropropene	<1.0	ug/L	<1.0		09/18/2002		4642	mrh	SW 8260B	
Ethylbenzene	<1.0	ug/L	<1.0		09/18/2002		4642	mrh	SW 8260B	
Hexachlorobutadiene	<5.0	ug/L	<5.0		09/18/2002		4642	mrh	SW 8260B	
n-Hexane	<5.0	ug/L	<5.0		09/18/2002		4642	mrh	SW 8260B	
2-Hexanone	<12.5	ug/L	<12.5		09/18/2002		4642	mrh	SW 8260B	
Isopropylbenzene (Cumene)	<1.0	ug/L	<1.0		09/18/2002		4642	mrh	SW 8260B	
p-Isopropyltoluene	<1.0	ug/L	<1.0		09/18/2002		4642	mrh	SW 8260B	
Bromomethane	<5.0	ug/L	<5.0		09/18/2002		4642	mrh	SW 8260B	
Methylene Chloride	<5.0	ug/L	<5.0		09/18/2002		4642	mrh	SW 8260B	
Methyl t-butyl ether (MTBE)	<5.0	ug/L	<5.0		09/18/2002		4642	mrh	SW 8260B	
4-Methyl-2-pentanone (MIBK)	<12.5	ug/L	<12.5		09/18/2002		4642	mrh	SW 8260B	
n-Propylbenzene	<1.0	ug/L	<1.0		09/18/2002		4642	mrh	SW 8260B	
Styrene	<1.0	ug/L	<1.0		09/18/2002		4642	mrh	SW 8260B	
Naphthalene	<5.0	ug/L	<5.0		09/18/2002		4642	mrh	SW 8260B	
1,1,1,2-Tetrachloroethane	<1.0	ug/L	<1.0		09/18/2002		4642	mrh	SW 8260B	
1,1,2,2-Tetrachloroethane	<1.0	ug/L	<1.0		09/18/2002		4642	mrh	SW 8260B	
Tetrachloroethene	167	ug/L	<10		09/18/2002		4642	mrh	SW 8260B	
Toluene	<1.0	ug/L	<1.0		09/18/2002		4642	mrh	SW 8260B	
1,2,4-Trichlorobenzene	<5.0	ug/L	<5.0		09/18/2002		4642	mrh	SW 8260B	
1,1,1-Trichloroethane	1.8	ug/L	<1.0		09/18/2002		4642	mrh	SW 8260B	
1,1,2-Trichloroethane	<1.0	ug/L	<1.0		09/18/2002		4642	mrh	SW 8260B	
Trichloroethene	43.2	ug/L	<1.0		09/18/2002		4642	mrh	SW 8260B	

TestAmerica, Incorporated

ANALYTICAL REPORT

Kevin Wildman
 HULL & ASSOC. (Dublin)
 6130 Wilcox Rd.
 Dublin, OH 43016

09/25/2002

Job Number: 02.18522

Client Project ID: SBI013

SAMPLE NO. 788517 **SAMPLE DESCRIPTION** SBI013:CTW6s:091202:412 **DATE/TIME TAKEN** 09/12/2002 10:35

	Result	Units	Reporting		Date Analyzed	Time Analyzed	Prep Batch	Run Batch	Anal.	
			Limit	Flag					Init.	Method Reference
Trichlorofluoromethane	<1.0	ug/L	<1.0		09/18/2002		4642	mrh	SW 8260B	
1,2,3-Trichloropropane	<5.0	ug/L	<5.0		09/18/2002		4642	mrh	SW 8260B	
1,2,4-Trimethylbenzene	<1.0	ug/L	<1.0		09/18/2002		4642	mrh	SW 8260B	
1,3,5-Trimethylbenzene	<1.0	ug/L	<1.0		09/18/2002		4642	mrh	SW 8260B	
Vinyl Acetate	<5.0	ug/L	<5.0		09/18/2002		4642	mrh	SW 8260B	
Vinyl Chloride	<1.0	ug/L	<1.0		09/18/2002		4642	mrh	SW 8260B	
Xylenes	<1.0	ug/L	<1.0		09/18/2002		4642	mrh	SW 8260B	
d4-1,2-Dichloroethane(surr)	102	%	80-120		09/18/2002		4642	mrh	SW 8260B	
Dibromofluoromethane(surr)	103	%	86-118		09/18/2002		4642	mrh	SW 8260B	
d8-Toluene(surr)	99	%	88-110		09/18/2002		4642	mrh	SW 8260B	
Bromofluorobenzene(surr)	103	%	86-115		09/18/2002		4642	mrh	SW 8260B	

SAMPLE NO. 788518 **SAMPLE DESCRIPTION** SBI013:CTW7d:091202:412 **DATE/TIME TAKEN** 09/12/2002 11:45

	Result	Units	Reporting		Date Analyzed	Time Analyzed	Prep Batch	Run Batch	Anal.	
			Limit	Flag					Init.	Method Reference
ICPMS TOTAL METALS	Complete		Complete		09/17/2002	23:58		3325	ekh	SW 6020
Arsenic, ICPMS	<0.010	mg/L	<0.010		09/17/2002	23:58	2232	4601	ekh	SW 6020
Lead, ICPMS	0.0057	mg/L	<0.0010		09/17/2002	23:58	2232	4567	ekh	SW 6020
Metals Digestion, ICPMS	Complete		Complete		09/16/2002	09:45	2232		jlr	SW 3010A
VOLATILE COMPOUNDS - 8260 (AQ)										
8260 - SW846 (AQ)	Complete		Complete		09/17/2002			4644	eap	
Acetone	<20.0	ug/L	<20.0		09/17/2002			4644	eap	SW 8260B
Benzene	<1.0	ug/L	<1.0		09/17/2002			4644	eap	SW 8260B
tert-Butylbenzene	<1.0	ug/L	<1.0		09/17/2002			4644	eap	SW 8260B
sec-Butylbenzene	<1.0	ug/L	<1.0		09/17/2002			4644	eap	SW 8260B

TestAmerica, Incorporated

PAGE 20 of 45

ANALYTICAL REPORT

Kevin Wildman
 HULL & ASSOC. (Dublin)
 6130 Wilcox Rd.
 Dublin, OH 43016

09/25/2002

Job Number: 02.18522

Client Project ID: SBI013

SAMPLE NO. 788518 **SAMPLE DESCRIPTION** SBI013:CTW7d:091202:412 **DATE/TIME TAKEN** 09/12/2002 11:45

	Result	Units	Reporting		Date Analyzed	Time Analyzed	Prep Batch	Run Batch	Anal.	
			Limit	Flag					Init.	Method Reference
n-Butylbenzene	<1.0	ug/L	<1.0		09/17/2002		4644	eap	SW 8260B	
Bromochloromethane	<1.0	ug/L	<1.0		09/17/2002		4644	eap	SW 8260B	
Bromodichloromethane	<1.0	ug/L	<1.0		09/17/2002		4644	eap	SW 8260B	
Bromoform	<1.0	ug/L	<1.0		09/17/2002		4644	eap	SW 8260B	
Bromobenzene	<1.0	ug/L	<1.0		09/17/2002		4644	eap	SW 8260B	
2-Butanone (MEK)	<12.5	ug/L	<12.5		09/17/2002		4644	eap	SW 8260B	
Carbon disulfide	<1.0	ug/L	<1.0		09/17/2002		4644	eap	SW 8260B	
Carbon tetrachloride	<1.0	ug/L	<1.0		09/17/2002		4644	eap	SW 8260B	
Chlorobenzene	<1.0	ug/L	<1.0		09/17/2002		4644	eap	SW 8260B	
Chloroethane	<5.0	ug/L	<5.0		09/17/2002		4644	eap	SW 8260B	
2-Chlorotoluene	<1.0	ug/L	<1.0		09/17/2002		4644	eap	SW 8260B	
4-Chlorotoluene	<1.0	ug/L	<1.0		09/17/2002		4644	eap	SW 8260B	
Chloroform	<1.0	ug/L	<1.0		09/17/2002		4644	eap	SW 8260B	
Chloromethane	<5.0	ug/L	<5.0		09/17/2002		4644	eap	SW 8260B	
Dibromochloromethane	<1.0	ug/L	<1.0		09/17/2002		4644	eap	SW 8260B	
Dibromomethane	<1.0	ug/L	<1.0		09/17/2002		4644	eap	SW 8260B	
Dichlorodifluoromethane	<1.0	ug/L	<1.0		09/17/2002		4644	eap	SW 8260B	
1,2-Dibromo-3-chloropropane	<5.0	ug/L	<5.0		09/17/2002		4644	eap	SW 8260B	
1,2-Dichlorobenzene	<1.0	ug/L	<1.0		09/17/2002		4644	eap	SW 8260B	
1,3-Dichlorobenzene	<1.0	ug/L	<1.0		09/17/2002		4644	eap	SW 8260B	
1,4-Dichlorobenzene	<1.0	ug/L	<1.0		09/17/2002		4644	eap	SW 8260B	
1,1-Dichloroethane	<1.0	ug/L	<1.0		09/17/2002		4644	eap	SW 8260B	
1,2-Dichloroethane	<1.0	ug/L	<1.0		09/17/2002		4644	eap	SW 8260B	
1,1-Dichloroethene	<1.0	ug/L	<1.0		09/17/2002		4644	eap	SW 8260B	
cis-1,2-Dichloroethene	<1.0	ug/L	<1.0		09/17/2002		4644	eap	SW 8260B	
trans-1,2-Dichloroethene	<1.0	ug/L	<1.0		09/17/2002		4644	eap	SW 8260B	
1,2-Dichloropropane	<1.0	ug/L	<1.0		09/17/2002		4644	eap	SW 8260B	
1,3-Dichloropropane	<1.0	ug/L	<1.0		09/17/2002		4644	eap	SW 8260B	
2,2-Dichloropropane	<1.0	ug/L	<1.0		09/17/2002		4644	eap	SW 8260B	
1,1-Dichloropropene	<1.0	ug/L	<1.0		09/17/2002		4644	eap	SW 8260B	
cis-1,3-Dichloropropene	<1.0	ug/L	<1.0		09/17/2002		4644	eap	SW 8260B	
trans-1,3-Dichloropropene	<1.0	ug/L	<1.0		09/17/2002		4644	eap	SW 8260B	

TestAmerica, Incorporated

PAGE 21 of 45

ANALYTICAL REPORT

Kevin Wildman
 HULL & ASSOC. (Dublin)
 6130 Wilcox Rd.
 Dublin, OH 43016

09/25/2002

Job Number: 02.18522

Client Project ID: SBI013

SAMPLE NO. 788518 **SAMPLE DESCRIPTION** SBI013:CTW7d:091202:412 **DATE/TIME TAKEN** 09/12/2002 11:45

	Result	Units	Reporting Limit	Flag	Date Analyzed	Time Analyzed	Prep Batch	Run Batch	Anal. Init.	Method Reference
Ethylbenzene	<1.0	ug/L	<1.0		09/17/2002		4644	eap	SW 8260B	
Hexachlorobutadiene	<5.0	ug/L	<5.0		09/17/2002		4644	eap	SW 8260B	
n-Hexane	<5.0	ug/L	<5.0		09/17/2002		4644	eap	SW 8260B	
2-Hexanone	<12.5	ug/L	<12.5		09/17/2002		4644	eap	SW 8260B	
Isopropylbenzene (Cumene)	<1.0	ug/L	<1.0		09/17/2002		4644	eap	SW 8260B	
p-Isopropyltoluene	<1.0	ug/L	<1.0		09/17/2002		4644	eap	SW 8260B	
Bromomethane	<5.0	ug/L	<5.0		09/17/2002		4644	eap	SW 8260B	
Methylene Chloride	<5.0	ug/L	<5.0		09/17/2002		4644	eap	SW 8260B	
Methyl t-butyl ether (MTBE)	<5.0	ug/L	<5.0		09/17/2002		4644	eap	SW 8260B	
4-Methyl-2-pentanone (MIBK)	<12.5	ug/L	<12.5		09/17/2002		4644	eap	SW 8260B	
n-Propylbenzene	<1.0	ug/L	<1.0		09/17/2002		4644	eap	SW 8260B	
Styrene	<1.0	ug/L	<1.0		09/17/2002		4644	eap	SW 8260B	
Naphthalene	<5.0	ug/L	<5.0		09/17/2002		4644	eap	SW 8260B	
1,1,1,2-Tetrachloroethane	<1.0	ug/L	<1.0		09/17/2002		4644	eap	SW 8260B	
1,1,2,2-Tetrachloroethane	<1.0	ug/L	<1.0		09/17/2002		4644	eap	SW 8260B	
Tetrachloroethene	<1.0	ug/L	<1.0		09/17/2002		4644	eap	SW 8260B	
Toluene	<1.0	ug/L	<1.0		09/17/2002		4644	eap	SW 8260B	
1,2,4-Trichlorobenzene	<5.0	ug/L	<5.0		09/17/2002		4644	eap	SW 8260B	
1,1,1-Trichloroethane	32.2	ug/L	<1.0		09/17/2002		4644	eap	SW 8260B	
1,1,2-Trichloroethane	<1.0	ug/L	<1.0		09/17/2002		4644	eap	SW 8260B	
Trichloroethene	134	ug/L	<1.0		09/17/2002		4644	eap	SW 8260B	
Trichlorofluoromethane	<1.0	ug/L	<1.0		09/17/2002		4644	eap	SW 8260B	
1,2,3-Trichloropropane	<5.0	ug/L	<5.0		09/17/2002		4644	eap	SW 8260B	
1,2,4-Trimethylbenzene	<1.0	ug/L	<1.0		09/17/2002		4644	eap	SW 8260B	
1,3,5-Trimethylbenzene	<1.0	ug/L	<1.0		09/17/2002		4644	eap	SW 8260B	
Vinyl Acetate	<5.0	ug/L	<5.0		09/17/2002		4644	eap	SW 8260B	
Vinyl Chloride	<1.0	ug/L	<1.0		09/17/2002		4644	eap	SW 8260B	
Xylenes	<1.0	ug/L	<1.0		09/17/2002		4644	eap	SW 8260B	
d4-1,2-Dichloroethane (surr)	99	%	80-120		09/17/2002		4644	eap	SW 8260B	
Dibromofluoromethane (surr)	102	%	86-118		09/17/2002		4644	eap	SW 8260B	
d8-Toluene (surr)	101	%	88-110		09/17/2002		4644	eap	SW 8260B	
Bromofluorobenzene (surr)	109	%	86-115		09/17/2002		4644	eap	SW 8260B	

TestAmerica, Incorporated

ANALYTICAL REPORT

Kevin Wildman
 HULL & ASSOC. (Dublin)
 6130 Wilcox Rd.
 Dublin, OH 43016

09/25/2002

Job Number: 02.18522

Client Project ID: SBI013

SAMPLE NO. 788519 **SAMPLE DESCRIPTION** SBI013:CTW7s:091202:412 **DATE/TIME TAKEN** 09/12/2002 12:00

	Result	Units	Reporting Limit	Flag	Date Analyzed	Time Analyzed	Prep Batch	Run Batch	Anal. Init.	Method Reference
ICPMS TOTAL METALS	Complete		Complete		09/18/2002	00:03		3325	ekh	SW 6020
Arsenic, ICPMS	0.0316	mg/L	<0.0050		09/18/2002	00:03	2232	4601	ekh	SW 6020
Lead, ICPMS	0.0756	mg/L	<0.0010		09/18/2002	00:03	2232	4567	ekh	SW 6020
Metals Digestion, ICPMS	Complete		Complete		09/16/2002	09:45	2232		jlr	SW 3010A
VOLATILE COMPOUNDS - 8260 (AQ)										
8260 - SW846 (AQ)	Complete		Complete		09/17/2002			4644	eap	
Acetone	<20.0	ug/L	<20.0		09/17/2002			4644	eap	SW 8260B
Benzene	<1.0	ug/L	<1.0		09/17/2002			4644	eap	SW 8260B
tert-Butylbenzene	<1.0	ug/L	<1.0		09/17/2002			4644	eap	SW 8260B
sec-Butylbenzene	<1.0	ug/L	<1.0		09/17/2002			4644	eap	SW 8260B
n-Butylbenzene	<1.0	ug/L	<1.0		09/17/2002			4644	eap	SW 8260B
Bromochloromethane	<1.0	ug/L	<1.0		09/17/2002			4644	eap	SW 8260B
Bromodichloromethane	<1.0	ug/L	<1.0		09/17/2002			4644	eap	SW 8260B
Bromoform	<1.0	ug/L	<1.0		09/17/2002			4644	eap	SW 8260B
Bromobenzene	<1.0	ug/L	<1.0		09/17/2002			4644	eap	SW 8260B
2-Butanone (MEK)	<12.5	ug/L	<12.5		09/17/2002			4644	eap	SW 8260B
Carbon disulfide	<1.0	ug/L	<1.0		09/17/2002			4644	eap	SW 8260B
Carbon tetrachloride	<1.0	ug/L	<1.0		09/17/2002			4644	eap	SW 8260B
Chlorobenzene	<1.0	ug/L	<1.0		09/17/2002			4644	eap	SW 8260B
Chloroethane	<5.0	ug/L	<5.0		09/17/2002			4644	eap	SW 8260B
2-Chlorotoluene	<1.0	ug/L	<1.0		09/17/2002			4644	eap	SW 8260B
4-Chlorotoluene	<1.0	ug/L	<1.0		09/17/2002			4644	eap	SW 8260B
Chloroform	<1.0	ug/L	<1.0		09/17/2002			4644	eap	SW 8260B
Chloromethane	<5.0	ug/L	<5.0		09/17/2002			4644	eap	SW 8260B
Dibromochloromethane	<1.0	ug/L	<1.0		09/17/2002			4644	eap	SW 8260B
Dibromomethane	<1.0	ug/L	<1.0		09/17/2002			4644	eap	SW 8260B
Dichlorodifluoromethane	<1.0	ug/L	<1.0		09/17/2002			4644	eap	SW 8260B
1,2-Dibromo-3-chloropropane	<5.0	ug/L	<5.0		09/17/2002			4644	eap	SW 8260B
1,2-Dichlorobenzene	<1.0	ug/L	<1.0		09/17/2002			4644	eap	SW 8260B
1,3-Dichlorobenzene	<1.0	ug/L	<1.0		09/17/2002			4644	eap	SW 8260B
1,4-Dichlorobenzene	<1.0	ug/L	<1.0		09/17/2002			4644	eap	SW 8260B

TestAmerica, Incorporated

PAGE 23 of 45

ANALYTICAL REPORT

Kevin Wildman
HULL & ASSOC. (Dublin)
6130 Wilcox Rd.
Dublin, OH 43016

09/25/2002

Job Number: 02.18522

Client Project ID: SBI013

SAMPLE NO. 788519 **SAMPLE DESCRIPTION** SBI013:CTW7s:091202:412 **DATE/TIME TAKEN** 09/12/2002 12:00

	Result	Units	Reporting		Date Analyzed	Time Analyzed	Prep Batch	Run Batch	Anal. Init.	Method Reference
			Limit	Flag						
1,1-Dichloroethane	<1.0	ug/L	<1.0		09/17/2002		4644	eap	SW 8260B	
1,2-Dichloroethane	<1.0	ug/L	<1.0		09/17/2002		4644	eap	SW 8260B	
1,1-Dichloroethene	<1.0	ug/L	<1.0		09/17/2002		4644	eap	SW 8260B	
cis-1,2-Dichloroethene	<1.0	ug/L	<1.0		09/17/2002		4644	eap	SW 8260B	
trans-1,2-Dichloroethene	<1.0	ug/L	<1.0		09/17/2002		4644	eap	SW 8260B	
1,2-Dichloropropane	<1.0	ug/L	<1.0		09/17/2002		4644	eap	SW 8260B	
1,3-Dichloropropane	<1.0	ug/L	<1.0		09/17/2002		4644	eap	SW 8260B	
2,2-Dichloropropane	<1.0	ug/L	<1.0		09/17/2002		4644	eap	SW 8260B	
1,1-Dichloropropene	<1.0	ug/L	<1.0		09/17/2002		4644	eap	SW 8260B	
cis-1,3-Dichloropropene	<1.0	ug/L	<1.0		09/17/2002		4644	eap	SW 8260B	
trans-1,3-Dichloropropene	<1.0	ug/L	<1.0		09/17/2002		4644	eap	SW 8260B	
Ethylbenzene	<1.0	ug/L	<1.0		09/17/2002		4644	eap	SW 8260B	
Hexachlorobutadiene	<5.0	ug/L	<5.0		09/17/2002		4644	eap	SW 8260B	
n-Hexane	<5.0	ug/L	<5.0		09/17/2002		4644	eap	SW 8260B	
2-Hexanone	<12.5	ug/L	<12.5		09/17/2002		4644	eap	SW 8260B	
Isopropylbenzene (Cumene)	<1.0	ug/L	<1.0		09/17/2002		4644	eap	SW 8260B	
p-Isopropyltoluene	<1.0	ug/L	<1.0		09/17/2002		4644	eap	SW 8260B	
Bromomethane	<5.0	ug/L	<5.0		09/17/2002		4644	eap	SW 8260B	
Methylene Chloride	<5.0	ug/L	<5.0		09/17/2002		4644	eap	SW 8260B	
Methyl t-butyl ether (MTBE)	<5.0	ug/L	<5.0		09/17/2002		4644	eap	SW 8260B	
4-Methyl-2-pentanone (MIBK)	<12.5	ug/L	<12.5		09/17/2002		4644	eap	SW 8260B	
n-Propylbenzene	<1.0	ug/L	<1.0		09/17/2002		4644	eap	SW 8260B	
Styrene	<1.0	ug/L	<1.0		09/17/2002		4644	eap	SW 8260B	
Naphthalene	<5.0	ug/L	<5.0		09/17/2002		4644	eap	SW 8260B	
1,1,1,2-Tetrachloroethane	<1.0	ug/L	<1.0		09/17/2002		4644	eap	SW 8260B	
1,1,2,2-Tetrachloroethane	<1.0	ug/L	<1.0		09/17/2002		4644	eap	SW 8260B	
Tetrachloroethene	<1.0	ug/L	<1.0		09/17/2002		4644	eap	SW 8260B	
Toluene	<1.0	ug/L	<1.0		09/17/2002		4644	eap	SW 8260B	
1,2,4-Trichlorobenzene	<5.0	ug/L	<5.0		09/17/2002		4644	eap	SW 8260B	
1,1,1-Trichloroethane	29.3	ug/L	<1.0		09/17/2002		4644	eap	SW 8260B	
1,1,2-Trichloroethane	<1.0	ug/L	<1.0		09/17/2002		4644	eap	SW 8260B	
Trichloroethene	139	ug/L	<1.0		09/17/2002		4644	eap	SW 8260B	

TestAmerica, Incorporated

ANALYTICAL REPORT

Kevin Wildman
 HULL & ASSOC. (Dublin)
 6130 Wilcox Rd.
 Dublin, OH 43016

09/25/2002

Job Number: 02.18522

Client Project ID: SBI013

SAMPLE NO. **SAMPLE DESCRIPTION** **DATE/TIME TAKEN**
 788519 SBI013:CTW7s:091202:412 09/12/2002 12:00

	Result	Units	Reporting		Date	Time	Prep	Run	Anal.	
			Limit	Flag	Analyzed	Analyzed	Batch	Batch	Init.	Method Reference
Trichlorofluoromethane	<1.0	ug/L	<1.0		09/17/2002			4644	eap	SW 8260B
1,2,3-Trichloropropane	<5.0	ug/L	<5.0		09/17/2002			4644	eap	SW 8260B
1,2,4-Trimethylbenzene	<1.0	ug/L	<1.0		09/17/2002			4644	eap	SW 8260B
1,3,5-Trimethylbenzene	<1.0	ug/L	<1.0		09/17/2002			4644	eap	SW 8260B
Vinyl Acetate	<5.0	ug/L	<5.0		09/17/2002			4644	eap	SW 8260B
Vinyl Chloride	<1.0	ug/L	<1.0		09/17/2002			4644	eap	SW 8260B
Xylenes	<1.0	ug/L	<1.0		09/17/2002			4644	eap	SW 8260B
d4-1,2-Dichloroethane (surr)	99	%	80-120		09/17/2002			4644	eap	SW 8260B
Dibromofluoromethane (surr)	100	%	86-118		09/17/2002			4644	eap	SW 8260B
d8-Toluene (surr)	100	%	88-110		09/17/2002			4644	eap	SW 8260B
Bromofluorobenzene (surr)	109	%	86-115		09/17/2002			4644	eap	SW 8260B

SAMPLE NO. **SAMPLE DESCRIPTION** **DATE/TIME TAKEN**
 788520 SBI013:CTW8d:091202:412 09/12/2002 13:15

	Result	Units	Reporting		Date	Time	Prep	Run	Anal.	
			Limit	Flag	Analyzed	Analyzed	Batch	Batch	Init.	Method Reference
ICPMS TOTAL METALS	Complete		Complete		09/16/2002	23:51		3324	ekh	SW 6020
Arsenic, ICPMS	<0.0050	mg/L	<0.0050		09/16/2002	23:51	2232	4599	ekh	SW 6020
Lead, ICPMS	0.0112	mg/L	<0.0010		09/16/2002	23:51	2232	4565	ekh	SW 6020
Metals Digestion, ICPMS	Complete		Complete		09/16/2002	09:45	2232		jlr	SW 3010A
VOLATILE COMPOUNDS - 8260 (AQ)										
8260 - SW846 (AQ)	Complete		Complete		09/17/2002			4644	eap	
Acetone	<20.0	ug/L	<20.0		09/17/2002			4644	eap	SW 8260B
Benzene	<1.0	ug/L	<1.0		09/17/2002			4644	eap	SW 8260B
tert-Butylbenzene	<1.0	ug/L	<1.0		09/17/2002			4644	eap	SW 8260B
sec-Butylbenzene	<1.0	ug/L	<1.0		09/17/2002			4644	eap	SW 8260B

TestAmerica, Incorporated

PAGE 25 of 45

ANALYTICAL REPORT

Kevin Wildman
 HULL & ASSOC. (Dublin)
 6130 Wilcox Rd.
 Dublin, OH 43016

09/25/2002

Job Number: 02.18522

Client Project ID: SBI013

SAMPLE NO. 788520 **SAMPLE DESCRIPTION** SBI013:CTW8d:091202:412 **DATE/TIME TAKEN** 09/12/2002 13:15

	Result		Reporting		Date	Time	Prep	Run	Anal.	
	Units	Limit	Flag	Analyzed	Analyzed	Batch	Batch	Init.	Method	Reference
n-Butylbenzene	<1.0	ug/L	<1.0		09/17/2002		4644	eap	SW	8260B
Bromochloromethane	<1.0	ug/L	<1.0		09/17/2002		4644	eap	SW	8260B
Bromodichloromethane	<1.0	ug/L	<1.0		09/17/2002		4644	eap	SW	8260B
Bromoform	<1.0	ug/L	<1.0		09/17/2002		4644	eap	SW	8260B
Bromobenzene	<1.0	ug/L	<1.0		09/17/2002		4644	eap	SW	8260B
2-Butanone (MEK)	<12.5	ug/L	<12.5		09/17/2002		4644	eap	SW	8260B
Carbon disulfide	<1.0	ug/L	<1.0		09/17/2002		4644	eap	SW	8260B
Carbon tetrachloride	<1.0	ug/L	<1.0		09/17/2002		4644	eap	SW	8260B
Chlorobenzene	<1.0	ug/L	<1.0		09/17/2002		4644	eap	SW	8260B
Chloroethane	<5.0	ug/L	<5.0		09/17/2002		4644	eap	SW	8260B
2-Chlorotoluene	<1.0	ug/L	<1.0		09/17/2002		4644	eap	SW	8260B
4-Chlorotoluene	<1.0	ug/L	<1.0		09/17/2002		4644	eap	SW	8260B
Chloroform	<1.0	ug/L	<1.0		09/17/2002		4644	eap	SW	8260B
Chloromethane	<5.0	ug/L	<5.0		09/17/2002		4644	eap	SW	8260B
Dibromochloromethane	<1.0	ug/L	<1.0		09/17/2002		4644	eap	SW	8260B
Dibromomethane	<1.0	ug/L	<1.0		09/17/2002		4644	eap	SW	8260B
Dichlorodifluoromethane	<1.0	ug/L	<1.0		09/17/2002		4644	eap	SW	8260B
1,2-Dibromo-3-chloropropane	<5.0	ug/L	<5.0		09/17/2002		4644	eap	SW	8260B
1,2-Dichlorobenzene	<1.0	ug/L	<1.0		09/17/2002		4644	eap	SW	8260B
1,3-Dichlorobenzene	<1.0	ug/L	<1.0		09/17/2002		4644	eap	SW	8260B
1,4-Dichlorobenzene	<1.0	ug/L	<1.0		09/17/2002		4644	eap	SW	8260B
1,1-Dichloroethane	2.0	ug/L	<1.0		09/17/2002		4644	eap	SW	8260B
1,2-Dichloroethane	<1.0	ug/L	<1.0		09/17/2002		4644	eap	SW	8260B
1,1-Dichloroethene	<1.0	ug/L	<1.0		09/17/2002		4644	eap	SW	8260B
cis-1,2-Dichloroethene	<1.0	ug/L	<1.0		09/17/2002		4644	eap	SW	8260B
trans-1,2-Dichloroethene	<1.0	ug/L	<1.0		09/17/2002		4644	eap	SW	8260B
1,2-Dichloropropane	<1.0	ug/L	<1.0		09/17/2002		4644	eap	SW	8260B
1,3-Dichloropropane	<1.0	ug/L	<1.0		09/17/2002		4644	eap	SW	8260B
2,2-Dichloropropane	<1.0	ug/L	<1.0		09/17/2002		4644	eap	SW	8260B
1,1-Dichloropropene	<1.0	ug/L	<1.0		09/17/2002		4644	eap	SW	8260B
cis-1,3-Dichloropropene	<1.0	ug/L	<1.0		09/17/2002		4644	eap	SW	8260B
trans-1,3-Dichloropropene	<1.0	ug/L	<1.0		09/17/2002		4644	eap	SW	8260B

TestAmerica, Incorporated

PAGE 26 of 45

ANALYTICAL REPORT

Kevin Wildman
 HULL & ASSOC. (Dublin)
 6130 Wilcox Rd.
 Dublin, OH 43016

09/25/2002

Job Number: 02.18522

Client Project ID: SBI013

SAMPLE NO. 788520 **SAMPLE DESCRIPTION** SBI013:CTW8d:091202:412 **DATE/TIME TAKEN** 09/12/2002 13:15

	Result		Reporting		Date	Time	Prep	Run	Anal.	
	Units	Limit	Flag	Analyzed	Analyzed	Batch	Batch	Init.	Method	Reference
Ethylbenzene	<1.0	ug/L	<1.0		09/17/2002		4644	eap	SW	8260B
Hexachlorobutadiene	<5.0	ug/L	<5.0		09/17/2002		4644	eap	SW	8260B
n-Hexane	<5.0	ug/L	<5.0		09/17/2002		4644	eap	SW	8260B
2-Hexanone	<12.5	ug/L	<12.5		09/17/2002		4644	eap	SW	8260B
Isopropylbenzene (Cumene)	<1.0	ug/L	<1.0		09/17/2002		4644	eap	SW	8260B
p-Isopropyltoluene	<1.0	ug/L	<1.0		09/17/2002		4644	eap	SW	8260B
Bromomethane	<5.0	ug/L	<5.0		09/17/2002		4644	eap	SW	8260B
Methylene Chloride	<5.0	ug/L	<5.0		09/17/2002		4644	eap	SW	8260B
Methyl t-butyl ether (MTBE)	<5.0	ug/L	<5.0		09/17/2002		4644	eap	SW	8260B
4-Methyl-2-pentanone (MIBK)	<12.5	ug/L	<12.5		09/17/2002		4644	eap	SW	8260B
n-Propylbenzene	<1.0	ug/L	<1.0		09/17/2002		4644	eap	SW	8260B
Styrene	<1.0	ug/L	<1.0		09/17/2002		4644	eap	SW	8260B
Naphthalene	<5.0	ug/L	<5.0		09/17/2002		4644	eap	SW	8260B
1,1,1,2-Tetrachloroethane	<1.0	ug/L	<1.0		09/17/2002		4644	eap	SW	8260B
1,1,1,2-Tetrachloroethane	<1.0	ug/L	<1.0		09/17/2002		4644	eap	SW	8260B
Tetrachloroethene	<1.0	ug/L	<1.0		09/17/2002		4644	eap	SW	8260B
Toluene	<1.0	ug/L	<1.0		09/17/2002		4644	eap	SW	8260B
1,2,4-Trichlorobenzene	<5.0	ug/L	<5.0		09/17/2002		4644	eap	SW	8260B
1,1,1-Trichloroethane	19.1	ug/L	<1.0		09/17/2002		4644	eap	SW	8260B
1,1,2-Trichloroethane	<1.0	ug/L	<1.0		09/17/2002		4644	eap	SW	8260B
Trichloroethene	13.9	ug/L	<1.0		09/17/2002		4644	eap	SW	8260B
Trichlorofluoromethane	<1.0	ug/L	<1.0		09/17/2002		4644	eap	SW	8260B
1,2,3-Trichloropropane	<5.0	ug/L	<5.0		09/17/2002		4644	eap	SW	8260B
1,2,4-Trimethylbenzene	<1.0	ug/L	<1.0		09/17/2002		4644	eap	SW	8260B
1,3,5-Trimethylbenzene	<1.0	ug/L	<1.0		09/17/2002		4644	eap	SW	8260B
Vinyl Acetate	<5.0	ug/L	<5.0		09/17/2002		4644	eap	SW	8260B
Vinyl Chloride	<1.0	ug/L	<1.0		09/17/2002		4644	eap	SW	8260B
Xylenes	<1.0	ug/L	<1.0		09/17/2002		4644	eap	SW	8260B
d4-1,2-Dichloroethane (surr)	100	%	80-120		09/17/2002		4644	eap	SW	8260B
Dibromofluoromethane (surr)	101	%	86-118		09/17/2002		4644	eap	SW	8260B
d8-Toluene (surr)	99	%	88-110		09/17/2002		4644	eap	SW	8260B
Bromofluorobenzene (surr)	114	%	86-115		09/17/2002		4644	eap	SW	8260B

TestAmerica, Incorporated

PAGE 27 of 45

ANALYTICAL REPORT

Kevin Wildman
 HULL & ASSOC. (Dublin)
 6130 Wilcox Rd.
 Dublin, OH 43016

09/25/2002

Job Number: 02.18522

Client Project ID: SBI013

SAMPLE NO. 788521 **SAMPLE DESCRIPTION** SBI013:CTW8s:091202:412 **DATE/TIME TAKEN** 09/12/2002 13:30

	Result	Units	Reporting		Date	Time	Prep	Run	Anal.	
			Limit	Flag	Analyzed	Analyzed	Batch	Batch	Init.	Method Reference
ICPMS TOTAL METALS	Complete		Complete		09/18/2002	00:08		3325	ekh	SW 6020
Arsenic, ICPMS	<0.010	mg/L	<0.010		09/18/2002	00:08	2232	4601	ekh	SW 6020
Lead, ICPMS	0.0195	mg/L	<0.0010		09/18/2002	00:08	2232	4567	ekh	SW 6020
Metals Digestion, ICPMS	Complete		Complete		09/16/2002	09:45	2232		jlr	SW 3010A
VOLATILE COMPOUNDS - 8260 (AQ)										
8260 - SW846 (AQ)	Complete		Complete		09/17/2002			4644	eap	
Acetone	<20.0	ug/L	<20.0		09/17/2002			4644	eap	SW 8260B
Benzene	<1.0	ug/L	<1.0		09/17/2002			4644	eap	SW 8260B
tert-Butylbenzene	<1.0	ug/L	<1.0		09/17/2002			4644	eap	SW 8260B
sec-Butylbenzene	<1.0	ug/L	<1.0		09/17/2002			4644	eap	SW 8260B
n-Butylbenzene	<1.0	ug/L	<1.0		09/17/2002			4644	eap	SW 8260B
Bromochloromethane	<1.0	ug/L	<1.0		09/17/2002			4644	eap	SW 8260B
Bromodichloromethane	<1.0	ug/L	<1.0		09/17/2002			4644	eap	SW 8260B
Bromoform	<1.0	ug/L	<1.0		09/17/2002			4644	eap	SW 8260B
Bromobenzene	<1.0	ug/L	<1.0		09/17/2002			4644	eap	SW 8260B
2-Butanone (MEK)	<12.5	ug/L	<12.5		09/17/2002			4644	eap	SW 8260B
Carbon disulfide	<1.0	ug/L	<1.0		09/17/2002			4644	eap	SW 8260B
Carbon tetrachloride	<1.0	ug/L	<1.0		09/17/2002			4644	eap	SW 8260B
Chlorobenzene	<1.0	ug/L	<1.0		09/17/2002			4644	eap	SW 8260B
Chloroethane	<5.0	ug/L	<5.0		09/17/2002			4644	eap	SW 8260B
2-Chlorotoluene	<1.0	ug/L	<1.0		09/17/2002			4644	eap	SW 8260B
4-Chlorotoluene	<1.0	ug/L	<1.0		09/17/2002			4644	eap	SW 8260B
Chloroform	<1.0	ug/L	<1.0		09/17/2002			4644	eap	SW 8260B
Chloromethane	<5.0	ug/L	<5.0		09/17/2002			4644	eap	SW 8260B
Dibromochloromethane	<1.0	ug/L	<1.0		09/17/2002			4644	eap	SW 8260B
Dibromomethane	<1.0	ug/L	<1.0		09/17/2002			4644	eap	SW 8260B
Dichlorodifluoromethane	<1.0	ug/L	<1.0		09/17/2002			4644	eap	SW 8260B
1,2-Dibromo-3-chloropropane	<5.0	ug/L	<5.0		09/17/2002			4644	eap	SW 8260B
1,2-Dichlorobenzene	<1.0	ug/L	<1.0		09/17/2002			4644	eap	SW 8260B
1,3-Dichlorobenzene	<1.0	ug/L	<1.0		09/17/2002			4644	eap	SW 8260B
1,4-Dichlorobenzene	<1.0	ug/L	<1.0		09/17/2002			4644	eap	SW 8260B

TestAmerica, Incorporated

PAGE 28 of 45

ANALYTICAL REPORT

Kevin Wildman
 HULL & ASSOC. (Dublin)
 6130 Wilcox Rd.
 Dublin, OH 43016

09/25/2002

Job Number: 02.18522

Client Project ID: SBI013

SAMPLE NO. **SAMPLE DESCRIPTION** **DATE/TIME TAKEN**
 788521 SBI013:CTW8s:091202:412 09/12/2002 13:30

	Result	Units	Reporting Limit	Flag	Date Analyzed	Time Analyzed	Prep Batch	Run Batch	Anal. Init.	Method Reference
1,1-Dichloroethane	1.1	ug/L	<1.0		09/17/2002		4644	eap	SW 8260B	
1,2-Dichloroethane	<1.0	ug/L	<1.0		09/17/2002		4644	eap	SW 8260B	
1,1-Dichloroethene	<1.0	ug/L	<1.0		09/17/2002		4644	eap	SW 8260B	
cis-1,2-Dichloroethene	<1.0	ug/L	<1.0		09/17/2002		4644	eap	SW 8260B	
trans-1,2-Dichloroethene	<1.0	ug/L	<1.0		09/17/2002		4644	eap	SW 8260B	
1,2-Dichloropropane	<1.0	ug/L	<1.0		09/17/2002		4644	eap	SW 8260B	
1,3-Dichloropropane	<1.0	ug/L	<1.0		09/17/2002		4644	eap	SW 8260B	
2,2-Dichloropropane	<1.0	ug/L	<1.0		09/17/2002		4644	eap	SW 8260B	
1,1-Dichloropropene	<1.0	ug/L	<1.0		09/17/2002		4644	eap	SW 8260B	
cis-1,3-Dichloropropene	<1.0	ug/L	<1.0		09/17/2002		4644	eap	SW 8260B	
trans-1,3-Dichloropropene	<1.0	ug/L	<1.0		09/17/2002		4644	eap	SW 8260B	
Ethylbenzene	<1.0	ug/L	<1.0		09/17/2002		4644	eap	SW 8260B	
Hexachlorobutadiene	<5.0	ug/L	<5.0		09/17/2002		4644	eap	SW 8260B	
n-Hexane	<5.0	ug/L	<5.0		09/17/2002		4644	eap	SW 8260B	
2-Hexanone	<12.5	ug/L	<12.5		09/17/2002		4644	eap	SW 8260B	
Isopropylbenzene (Cumene)	<1.0	ug/L	<1.0		09/17/2002		4644	eap	SW 8260B	
p-Isopropyltoluene	<1.0	ug/L	<1.0		09/17/2002		4644	eap	SW 8260B	
Bromomethane	<5.0	ug/L	<5.0		09/17/2002		4644	eap	SW 8260B	
Methylene Chloride	<5.0	ug/L	<5.0		09/17/2002		4644	eap	SW 8260B	
Methyl t-butyl ether (MTBE)	<5.0	ug/L	<5.0		09/17/2002		4644	eap	SW 8260B	
4-Methyl-2-pentanone (MIBK)	<12.5	ug/L	<12.5		09/17/2002		4644	eap	SW 8260B	
n-Propylbenzene	<1.0	ug/L	<1.0		09/17/2002		4644	eap	SW 8260B	
Styrene	<1.0	ug/L	<1.0		09/17/2002		4644	eap	SW 8260B	
Naphthalene	<5.0	ug/L	<5.0		09/17/2002		4644	eap	SW 8260B	
1,1,1,2-Tetrachloroethane	<1.0	ug/L	<1.0		09/17/2002		4644	eap	SW 8260B	
1,1,2,2-Tetrachloroethane	<1.0	ug/L	<1.0		09/17/2002		4644	eap	SW 8260B	
Tetrachloroethene	<1.0	ug/L	<1.0		09/17/2002		4644	eap	SW 8260B	
Toluene	<1.0	ug/L	<1.0		09/17/2002		4644	eap	SW 8260B	
1,2,4-Trichlorobenzene	<5.0	ug/L	<5.0		09/17/2002		4644	eap	SW 8260B	
1,1,1-Trichloroethane	46.8	ug/L	<1.0		09/17/2002		4644	eap	SW 8260B	
1,1,2-Trichloroethane	<1.0	ug/L	<1.0		09/17/2002		4644	eap	SW 8260B	
Trichloroethene	74.5	ug/L	<1.0		09/17/2002		4644	eap	SW 8260B	

TestAmerica, Incorporated

PAGE 30 of 45

ANALYTICAL REPORT

Kevin Wildman
 HULL & ASSOC. (Dublin)
 6130 Wilcox Rd.
 Dublin, OH 43016

09/25/2002

Job Number: 02.18522

Client Project ID: SBI013

SAMPLE NO. 788522 **SAMPLE DESCRIPTION** SBI013:CTW9d:091202:412 **DATE/TIME TAKEN** 09/12/2002 14:25

	Result	Units	Reporting Limit	Flag	Date Analyzed	Time Analyzed	Prep Batch	Run Batch	Anal. Init.	Method Reference
n-Butylbenzene	<1.0	ug/L	<1.0		09/17/2002		4644	eap	SW 8260B	
Bromochloromethane	<1.0	ug/L	<1.0		09/17/2002		4644	eap	SW 8260B	
Bromodichloromethane	<1.0	ug/L	<1.0		09/17/2002		4644	eap	SW 8260B	
Bromoform	<1.0	ug/L	<1.0		09/17/2002		4644	eap	SW 8260B	
Bromobenzene	<1.0	ug/L	<1.0		09/17/2002		4644	eap	SW 8260B	
2-Butanone (MEK)	<12.5	ug/L	<12.5		09/17/2002		4644	eap	SW 8260B	
Carbon disulfide	<1.0	ug/L	<1.0		09/17/2002		4644	eap	SW 8260B	
Carbon tetrachloride	<1.0	ug/L	<1.0		09/17/2002		4644	eap	SW 8260B	
Chlorobenzene	<1.0	ug/L	<1.0		09/17/2002		4644	eap	SW 8260B	
Chloroethane	<5.0	ug/L	<5.0		09/17/2002		4644	eap	SW 8260B	
2-Chlorotoluene	<1.0	ug/L	<1.0		09/17/2002		4644	eap	SW 8260B	
4-Chlorotoluene	<1.0	ug/L	<1.0		09/17/2002		4644	eap	SW 8260B	
Chloroform	<1.0	ug/L	<1.0		09/17/2002		4644	eap	SW 8260B	
Chloromethane	<5.0	ug/L	<5.0		09/17/2002		4644	eap	SW 8260B	
Dibromochloromethane	<1.0	ug/L	<1.0		09/17/2002		4644	eap	SW 8260B	
Dibromomethane	<1.0	ug/L	<1.0		09/17/2002		4644	eap	SW 8260B	
Dichlorodifluoromethane	<1.0	ug/L	<1.0		09/17/2002		4644	eap	SW 8260B	
1,2-Dibromo-3-chloropropane	<5.0	ug/L	<5.0		09/17/2002		4644	eap	SW 8260B	
1,2-Dichlorobenzene	<1.0	ug/L	<1.0		09/17/2002		4644	eap	SW 8260B	
1,3-Dichlorobenzene	<1.0	ug/L	<1.0		09/17/2002		4644	eap	SW 8260B	
1,4-Dichlorobenzene	<1.0	ug/L	<1.0		09/17/2002		4644	eap	SW 8260B	
1,1-Dichloroethane	<1.0	ug/L	<1.0		09/17/2002		4644	eap	SW 8260B	
1,2-Dichloroethane	<1.0	ug/L	<1.0		09/17/2002		4644	eap	SW 8260B	
1,1-Dichloroethene	<1.0	ug/L	<1.0		09/17/2002		4644	eap	SW 8260B	
cis-1,2-Dichloroethene	<1.0	ug/L	<1.0		09/17/2002		4644	eap	SW 8260B	
trans-1,2-Dichloroethene	<1.0	ug/L	<1.0		09/17/2002		4644	eap	SW 8260B	
1,2-Dichloropropane	<1.0	ug/L	<1.0		09/17/2002		4644	eap	SW 8260B	
1,3-Dichloropropane	<1.0	ug/L	<1.0		09/17/2002		4644	eap	SW 8260B	
2,2-Dichloropropane	<1.0	ug/L	<1.0		09/17/2002		4644	eap	SW 8260B	
1,1-Dichloropropene	<1.0	ug/L	<1.0		09/17/2002		4644	eap	SW 8260B	
cis-1,3-Dichloropropene	<1.0	ug/L	<1.0		09/17/2002		4644	eap	SW 8260B	
trans-1,3-Dichloropropene	<1.0	ug/L	<1.0		09/17/2002		4644	eap	SW 8260B	

TestAmerica, Incorporated

PAGE 31 of 45

ANALYTICAL REPORT

Kevin Wildman
 HULL & ASSOC. (Dublin)
 6130 Wilcox Rd.
 Dublin, OH 43016

09/25/2002

Job Number: 02.18522

Client Project ID: SBI013

SAMPLE NO. 788522 **SAMPLE DESCRIPTION** SBI013:CTW9d:091202:412 **DATE/TIME TAKEN** 09/12/2002 14:25

	Result		Reporting	Date	Time	Prep	Run	Anal.	Init.	Method	Reference
	Units	Limit	Flag								
Ethylbenzene	<1.0	ug/L	<1.0	09/17/2002			4644	eap	SW	8260B	
Hexachlorobutadiene	<5.0	ug/L	<5.0	09/17/2002			4644	eap	SW	8260B	
n-Hexane	<5.0	ug/L	<5.0	09/17/2002			4644	eap	SW	8260B	
2-Hexanone	<12.5	ug/L	<12.5	09/17/2002			4644	eap	SW	8260B	
Isopropylbenzene (Cumene)	<1.0	ug/L	<1.0	09/17/2002			4644	eap	SW	8260B	
p-Isopropyltoluene	<1.0	ug/L	<1.0	09/17/2002			4644	eap	SW	8260B	
Bromomethane	<5.0	ug/L	<5.0	09/17/2002			4644	eap	SW	8260B	
Methylene Chloride	<5.0	ug/L	<5.0	09/17/2002			4644	eap	SW	8260B	
Methyl t-butyl ether (MTBE)	<5.0	ug/L	<5.0	09/17/2002			4644	eap	SW	8260B	
4-Methyl-2-pentanone (MIBK)	<12.5	ug/L	<12.5	09/17/2002			4644	eap	SW	8260B	
n-Propylbenzene	<1.0	ug/L	<1.0	09/17/2002			4644	eap	SW	8260B	
Styrene	<1.0	ug/L	<1.0	09/17/2002			4644	eap	SW	8260B	
Naphthalene	<5.0	ug/L	<5.0	09/17/2002			4644	eap	SW	8260B	
1,1,1,2-Tetrachloroethane	<1.0	ug/L	<1.0	09/17/2002			4644	eap	SW	8260B	
1,1,2,2-Tetrachloroethane	<1.0	ug/L	<1.0	09/17/2002			4644	eap	SW	8260B	
Tetrachloroethene	<1.0	ug/L	<1.0	09/17/2002			4644	eap	SW	8260B	
Toluene	<1.0	ug/L	<1.0	09/17/2002			4644	eap	SW	8260B	
1,2,4-Trichlorobenzene	<5.0	ug/L	<5.0	09/17/2002			4644	eap	SW	8260B	
1,1,1-Trichloroethane	<1.0	ug/L	<1.0	09/17/2002			4644	eap	SW	8260B	
1,1,2-Trichloroethane	<1.0	ug/L	<1.0	09/17/2002			4644	eap	SW	8260B	
Trichloroethene	24.8	ug/L	<1.0	09/17/2002			4644	eap	SW	8260B	
Trichlorofluoromethane	<1.0	ug/L	<1.0	09/17/2002			4644	eap	SW	8260B	
1,2,3-Trichloropropane	<5.0	ug/L	<5.0	09/17/2002			4644	eap	SW	8260B	
1,2,4-Trimethylbenzene	<1.0	ug/L	<1.0	09/17/2002			4644	eap	SW	8260B	
1,3,5-Trimethylbenzene	<1.0	ug/L	<1.0	09/17/2002			4644	eap	SW	8260B	
Vinyl Acetate	<5.0	ug/L	<5.0	09/17/2002			4644	eap	SW	8260B	
Vinyl Chloride	<1.0	ug/L	<1.0	09/17/2002			4644	eap	SW	8260B	
Xylenes	<1.0	ug/L	<1.0	09/17/2002			4644	eap	SW	8260B	
d4-1,2-Dichloroethane (surr)	101	%	80-120	09/17/2002			4644	eap	SW	8260B	
Dibromofluoromethane (surr)	101	%	86-118	09/17/2002			4644	eap	SW	8260B	
d8-Toluene (surr)	100	%	88-110	09/17/2002			4644	eap	SW	8260B	
Bromofluorobenzene (surr)	113	%	86-115	09/17/2002			4644	eap	SW	8260B	

TestAmerica, Incorporated

PAGE 32 of 45

ANALYTICAL REPORT

Kevin Wildman
 HULL & ASSOC. (Dublin)
 6130 Wilcox Rd.
 Dublin, OH 43016

09/25/2002

Job Number: 02.18522

Client Project ID: SBI013

SAMPLE NO. **SAMPLE DESCRIPTION** **DATE/TIME TAKEN**
 788523 SBI013:CTW9s:091202:412 09/12/2002 14:35

	Result	Units	Reporting Limit	Flag	Date Analyzed	Time Analyzed	Prep Batch	Run Batch	Anal. Init.	Method Reference
ICPMS TOTAL METALS	Complete		Complete		09/18/2002	00:33		3325	ekh	SW 6020
Arsenic, ICPMS	<0.010	mg/L	<0.010		09/18/2002	00:33	2232	4601	ekh	SW 6020
Lead, ICPMS	0.0156	mg/L	<0.0010		09/18/2002	00:33	2232	4567	ekh	SW 6020
Metals Digestion, ICPMS	Complete		Complete		09/16/2002	09:45	2232		jlr	SW 3010A
VOLATILE COMPOUNDS - 8260 (AQ)										
8260 - SW846 (AQ)	Complete		Complete		09/17/2002			4644	eap	
Acetone	<20.0	ug/L	<20.0		09/17/2002			4644	eap	SW 8260B
Benzene	<1.0	ug/L	<1.0		09/17/2002			4644	eap	SW 8260B
tert-Butylbenzene	<1.0	ug/L	<1.0		09/17/2002			4644	eap	SW 8260B
sec-Butylbenzene	<1.0	ug/L	<1.0		09/17/2002			4644	eap	SW 8260B
n-Butylbenzene	<1.0	ug/L	<1.0		09/17/2002			4644	eap	SW 8260B
Bromochloromethane	<1.0	ug/L	<1.0		09/17/2002			4644	eap	SW 8260B
Bromodichloromethane	<1.0	ug/L	<1.0		09/17/2002			4644	eap	SW 8260B
Bromoform	<1.0	ug/L	<1.0		09/17/2002			4644	eap	SW 8260B
Bromobenzene	<1.0	ug/L	<1.0		09/17/2002			4644	eap	SW 8260B
2-Butanone (MEK)	<12.5	ug/L	<12.5		09/17/2002			4644	eap	SW 8260B
Carbon disulfide	<1.0	ug/L	<1.0		09/17/2002			4644	eap	SW 8260B
Carbon tetrachloride	<1.0	ug/L	<1.0		09/17/2002			4644	eap	SW 8260B
Chlorobenzene	<1.0	ug/L	<1.0		09/17/2002			4644	eap	SW 8260B
Chloroethane	<5.0	ug/L	<5.0		09/17/2002			4644	eap	SW 8260B
2-Chlorotoluene	<1.0	ug/L	<1.0		09/17/2002			4644	eap	SW 8260B
4-Chlorotoluene	<1.0	ug/L	<1.0		09/17/2002			4644	eap	SW 8260B
Chloroform	<1.0	ug/L	<1.0		09/17/2002			4644	eap	SW 8260B
Chloromethane	<5.0	ug/L	<5.0		09/17/2002			4644	eap	SW 8260B
Dibromochloromethane	<1.0	ug/L	<1.0		09/17/2002			4644	eap	SW 8260B
Dibromomethane	<1.0	ug/L	<1.0		09/17/2002			4644	eap	SW 8260B
Dichlorodifluoromethane	<1.0	ug/L	<1.0		09/17/2002			4644	eap	SW 8260B
1,2-Dibromo-3-chloropropane	<5.0	ug/L	<5.0		09/17/2002			4644	eap	SW 8260B
1,2-Dichlorobenzene	<1.0	ug/L	<1.0		09/17/2002			4644	eap	SW 8260B
1,3-Dichlorobenzene	<1.0	ug/L	<1.0		09/17/2002			4644	eap	SW 8260B
1,4-Dichlorobenzene	<1.0	ug/L	<1.0		09/17/2002			4644	eap	SW 8260B

TestAmerica, Incorporated

PAGE 33 of 45

ANALYTICAL REPORT

Kevin Wildman
 HULL & ASSOC. (Dublin)
 6130 Wilcox Rd.
 Dublin, OH 43016

09/25/2002

Job Number: 02.18522

Client Project ID: SBI013

SAMPLE NO. **SAMPLE DESCRIPTION** **DATE/TIME TAKEN**
 788523 SBI013:CTW9s:091202:412 09/12/2002 14:35

	Result	Units	Reporting Limit	Flag	Date Analyzed	Time Analyzed	Prep Batch	Run Batch	Anal. Init.	Method Reference
1,1-Dichloroethane	<1.0	ug/L	<1.0		09/17/2002		4644	eap	SW 8260B	
1,2-Dichloroethane	<1.0	ug/L	<1.0		09/17/2002		4644	eap	SW 8260B	
1,1-Dichloroethene	<1.0	ug/L	<1.0		09/17/2002		4644	eap	SW 8260B	
cis-1,2-Dichloroethene	<1.0	ug/L	<1.0		09/17/2002		4644	eap	SW 8260B	
trans-1,2-Dichloroethene	<1.0	ug/L	<1.0		09/17/2002		4644	eap	SW 8260B	
1,2-Dichloropropane	<1.0	ug/L	<1.0		09/17/2002		4644	eap	SW 8260B	
1,3-Dichloropropane	<1.0	ug/L	<1.0		09/17/2002		4644	eap	SW 8260B	
2,2-Dichloropropane	<1.0	ug/L	<1.0		09/17/2002		4644	eap	SW 8260B	
1,1-Dichloropropene	<1.0	ug/L	<1.0		09/17/2002		4644	eap	SW 8260B	
cis-1,3-Dichloropropene	<1.0	ug/L	<1.0		09/17/2002		4644	eap	SW 8260B	
trans-1,3-Dichloropropene	<1.0	ug/L	<1.0		09/17/2002		4644	eap	SW 8260B	
Ethylbenzene	<1.0	ug/L	<1.0		09/17/2002		4644	eap	SW 8260B	
Hexachlorobutadiene	<5.0	ug/L	<5.0		09/17/2002		4644	eap	SW 8260B	
n-Hexane	<5.0	ug/L	<5.0		09/17/2002		4644	eap	SW 8260B	
2-Hexanone	<12.5	ug/L	<12.5		09/17/2002		4644	eap	SW 8260B	
Isopropylbenzene (Cumene)	<1.0	ug/L	<1.0		09/17/2002		4644	eap	SW 8260B	
p-Isopropyltoluene	<1.0	ug/L	<1.0		09/17/2002		4644	eap	SW 8260B	
Bromomethane	<5.0	ug/L	<5.0		09/17/2002		4644	eap	SW 8260B	
Methylene Chloride	<5.0	ug/L	<5.0		09/17/2002		4644	eap	SW 8260B	
Methyl t-butyl ether (MTBE)	<5.0	ug/L	<5.0		09/17/2002		4644	eap	SW 8260B	
4-Methyl-2-pentanone (MIBK)	<12.5	ug/L	<12.5		09/17/2002		4644	eap	SW 8260B	
n-Propylbenzene	<1.0	ug/L	<1.0		09/17/2002		4644	eap	SW 8260B	
Styrene	<1.0	ug/L	<1.0		09/17/2002		4644	eap	SW 8260B	
Naphthalene	<5.0	ug/L	<5.0		09/17/2002		4644	eap	SW 8260B	
1,1,1,2-Tetrachloroethane	<1.0	ug/L	<1.0		09/17/2002		4644	eap	SW 8260B	
1,1,2,2-Tetrachloroethane	<1.0	ug/L	<1.0		09/17/2002		4644	eap	SW 8260B	
Tetrachloroethene	<1.0	ug/L	<1.0		09/17/2002		4644	eap	SW 8260B	
Toluene	<1.0	ug/L	<1.0		09/17/2002		4644	eap	SW 8260B	
1,2,4-Trichlorobenzene	<5.0	ug/L	<5.0		09/17/2002		4644	eap	SW 8260B	
1,1,1-Trichloroethane	1.4	ug/L	<1.0		09/17/2002		4644	eap	SW 8260B	
1,1,2-Trichloroethane	<1.0	ug/L	<1.0		09/17/2002		4644	eap	SW 8260B	
Trichloroethene	25.0	ug/L	<1.0		09/17/2002		4644	eap	SW 8260B	

TestAmerica, Incorporated

PAGE 34 of 45

ANALYTICAL REPORT

Kevin Wildman
 HULL & ASSOC. (Dublin)
 6130 Wilcox Rd.
 Dublin, OH 43016

09/25/2002

Job Number: 02.18522

Client Project ID: SBI013

SAMPLE NO. **SAMPLE DESCRIPTION** **DATE/TIME TAKEN**
 788523 SBI013:CTW9s:091202:412 09/12/2002 14:35

	Result	Units	Reporting		Date Analyzed	Time Analyzed	Prep Batch	Run Batch	Anal.	
			Limit	Flag					Init.	Method Reference
Trichlorofluoromethane	<1.0	ug/L	<1.0		09/17/2002		4644		eap	SW 8260B
1,2,3-Trichloropropane	<5.0	ug/L	<5.0		09/17/2002		4644		eap	SW 8260B
1,2,4-Trimethylbenzene	<1.0	ug/L	<1.0		09/17/2002		4644		eap	SW 8260B
1,3,5-Trimethylbenzene	<1.0	ug/L	<1.0		09/17/2002		4644		eap	SW 8260B
Vinyl Acetate	<5.0	ug/L	<5.0		09/17/2002		4644		eap	SW 8260B
Vinyl Chloride	<1.0	ug/L	<1.0		09/17/2002		4644		eap	SW 8260B
Xylenes	<1.0	ug/L	<1.0		09/17/2002		4644		eap	SW 8260B
d4-1,2-Dichloroethane (surr)	100	%	80-120		09/17/2002		4644		eap	SW 8260B
Dibromofluoromethane (surr)	102	%	86-118		09/17/2002		4644		eap	SW 8260B
d8-Toluene (surr)	99	%	88-110		09/17/2002		4644		eap	SW 8260B
Bromofluorobenzene (surr)	112	%	86-115		09/17/2002		4644		eap	SW 8260B

SAMPLE NO. **SAMPLE DESCRIPTION** **DATE/TIME TAKEN**
 788524 SBI013:FB1:091202:412 09/12/2002

	Result	Units	Reporting		Date Analyzed	Time Analyzed	Prep Batch	Run Batch	Anal.	
			Limit	Flag					Init.	Method Reference
ICPMS TOTAL METALS	Complete		Complete		09/18/2002	00:38		3325	ekh	SW 6020
Arsenic, ICPMS	<0.0050	mg/L	<0.0050		09/18/2002	00:38	2232	4601	ekh	SW 6020
Lead, ICPMS	<0.0010	mg/L	<0.0010		09/18/2002	00:38	2232	4567	ekh	SW 6020
Metals Digestion, ICPMS	Complete		Complete		09/16/2002	09:45	2232		jlr	SW 3010A
VOLATILE COMPOUNDS - 8260 (AQ)										
8260 - SW846 (AQ)	Complete		Complete		09/23/2002			4660	bmh	
Acetone	<20.0	ug/L	<20.0		09/23/2002			4660	bmh	SW 8260B
Benzene	<1.0	ug/L	<1.0		09/23/2002			4660	bmh	SW 8260B
tert-Butylbenzene	<1.0	ug/L	<1.0		09/23/2002			4660	bmh	SW 8260B
sec-Butylbenzene	<1.0	ug/L	<1.0		09/23/2002			4660	bmh	SW 8260B

TestAmerica, Incorporated

PAGE 35 of 45

ANALYTICAL REPORT

Kevin Wildman
 HULL & ASSOC. (Dublin)
 6130 Wilcox Rd.
 Dublin, OH 43016

09/25/2002

Job Number: 02.18522

Client Project ID: SBI013

SAMPLE NO. 788524 **SAMPLE DESCRIPTION** SBI013:FB1:091202:412 **DATE/TIME TAKEN** 09/12/2002

	Result	Units	Reporting Limit	Flag	Date Analyzed	Time Analyzed	Prep Batch	Run Batch	Anal. Init.	Method Reference
n-Butylbenzene	<1.0	ug/L	<1.0		09/23/2002		4660	bmh	SW 8260B	
Bromochloromethane	<1.0	ug/L	<1.0		09/23/2002		4660	bmh	SW 8260B	
Bromodichloromethane	<1.0	ug/L	<1.0		09/23/2002		4660	bmh	SW 8260B	
Bromoform	<1.0	ug/L	<1.0		09/23/2002		4660	bmh	SW 8260B	
Bromobenzene	<1.0	ug/L	<1.0		09/23/2002		4660	bmh	SW 8260B	
2-Butanone (MEK)	<12.5	ug/L	<12.5		09/23/2002		4660	bmh	SW 8260B	
Carbon disulfide	<1.0	ug/L	<1.0		09/23/2002		4660	bmh	SW 8260B	
Carbon tetrachloride	<1.0	ug/L	<1.0		09/23/2002		4660	bmh	SW 8260B	
Chlorobenzene	<1.0	ug/L	<1.0		09/23/2002		4660	bmh	SW 8260B	
Chloroethane	<5.0	ug/L	<5.0		09/23/2002		4660	bmh	SW 8260B	
2-Chlorotoluene	<1.0	ug/L	<1.0		09/23/2002		4660	bmh	SW 8260B	
4-Chlorotoluene	<1.0	ug/L	<1.0		09/23/2002		4660	bmh	SW 8260B	
Chloroform	<1.0	ug/L	<1.0		09/23/2002		4660	bmh	SW 8260B	
Chloromethane	<5.0	ug/L	<5.0		09/23/2002		4660	bmh	SW 8260B	
Dibromochloromethane	<1.0	ug/L	<1.0		09/23/2002		4660	bmh	SW 8260B	
Dibromomethane	<1.0	ug/L	<1.0		09/23/2002		4660	bmh	SW 8260B	
Dichlorodifluoromethane	<1.0	ug/L	<1.0		09/23/2002		4660	bmh	SW 8260B	
1,2-Dibromo-3-chloropropane	<5.0	ug/L	<5.0		09/23/2002		4660	bmh	SW 8260B	
1,2-Dichlorobenzene	<1.0	ug/L	<1.0		09/23/2002		4660	bmh	SW 8260B	
1,3-Dichlorobenzene	<1.0	ug/L	<1.0		09/23/2002		4660	bmh	SW 8260B	
1,4-Dichlorobenzene	<1.0	ug/L	<1.0		09/23/2002		4660	bmh	SW 8260B	
1,1-Dichloroethane	<1.0	ug/L	<1.0		09/23/2002		4660	bmh	SW 8260B	
1,2-Dichloroethane	<1.0	ug/L	<1.0		09/23/2002		4660	bmh	SW 8260B	
1,1-Dichloroethene	<1.0	ug/L	<1.0		09/23/2002		4660	bmh	SW 8260B	
cis-1,2-Dichloroethene	<1.0	ug/L	<1.0		09/23/2002		4660	bmh	SW 8260B	
trans-1,2-Dichloroethene	<1.0	ug/L	<1.0		09/23/2002		4660	bmh	SW 8260B	
1,2-Dichloropropane	<1.0	ug/L	<1.0		09/23/2002		4660	bmh	SW 8260B	
1,3-Dichloropropane	<1.0	ug/L	<1.0		09/23/2002		4660	bmh	SW 8260B	
2,2-Dichloropropane	<1.0	ug/L	<1.0		09/23/2002		4660	bmh	SW 8260B	
1,1-Dichloropropene	<1.0	ug/L	<1.0		09/23/2002		4660	bmh	SW 8260B	
cis-1,3-Dichloropropene	<1.0	ug/L	<1.0		09/23/2002		4660	bmh	SW 8260B	
trans-1,3-Dichloropropene	<1.0	ug/L	<1.0		09/23/2002		4660	bmh	SW 8260B	

TestAmerica, Incorporated

PAGE 36 of 45

ANALYTICAL REPORT

Kevin Wildman
HULL & ASSOC. (Dublin)
6130 Wilcox Rd.
Dublin, OH 43016

09/25/2002

Job Number: 02.18522

Client Project ID: SBI013

SAMPLE NO. 788524 **SAMPLE DESCRIPTION** SBI013:FB1:091202:412 **DATE/TIME TAKEN** 09/12/2002

	Result	Units	Reporting Limit	Flag	Date Analyzed	Time Analyzed	Prep Batch	Run Batch	Anal. Init.	Method Reference
Ethylbenzene	<1.0	ug/L	<1.0		09/23/2002			4660	bmh	SW 8260B
Hexachlorobutadiene	<5.0	ug/L	<5.0		09/23/2002			4660	bmh	SW 8260B
n-Hexane	<5.0	ug/L	<5.0		09/23/2002			4660	bmh	SW 8260B
2-Hexanone	<12.5	ug/L	<12.5		09/23/2002			4660	bmh	SW 8260B
Isopropylbenzene (Cumene)	<1.0	ug/L	<1.0		09/23/2002			4660	bmh	SW 8260B
p-Isopropyltoluene	<1.0	ug/L	<1.0		09/23/2002			4660	bmh	SW 8260B
Bromomethane	<5.0	ug/L	<5.0		09/23/2002			4660	bmh	SW 8260B
Methylene Chloride	<5.0	ug/L	<5.0		09/23/2002			4660	bmh	SW 8260B
Methyl t-butyl ether (MTBE)	<5.0	ug/L	<5.0		09/23/2002			4660	bmh	SW 8260B
4-Methyl-2-pentanone (MIBK)	<12.5	ug/L	<12.5		09/23/2002			4660	bmh	SW 8260B
n-Propylbenzene	<1.0	ug/L	<1.0		09/23/2002			4660	bmh	SW 8260B
Styrene	<1.0	ug/L	<1.0		09/23/2002			4660	bmh	SW 8260B
Naphthalene	<5.0	ug/L	<5.0		09/23/2002			4660	bmh	SW 8260B
1,1,1,2-Tetrachloroethane	<1.0	ug/L	<1.0		09/23/2002			4660	bmh	SW 8260B
1,1,2,2-Tetrachloroethane	<1.0	ug/L	<1.0		09/23/2002			4660	bmh	SW 8260B
Tetrachloroethene	<1.0	ug/L	<1.0		09/23/2002			4660	bmh	SW 8260B
Toluene	<1.0	ug/L	<1.0		09/23/2002			4660	bmh	SW 8260B
1,2,4-Trichlorobenzene	<5.0	ug/L	<5.0		09/23/2002			4660	bmh	SW 8260B
1,1,1-Trichloroethane	<1.0	ug/L	<1.0		09/23/2002			4660	bmh	SW 8260B
1,1,2-Trichloroethane	<1.0	ug/L	<1.0		09/23/2002			4660	bmh	SW 8260B
Trichloroethene	<1.0	ug/L	<1.0		09/23/2002			4660	bmh	SW 8260B
Trichlorofluoromethane	<1.0	ug/L	<1.0		09/23/2002			4660	bmh	SW 8260B
1,2,3-Trichloropropane	<5.0	ug/L	<5.0		09/23/2002			4660	bmh	SW 8260B
1,2,4-Trimethylbenzene	<1.0	ug/L	<1.0		09/23/2002			4660	bmh	SW 8260B
1,3,5-Trimethylbenzene	<1.0	ug/L	<1.0		09/23/2002			4660	bmh	SW 8260B
Vinyl Acetate	<5.0	ug/L	<5.0		09/23/2002			4660	bmh	SW 8260B
Vinyl Chloride	<1.0	ug/L	<1.0		09/23/2002			4660	bmh	SW 8260B
Xylenes	<1.0	ug/L	<1.0		09/23/2002			4660	bmh	SW 8260B
d4-1,2-Dichloroethane (surr)	105	%	80-120		09/23/2002			4660	bmh	SW 8260B
Dibromofluoromethane (surr)	100	%	86-118		09/23/2002			4660	bmh	SW 8260B
d8-Toluene (surr)	95	%	88-110		09/23/2002			4660	bmh	SW 8260B
Bromofluorobenzene (surr)	93	%	86-115		09/23/2002			4660	bmh	SW 8260B

TestAmerica, Incorporated

PAGE 37 of 45

ANALYTICAL REPORT

Kevin Wildman
 HULL & ASSOC. (Dublin)
 6130 Wilcox Rd.
 Dublin, OH 43016

09/25/2002

Job Number: 02.18522

Client Project ID: SBI013

SAMPLE NO. 788525 **SAMPLE DESCRIPTION** SBI013:FB2:091202:412 **DATE/TIME TAKEN** 09/12/2002

	Result	Units	Reporting Limit	Flag	Date Analyzed	Time Analyzed	Prep Batch	Run Batch	Anal. Init.	Method Reference
ICPMS TOTAL METALS	Complete		Complete		09/18/2002	00:43		3325	ekh	SW 6020
Arsenic, ICPMS	<0.0050	mg/L	<0.0050		09/18/2002	00:43	2232	4601	ekh	SW 6020
Lead, ICPMS	<0.0010	mg/L	<0.0010		09/18/2002	00:43	2232	4567	ekh	SW 6020
Metals Digestion, ICPMS	Complete		Complete		09/16/2002	09:45	2232		jlr	SW 3010A
VOLATILE COMPOUNDS - 8260 (AQ)										
8260 - SW846 (AQ)	Complete		Complete		09/23/2002			4660	bmh	
Acetone	<20.0	ug/L	<20.0		09/23/2002			4660	bmh	SW 8260B
Benzene	<1.0	ug/L	<1.0		09/23/2002			4660	bmh	SW 8260B
tert-Butylbenzene	<1.0	ug/L	<1.0		09/23/2002			4660	bmh	SW 8260B
sec-Butylbenzene	<1.0	ug/L	<1.0		09/23/2002			4660	bmh	SW 8260B
n-Butylbenzene	<1.0	ug/L	<1.0		09/23/2002			4660	bmh	SW 8260B
Bromochloromethane	<1.0	ug/L	<1.0		09/23/2002			4660	bmh	SW 8260B
Bromodichloromethane	<1.0	ug/L	<1.0		09/23/2002			4660	bmh	SW 8260B
Bromoform	<1.0	ug/L	<1.0		09/23/2002			4660	bmh	SW 8260B
Bromobenzene	<1.0	ug/L	<1.0		09/23/2002			4660	bmh	SW 8260B
2-Butanone (MEK)	<12.5	ug/L	<12.5		09/23/2002			4660	bmh	SW 8260B
Carbon disulfide	<1.0	ug/L	<1.0		09/23/2002			4660	bmh	SW 8260B
Carbon tetrachloride	<1.0	ug/L	<1.0		09/23/2002			4660	bmh	SW 8260B
Chlorobenzene	<1.0	ug/L	<1.0		09/23/2002			4660	bmh	SW 8260B
Chloroethane	<5.0	ug/L	<5.0		09/23/2002			4660	bmh	SW 8260B
2-Chlorotoluene	<1.0	ug/L	<1.0		09/23/2002			4660	bmh	SW 8260B
4-Chlorotoluene	<1.0	ug/L	<1.0		09/23/2002			4660	bmh	SW 8260B
Chloroform	<1.0	ug/L	<1.0		09/23/2002			4660	bmh	SW 8260B
Chloromethane	<5.0	ug/L	<5.0		09/23/2002			4660	bmh	SW 8260B
Dibromochloromethane	<1.0	ug/L	<1.0		09/23/2002			4660	bmh	SW 8260B
Dibromomethane	<1.0	ug/L	<1.0		09/23/2002			4660	bmh	SW 8260B
Dichlorodifluoromethane	<1.0	ug/L	<1.0		09/23/2002			4660	bmh	SW 8260B
1,2-Dibromo-3-chloropropane	<5.0	ug/L	<5.0		09/23/2002			4660	bmh	SW 8260B
1,2-Dichlorobenzene	<1.0	ug/L	<1.0		09/23/2002			4660	bmh	SW 8260B
1,3-Dichlorobenzene	<1.0	ug/L	<1.0		09/23/2002			4660	bmh	SW 8260B
1,4-Dichlorobenzene	<1.0	ug/L	<1.0		09/23/2002			4660	bmh	SW 8260B

TestAmerica, Incorporated

PAGE 38 of 45

ANALYTICAL REPORT

Kevin Wildman
 HULL & ASSOC. (Dublin)
 6130 Wilcox Rd.
 Dublin, OH 43016

09/25/2002

Job Number: 02.18522

Client Project ID: SBI013

SAMPLE NO. 788525 **SAMPLE DESCRIPTION** SBI013:FB2:091202:412 **DATE/TIME TAKEN** 09/12/2002

	Result	Units	Reporting Limit	Flag	Date Analyzed	Time Analyzed	Prep Batch	Run Batch	Anal. Init.	Method Reference
1,1-Dichloroethane	<1.0	ug/L	<1.0		09/23/2002		4660		bmh	SW 8260B
1,2-Dichloroethane	<1.0	ug/L	<1.0		09/23/2002		4660		bmh	SW 8260B
1,1-Dichloroethene	<1.0	ug/L	<1.0		09/23/2002		4660		bmh	SW 8260B
cis-1,2-Dichloroethene	<1.0	ug/L	<1.0		09/23/2002		4660		bmh	SW 8260B
trans-1,2-Dichloroethene	<1.0	ug/L	<1.0		09/23/2002		4660		bmh	SW 8260B
1,2-Dichloropropane	<1.0	ug/L	<1.0		09/23/2002		4660		bmh	SW 8260B
1,3-Dichloropropane	<1.0	ug/L	<1.0		09/23/2002		4660		bmh	SW 8260B
2,2-Dichloropropane	<1.0	ug/L	<1.0		09/23/2002		4660		bmh	SW 8260B
1,1-Dichloropropene	<1.0	ug/L	<1.0		09/23/2002		4660		bmh	SW 8260B
cis-1,3-Dichloropropene	<1.0	ug/L	<1.0		09/23/2002		4660		bmh	SW 8260B
trans-1,3-Dichloropropene	<1.0	ug/L	<1.0		09/23/2002		4660		bmh	SW 8260B
Ethylbenzene	<1.0	ug/L	<1.0		09/23/2002		4660		bmh	SW 8260B
Hexachlorobutadiene	<5.0	ug/L	<5.0		09/23/2002		4660		bmh	SW 8260B
n-Hexane	<5.0	ug/L	<5.0		09/23/2002		4660		bmh	SW 8260B
2-Hexanone	<12.5	ug/L	<12.5		09/23/2002		4660		bmh	SW 8260B
Isopropylbenzene (Cumene)	<1.0	ug/L	<1.0		09/23/2002		4660		bmh	SW 8260B
p-Isopropyltoluene	<1.0	ug/L	<1.0		09/23/2002		4660		bmh	SW 8260B
Bromomethane	<5.0	ug/L	<5.0		09/23/2002		4660		bmh	SW 8260B
Methylene Chloride	<5.0	ug/L	<5.0		09/23/2002		4660		bmh	SW 8260B
Methyl t-butyl ether (MTBE)	<5.0	ug/L	<5.0		09/23/2002		4660		bmh	SW 8260B
4-Methyl-2-pentanone (MIBK)	<12.5	ug/L	<12.5		09/23/2002		4660		bmh	SW 8260B
n-Propylbenzene	<1.0	ug/L	<1.0		09/23/2002		4660		bmh	SW 8260B
Styrene	<1.0	ug/L	<1.0		09/23/2002		4660		bmh	SW 8260B
Naphthalene	<5.0	ug/L	<5.0		09/23/2002		4660		bmh	SW 8260B
1,1,1,2-Tetrachloroethane	<1.0	ug/L	<1.0		09/23/2002		4660		bmh	SW 8260B
1,1,2,2-Tetrachloroethane	<1.0	ug/L	<1.0		09/23/2002		4660		bmh	SW 8260B
Tetrachloroethene	<1.0	ug/L	<1.0		09/23/2002		4660		bmh	SW 8260B
Toluene	<1.0	ug/L	<1.0		09/23/2002		4660		bmh	SW 8260B
1,2,4-Trichlorobenzene	<5.0	ug/L	<5.0		09/23/2002		4660		bmh	SW 8260B
1,1,1-Trichloroethane	<1.0	ug/L	<1.0		09/23/2002		4660		bmh	SW 8260B
1,1,2-Trichloroethane	<1.0	ug/L	<1.0		09/23/2002		4660		bmh	SW 8260B
Trichloroethene	<1.0	ug/L	<1.0		09/23/2002		4660		bmh	SW 8260B

TestAmerica, Incorporated

PAGE 39 of 45

ANALYTICAL REPORT

Kevin Wildman
 HULL & ASSOC. (Dublin)
 6130 Wilcox Rd.
 Dublin, OH 43016

09/25/2002

Job Number: 02.18522

Client Project ID: SBI013

SAMPLE NO. 788525 **SAMPLE DESCRIPTION** SBI013:FB2:091202:412 **DATE/TIME TAKEN** 09/12/2002

	Result	Units	Reporting Limit	Flag	Date Analyzed	Time Analyzed	Prep Batch	Run Batch	Anal. Init.	Method Reference
Trichlorofluoromethane	<1.0	ug/L	<1.0		09/23/2002		4660	bmh	SW 8260B	
1,2,3-Trichloropropane	<5.0	ug/L	<5.0		09/23/2002		4660	bmh	SW 8260B	
1,2,4-Trimethylbenzene	<1.0	ug/L	<1.0		09/23/2002		4660	bmh	SW 8260B	
1,3,5-Trimethylbenzene	<1.0	ug/L	<1.0		09/23/2002		4660	bmh	SW 8260B	
Vinyl Acetate	<5.0	ug/L	<5.0		09/23/2002		4660	bmh	SW 8260B	
Vinyl Chloride	<1.0	ug/L	<1.0		09/23/2002		4660	bmh	SW 8260B	
Xylenes	<1.0	ug/L	<1.0		09/23/2002		4660	bmh	SW 8260B	
d4-1,2-Dichloroethane (surr)	106	%	80-120		09/23/2002		4660	bmh	SW 8260B	
Dibromofluoromethane (surr)	106	%	86-118		09/23/2002		4660	bmh	SW 8260B	
d8-Toluene (surr)	93	%	88-110		09/23/2002		4660	bmh	SW 8260B	
Bromofluorobenzene (surr)	94	%	86-115		09/23/2002		4660	bmh	SW 8260B	

SAMPLE NO. 788526 **SAMPLE DESCRIPTION** SBI013:CTW5dD:091202:412 **DATE/TIME TAKEN** 09/12/2002 08:50

	Result	Units	Reporting Limit	Flag	Date Analyzed	Time Analyzed	Prep Batch	Run Batch	Anal. Init.	Method Reference
ICPMS TOTAL METALS	Complete		Complete		09/18/2002	00:48		3325	ekh	SW 6020
Arsenic, ICPMS	0.0438	mg/L	<0.0050		09/18/2002	00:48	2232	4601	ekh	SW 6020
Lead, ICPMS	0.0775	mg/L	<0.0010		09/18/2002	00:48	2232	4567	ekh	SW 6020
Metals Digestion, ICPMS	Complete		Complete		09/16/2002	09:45	2232		jlr	SW 3010A
VOLATILE COMPOUNDS - 8260 (AQ)										
8260 - SW846 (AQ)	Complete		Complete		09/17/2002			4644	eap	
Acetone	<20.0	ug/L	<20.0		09/17/2002			4644	eap	SW 8260B
Benzene	<1.0	ug/L	<1.0		09/17/2002			4644	eap	SW 8260B
tert-Butylbenzene	<1.0	ug/L	<1.0		09/17/2002			4644	eap	SW 8260B
sec-Butylbenzene	<1.0	ug/L	<1.0		09/17/2002			4644	eap	SW 8260B

TestAmerica, Incorporated

PAGE 40 of 45

ANALYTICAL REPORT

Kevin Wildman
 HULL & ASSOC. (Dublin)
 6130 Wilcox Rd.
 Dublin, OH 43016

09/25/2002

Job Number: 02.18522

Client Project ID: SBI013

SAMPLE NO. 788526 **SAMPLE DESCRIPTION** SBI013:CTW5dD:091202:412 **DATE/TIME TAKEN** 09/12/2002 08:50

	Result	Units	Reporting Limit	Flag	Date Analyzed	Time Analyzed	Prep Batch	Run Batch	Anal. Init.	Method Reference
n-Butylbenzene	<1.0	ug/L	<1.0		09/17/2002		4644	eap	SW	8260B
Bromochloromethane	<1.0	ug/L	<1.0		09/17/2002		4644	eap	SW	8260B
Bromodichloromethane	<1.0	ug/L	<1.0		09/17/2002		4644	eap	SW	8260B
Bromoform	<1.0	ug/L	<1.0		09/17/2002		4644	eap	SW	8260B
Bromobenzene	<1.0	ug/L	<1.0		09/17/2002		4644	eap	SW	8260B
2-Butanone (MEK)	<12.5	ug/L	<12.5		09/17/2002		4644	eap	SW	8260B
Carbon disulfide	<1.0	ug/L	<1.0		09/17/2002		4644	eap	SW	8260B
Carbon tetrachloride	<1.0	ug/L	<1.0		09/17/2002		4644	eap	SW	8260B
Chlorobenzene	<1.0	ug/L	<1.0		09/17/2002		4644	eap	SW	8260B
Chloroethane	<5.0	ug/L	<5.0		09/17/2002		4644	eap	SW	8260B
2-Chlorotoluene	<1.0	ug/L	<1.0		09/17/2002		4644	eap	SW	8260B
4-Chlorotoluene	<1.0	ug/L	<1.0		09/17/2002		4644	eap	SW	8260B
Chloroform	<1.0	ug/L	<1.0		09/17/2002		4644	eap	SW	8260B
Chloromethane	<5.0	ug/L	<5.0		09/17/2002		4644	eap	SW	8260B
Dibromochloromethane	<1.0	ug/L	<1.0		09/17/2002		4644	eap	SW	8260B
Dibromomethane	<1.0	ug/L	<1.0		09/17/2002		4644	eap	SW	8260B
Dichlorodifluoromethane	<1.0	ug/L	<1.0		09/17/2002		4644	eap	SW	8260B
1,2-Dibromo-3-chloropropane	<5.0	ug/L	<5.0		09/17/2002		4644	eap	SW	8260B
1,2-Dichlorobenzene	<1.0	ug/L	<1.0		09/17/2002		4644	eap	SW	8260B
1,3-Dichlorobenzene	<1.0	ug/L	<1.0		09/17/2002		4644	eap	SW	8260B
1,4-Dichlorobenzene	<1.0	ug/L	<1.0		09/17/2002		4644	eap	SW	8260B
1,1-Dichloroethane	<1.0	ug/L	<1.0		09/17/2002		4644	eap	SW	8260B
1,2-Dichloroethane	<1.0	ug/L	<1.0		09/17/2002		4644	eap	SW	8260B
1,1-Dichloroethene	<1.0	ug/L	<1.0		09/17/2002		4644	eap	SW	8260B
cis-1,2-Dichloroethene	<1.0	ug/L	<1.0		09/17/2002		4644	eap	SW	8260B
trans-1,2-Dichloroethene	<1.0	ug/L	<1.0		09/17/2002		4644	eap	SW	8260B
1,2-Dichloropropane	<1.0	ug/L	<1.0		09/17/2002		4644	eap	SW	8260B
1,3-Dichloropropane	<1.0	ug/L	<1.0		09/17/2002		4644	eap	SW	8260B
2,2-Dichloropropane	<1.0	ug/L	<1.0		09/17/2002		4644	eap	SW	8260B
1,1-Dichloropropene	<1.0	ug/L	<1.0		09/17/2002		4644	eap	SW	8260B
cis-1,3-Dichloropropene	<1.0	ug/L	<1.0		09/17/2002		4644	eap	SW	8260B
trans-1,3-Dichloropropene	<1.0	ug/L	<1.0		09/17/2002		4644	eap	SW	8260B

TestAmerica, Incorporated

PAGE 41 of 45

ANALYTICAL REPORT

Kevin Wildman
 HULL & ASSOC. (Dublin)
 6130 Wilcox Rd.
 Dublin, OH 43016

09/25/2002

Job Number: 02.18522

Client Project ID: SBI013

SAMPLE NO. 788526 **SAMPLE DESCRIPTION** SBI013:CTW5dD:091202:412 **DATE/TIME TAKEN** 09/12/2002 08:50

	Result		Reporting	Date	Time	Prep	Run	Anal.	Init.	Method	Reference
	Units	Limit	Flag								
Ethylbenzene	<1.0	ug/L	<1.0	09/17/2002			4644	eap	SW	8260B	
Hexachlorobutadiene	<5.0	ug/L	<5.0	09/17/2002			4644	eap	SW	8260B	
n-Hexane	<5.0	ug/L	<5.0	09/17/2002			4644	eap	SW	8260B	
2-Hexanone	<12.5	ug/L	<12.5	09/17/2002			4644	eap	SW	8260B	
Isopropylbenzene (Cumene)	<1.0	ug/L	<1.0	09/17/2002			4644	eap	SW	8260B	
p-Isopropyltoluene	<1.0	ug/L	<1.0	09/17/2002			4644	eap	SW	8260B	
Bromomethane	<5.0	ug/L	<5.0	09/17/2002			4644	eap	SW	8260B	
Methylene Chloride	<5.0	ug/L	<5.0	09/17/2002			4644	eap	SW	8260B	
Methyl t-butyl ether (MTBE)	<5.0	ug/L	<5.0	09/17/2002			4644	eap	SW	8260B	
4-Methyl-2-pentanone (MIBK)	<12.5	ug/L	<12.5	09/17/2002			4644	eap	SW	8260B	
n-Propylbenzene	<1.0	ug/L	<1.0	09/17/2002			4644	eap	SW	8260B	
Styrene	<1.0	ug/L	<1.0	09/17/2002			4644	eap	SW	8260B	
Naphthalene	<5.0	ug/L	<5.0	09/17/2002			4644	eap	SW	8260B	
1,1,1,2-Tetrachloroethane	<1.0	ug/L	<1.0	09/17/2002			4644	eap	SW	8260B	
1,1,2,2-Tetrachloroethane	<1.0	ug/L	<1.0	09/17/2002			4644	eap	SW	8260B	
Tetrachloroethene	<1.0	ug/L	<1.0	09/17/2002			4644	eap	SW	8260B	
Toluene	<1.0	ug/L	<1.0	09/17/2002			4644	eap	SW	8260B	
1,2,4-Trichlorobenzene	<5.0	ug/L	<5.0	09/17/2002			4644	eap	SW	8260B	
1,1,1-Trichloroethane	<1.0	ug/L	<1.0	09/17/2002			4644	eap	SW	8260B	
1,1,2-Trichloroethane	<1.0	ug/L	<1.0	09/17/2002			4644	eap	SW	8260B	
Trichloroethene	22.8	ug/L	<1.0	09/17/2002			4644	eap	SW	8260B	
Trichlorofluoromethane	<1.0	ug/L	<1.0	09/17/2002			4644	eap	SW	8260B	
1,2,3-Trichloropropane	<5.0	ug/L	<5.0	09/17/2002			4644	eap	SW	8260B	
1,2,4-Trimethylbenzene	<1.0	ug/L	<1.0	09/17/2002			4644	eap	SW	8260B	
1,3,5-Trimethylbenzene	<1.0	ug/L	<1.0	09/17/2002			4644	eap	SW	8260B	
Vinyl Acetate	<5.0	ug/L	<5.0	09/17/2002			4644	eap	SW	8260B	
Vinyl Chloride	<1.0	ug/L	<1.0	09/17/2002			4644	eap	SW	8260B	
Xylenes	<1.0	ug/L	<1.0	09/17/2002			4644	eap	SW	8260B	
d4-1,2-Dichloroethane (surr)	100	%	80-120	09/17/2002			4644	eap	SW	8260B	
Dibromofluoromethane (surr)	101	%	86-118	09/17/2002			4644	eap	SW	8260B	
d8-Toluene (surr)	100	%	88-110	09/17/2002			4644	eap	SW	8260B	
Bromofluorobenzene (surr)	113	%	86-115	09/17/2002			4644	eap	SW	8260B	

TestAmerica, Incorporated

PAGE 42 of 45

ANALYTICAL REPORT

Kevin Wildman
 HULL & ASSOC. (Dublin)
 6130 Wilcox Rd.
 Dublin, OH 43016

09/25/2002

Job Number: 02.18522

Client Project ID: SBI013

SAMPLE NO. 788527 **SAMPLE DESCRIPTION** SBI013:TB3:091202 **DATE/TIME TAKEN** 09/12/2002

Result	Units	Reporting		Date Analyzed	Time Analyzed	Prep Batch	Run Batch	Anal.	
		Limit	Flag					Init.	Method Reference
VOLATILE COMPOUNDS - 8260 (AQ)									
8260 - SW846 (AQ)	Complete		Complete	09/18/2002			4645	eap	
Acetone	<20.0 ug/L	<20.0		09/18/2002			4645	eap	SW 8260B
Benzene	<1.0 ug/L	<1.0		09/18/2002			4645	eap	SW 8260B
tert-Butylbenzene	<1.0 ug/L	<1.0		09/18/2002			4645	eap	SW 8260B
sec-Butylbenzene	<1.0 ug/L	<1.0		09/18/2002			4645	eap	SW 8260B
n-Butylbenzene	<1.0 ug/L	<1.0		09/18/2002			4645	eap	SW 8260B
Bromochloromethane	<1.0 ug/L	<1.0		09/18/2002			4645	eap	SW 8260B
Bromodichloromethane	<1.0 ug/L	<1.0		09/18/2002			4645	eap	SW 8260B
Bromoform	<1.0 ug/L	<1.0		09/18/2002			4645	eap	SW 8260B
Bromobenzene	<1.0 ug/L	<1.0		09/18/2002			4645	eap	SW 8260B
2-Butanone (MEK)	<12.5 ug/L	<12.5		09/18/2002			4645	eap	SW 8260B
Carbon disulfide	<1.0 ug/L	<1.0		09/18/2002			4645	eap	SW 8260B
Carbon tetrachloride	<1.0 ug/L	<1.0		09/18/2002			4645	eap	SW 8260B
Chlorobenzene	<1.0 ug/L	<1.0		09/18/2002			4645	eap	SW 8260B
Chloroethane	<5.0 ug/L	<5.0		09/18/2002			4645	eap	SW 8260B
2-Chlorotoluene	<1.0 ug/L	<1.0		09/18/2002			4645	eap	SW 8260B
4-Chlorotoluene	<1.0 ug/L	<1.0		09/18/2002			4645	eap	SW 8260B
Chloroform	<1.0 ug/L	<1.0		09/18/2002			4645	eap	SW 8260B
Chloromethane	<5.0 ug/L	<5.0		09/18/2002			4645	eap	SW 8260B
Dibromochloromethane	<1.0 ug/L	<1.0		09/18/2002			4645	eap	SW 8260B
Dibromomethane	<1.0 ug/L	<1.0		09/18/2002			4645	eap	SW 8260B
Dichlorodifluoromethane	<1.0 ug/L	<1.0		09/18/2002			4645	eap	SW 8260B
1,2-Dibromo-3-chloropropane	<5.0 ug/L	<5.0		09/18/2002			4645	eap	SW 8260B
1,2-Dichlorobenzene	<1.0 ug/L	<1.0		09/18/2002			4645	eap	SW 8260B
1,3-Dichlorobenzene	<1.0 ug/L	<1.0		09/18/2002			4645	eap	SW 8260B
1,4-Dichlorobenzene	<1.0 ug/L	<1.0		09/18/2002			4645	eap	SW 8260B
1,1-Dichloroethane	<1.0 ug/L	<1.0		09/18/2002			4645	eap	SW 8260B
1,2-Dichloroethane	<1.0 ug/L	<1.0		09/18/2002			4645	eap	SW 8260B
1,1-Dichloroethene	<1.0 ug/L	<1.0		09/18/2002			4645	eap	SW 8260B
cis-1,2-Dichloroethene	<1.0 ug/L	<1.0		09/18/2002			4645	eap	SW 8260B
trans-1,2-Dichloroethene	<1.0 ug/L	<1.0		09/18/2002			4645	eap	SW 8260B

TestAmerica, Incorporated

PAGE 43 of 45

ANALYTICAL REPORT

Kevin Wildman
 HULL & ASSOC. (Dublin)
 6130 Wilcox Rd.
 Dublin, OH 43016

09/25/2002

Job Number: 02.18522

Client Project ID: SBI013

SAMPLE NO.	SAMPLE DESCRIPTION		DATE/TIME TAKEN							
788527	SBI013:TB3:091202		09/12/2002							
	Result	Units	Reporting Limit	Flag	Date Analyzed	Time Analyzed	Prep Batch	Run Batch	Anal. Init.	Method Reference
1,2-Dichloropropane	<1.0	ug/L	<1.0		09/18/2002			4645	eap	SW 8260B
1,3-Dichloropropane	<1.0	ug/L	<1.0		09/18/2002			4645	eap	SW 8260B
2,2-Dichloropropane	<1.0	ug/L	<1.0		09/18/2002			4645	eap	SW 8260B
1,1-Dichloropropene	<1.0	ug/L	<1.0		09/18/2002			4645	eap	SW 8260B
cis-1,3-Dichloropropene	<1.0	ug/L	<1.0		09/18/2002			4645	eap	SW 8260B
trans-1,3-Dichloropropene	<1.0	ug/L	<1.0		09/18/2002			4645	eap	SW 8260B
Ethylbenzene	<1.0	ug/L	<1.0		09/18/2002			4645	eap	SW 8260B
Hexachlorobutadiene	<5.0	ug/L	<5.0		09/18/2002			4645	eap	SW 8260B
n-Hexane	<5.0	ug/L	<5.0		09/18/2002			4645	eap	SW 8260B
2-Hexanone	<12.5	ug/L	<12.5		09/18/2002			4645	eap	SW 8260B
Isopropylbenzene (Cumene)	<1.0	ug/L	<1.0		09/18/2002			4645	eap	SW 8260B
p-Isopropyltoluene	<1.0	ug/L	<1.0		09/18/2002			4645	eap	SW 8260B
Bromomethane	<5.0	ug/L	<5.0		09/18/2002			4645	eap	SW 8260B
Methylene Chloride	<5.0	ug/L	<5.0		09/18/2002			4645	eap	SW 8260B
Methyl t-butyl ether (MTBE)	<5.0	ug/L	<5.0		09/18/2002			4645	eap	SW 8260B
4-Methyl-2-pentanone (MIBK)	<12.5	ug/L	<12.5		09/18/2002			4645	eap	SW 8260B
n-Propylbenzene	<1.0	ug/L	<1.0		09/18/2002			4645	eap	SW 8260B
Styrene	<1.0	ug/L	<1.0		09/18/2002			4645	eap	SW 8260B
Naphthalene	<5.0	ug/L	<5.0		09/18/2002			4645	eap	SW 8260B
1,1,1,2-Tetrachloroethane	<1.0	ug/L	<1.0		09/18/2002			4645	eap	SW 8260B
1,1,2,2-Tetrachloroethane	<1.0	ug/L	<1.0		09/18/2002			4645	eap	SW 8260B
Tetrachloroethene	<1.0	ug/L	<1.0		09/18/2002			4645	eap	SW 8260B
Toluene	<1.0	ug/L	<1.0		09/18/2002			4645	eap	SW 8260B
1,2,4-Trichlorobenzene	<5.0	ug/L	<5.0		09/18/2002			4645	eap	SW 8260B
1,1,1-Trichloroethane	<1.0	ug/L	<1.0		09/18/2002			4645	eap	SW 8260B
1,1,2-Trichloroethane	<1.0	ug/L	<1.0		09/18/2002			4645	eap	SW 8260B
Trichloroethene	<1.0	ug/L	<1.0		09/18/2002			4645	eap	SW 8260B
Trichlorofluoromethane	<1.0	ug/L	<1.0		09/18/2002			4645	eap	SW 8260B
1,2,3-Trichloropropane	<5.0	ug/L	<5.0		09/18/2002			4645	eap	SW 8260B
1,2,4-Trimethylbenzene	<1.0	ug/L	<1.0		09/18/2002			4645	eap	SW 8260B
1,3,5-Trimethylbenzene	<1.0	ug/L	<1.0		09/18/2002			4645	eap	SW 8260B
Vinyl Acetate	<5.0	ug/L	<5.0		09/18/2002			4645	eap	SW 8260B

TestAmerica, Incorporated

PAGE 44 of 45

ANALYTICAL REPORT

Kevin Wildman
HULL & ASSOC. (Dublin)
6130 Wilcox Rd.
Dublin, OH 43016

09/25/2002

Job Number: 02.18522

Client Project ID: SBI013

SAMPLE NO.	SAMPLE DESCRIPTION	DATE/TIME TAKEN									
788527	SBI013:TB3:091202	09/12/2002									
	Result	Units	Reporting Limit	Flag	Date Analyzed	Time Analyzed	Prep Batch	Run Batch	Anal. Init.	Method	Reference
Vinyl Chloride	<1.0	ug/L	<1.0		09/18/2002		4645		eap	SW 8260B	
Xylenes	<1.0	ug/L	<1.0		09/18/2002		4645		eap	SW 8260B	
d4-1,2-Dichloroethane(surr)	100	%	80-120		09/18/2002		4645		eap	SW 8260B	
Dibromofluoromethane(surr)	101	%	86-118		09/18/2002		4645		eap	SW 8260B	
d8-Toluene(surr)	100	%	88-110		09/18/2002		4645		eap	SW 8260B	
Bromofluorobenzene(surr)	111	%	86-115		09/18/2002		4645		eap	SW 8260B	

TestAmerica, Incorporated

PAGE 45 of 45

QUALITY CONTROL FLAG DEFINITIONS

Job Number: 02.18522

(*) Indicates an out-of-control QC. The analytical data was reported based on other supporting quality control information.

(Note) Indicates to review the notes and comments section of the analytical report as there is additional information concerning this analytical result.

(MS) Indicates that the Matrix Spike (MS) was out of statistical advisory limits.

(MSD) Indicates that the Matrix Spike Duplicate (MSD) was out of statistical advisory limits.

(RPD) Indicates that the Relative Percent Difference (RPD) for the MS/MSD pair was outside of statistical advisory limits.

(SS) Indicates that the MS and MSD were out of statistical advisory limits.

(SSR) Indicates that the MS, MSD and RPD were out of statistical advisory limits.

(MSR) Indicates that the MS and RPD were out of statistical advisory limits.

(MSDR) Indicates that the MSD and RPD were out of statistical advisory limits.

(DL) Indicates that the MS and MSD were diluted out and the percent recoveries of the spikes could not be calculated.

(LS) Indicates that statistical accuracy and precision data is not available for spike concentrations which are $< 1/4$ of the sample amount. Care should be used in interpreting this data.

(J) Indicates estimated concentration due to internal standard areas or surrogate recoveries outside of control limits. A sample matrix effect is usually indicated.

(DW) Indicates Dry Weight.

Analytical Reporting Limits

The reporting limits listed for non-aqueous samples in the analytical report section are Practical Quantitation Limits (PQLs). These PQLs are based upon a typical standard weight used for a non-aqueous sample. The reporting limit for a sample may be different from the PQL listed depending upon the actual weight of sample used, the samples moisture content and any dilutions used during the analysis.

