



AMERECO, INC.

CONSULTING • ENGINEERING • PROJECT MANAGEMENT © 15

SAMPLE LOG FORM

Client: Dore & Associates Contracting, Inc.
900 Harry S Truman Parkway
Bay City, MI 48706-4171

Project: Studebaker Phase IV
Building 85

Project No. 10.2466

Date Sampled: March 21, 2011

Analysis / Method: TCLP Semivolatile Organic Compounds SW1311/8270C (SW3510C)

| SAMPLE ID | MATRIX | LOCATION and DESCRIPTION |
|-----------|--------|---|
| S-01 | Solid | Composite Sample - Wood Blocks, cool to 4°C ±2° |

Analyzed by: SAC

Ref Number: 11030634

Sampled by: 
Steven Travis

Studebaker Phase IV
Sample Results - Building 85
Wood Blocks

| | Laboratory ID : | 11030634-001 | |
|-----------------------|--------------------|-------------------|--------|
| | Client Sample ID : | S-01/ Wood Blocks | |
| | Date Collected : | 03/21/2011 | |
| | | | |
| Analyte | Test Method | Units | |
| 1,4-Dichlorobenzene | SW1311/8270C | mg/L | < 0.01 |
| 2,4-Dinitrotoluene | SW1311/8270C | mg/L | < 0.01 |
| Hexachlorobenzene | SW1311/8270C | mg/L | < 0.01 |
| Hexachlorobutadiene | SW1311/8270C | mg/L | < 0.01 |
| Hexachloroethane | SW1311/8270C | mg/L | < 0.01 |
| Nitrobenzene | SW1311/8270C | mg/L | < 0.01 |
| 2-methylphenol | SW1311/8270C | mg/L | 0.021 |
| 3- & 4-Methylphenol | SW1311/8270C | mg/L | 0.061 |
| Pentachlorophenol | SW1311/8270C | mg/L | < 0.05 |
| Pyridine | SW1311/8270C | mg/L | < 0.01 |
| 2,4,5-Trichlorophenol | SW1311/8270C | mg/L | < 0.01 |
| 2,4,6-Trichlorophenol | SW1311/8270C | mg/L | < 0.01 |

STAT Analysis Corporation

2242 West Harrison St., Suite 200, Chicago, IL 60612-3766

Tel: (312) 733-0551 Fax: (312) 733-2386 STATinfo@STATAnalysis.com

Accreditation Numbers: IEPA ELAP 100445; ORELAP IL300001; AIHA 101160; NVLAP LabCode 101202-

March 30, 2011

Amereco Inc.
204 E. Jefferson
Valparaiso, IN 46383
Telephone: (219) 531-0531
Fax: (219) 464-0464

RE: 10.2466, Studebake Phase 4, South Bend

STAT Project No: 11030634

Dear Steven Travis:

STAT Analysis received 4 samples for the referenced project on 3/23/2011 3:00:00 PM. The analytical results are presented in the following report.

All analyses were performed in accordance with the requirements of 35 IAC Part 186 / NELAC standards. Analyses were performed in accordance with methods as referenced on the analytical report. Those analytical results expressed on a dry weight basis are also noted on the analytical report.

All analyses were performed within established holding time criteria, and all Quality Control criteria met EPA or laboratory specifications except when noted in the Case Narrative or Analytical Report. If required, an estimate of uncertainty for the analyses can be provided. A listing of accredited methods/parameters can also be provided.

Thank you for the opportunity to serve you and I look forward to working with you in the future. If you have any questions regarding the enclosed materials, please contact me at (312) 733-0551.

Sincerely,



Catia Giannini
Project Manager

The information contained in this report and any attachments is confidential information intended only for the use of the individual or entities named above. The results of this report relate only to the samples tested. If you have received this report in error, please notify us immediately by phone. This report shall not be reproduced, except in its entirety, unless written approval has been obtained from the laboratory. This analytical report shall become property of the Customer upon payment in full. Otherwise, STAT will be under no obligation to support, defend or discuss the analytical report.

Client: Amereco Inc.
Project: 10.2466, Studebake Phase 4, South Bend
Lab Order: 11030634

Work Order Sample Summary

| Lab Sample ID | Client Sample ID | Tag Number | Collection Date | Date Received |
|----------------------|-------------------------|-------------------|------------------------|----------------------|
| 11030634-001A | S-01/ Wood Blocks | | 3/21/2011 | 3/23/2011 |
| 11030634-002A | S-02/ Concrete | | 3/21/2011 | 3/23/2011 |
| 11030634-003A | S-03/ Drum Composite | | 3/21/2011 | 3/23/2011 |
| 11030634-004A | S-04/ Oil-Dirt | | 3/21/2011 | 3/23/2011 |

STAT Analysis Corporation

2242 West Harrison St., Suite 200, Chicago, IL 60612-3766

Tel: (312) 733-0551 Fax: (312) 733-2386 STATinfo@STATAnalysis.com

Accreditation Numbers: IEPA ELAP 100445; ORELAP IL300001; AIHA 101160; NVLAP LabCode 101202-

Date Reported: March 30, 2011

Date Printed: March 30, 2011

| | | | |
|-------------------|--|--------------------------|-------------------|
| Client: | Amerco Inc. | Client Sample ID: | S-01/ Wood Blocks |
| Lab Order: | 11030634 | Collection Date: | 3/21/2011 |
| Project: | 10.2466, Studebake Phase 4, South Bend | Matrix: | Solid |
| Lab ID: | 11030634-001 | | |

| Analyses | Result | RL | Qualifier | Units | DF | Date Analyzed |
|--|-------------------------------|------|-----------|-----------------------------|----|--------------------|
| TCLP Semivolatile Organic Compounds | | | | | | |
| | SW1311/8270C (SW3510C) | | | Prep Date: 3/24/2011 | | Analyst: DM |
| 1,4-Dichlorobenzene | ND | 0.01 | | mg/L | 1 | 3/25/2011 |
| 2,4-Dinitrotoluene | ND | 0.01 | | mg/L | 1 | 3/25/2011 |
| Hexachlorobenzene | ND | 0.01 | | mg/L | 1 | 3/25/2011 |
| Hexachlorobutadiene | ND | 0.01 | | mg/L | 1 | 3/25/2011 |
| Hexachloroethane | ND | 0.01 | | mg/L | 1 | 3/25/2011 |
| Nitrobenzene | ND | 0.01 | | mg/L | 1 | 3/25/2011 |
| 2-methylphenol | 0.021 | 0.01 | | mg/L | 1 | 3/25/2011 |
| 3- & 4-Methylphenol | 0.061 | 0.01 | | mg/L | 1 | 3/25/2011 |
| Pentachlorophenol | ND | 0.05 | | mg/L | 1 | 3/25/2011 |
| Pyridine | ND | 0.01 | | mg/L | 1 | 3/25/2011 |
| 2,4,5-Trichlorophenol | ND | 0.01 | | mg/L | 1 | 3/25/2011 |
| 2,4,6-Trichlorophenol | ND | 0.01 | | mg/L | 1 | 3/25/2011 |

Qualifiers:

- ND - Not Detected at the Reporting Limit
- J - Analyte detected below quantitation limits
- B - Analyte detected in the associated Method Blank
- HT - Sample received past holding time
- * - Non-accredited parameter

- RL - Reporting / Quantitation Limit for the analysis
- S - Spike Recovery outside accepted recovery limits
- R - RPD outside accepted recovery limits
- E - Value above quantitation range
- H - Holding time exceeded

CHAIN OF CUSTODY RECORD

N^o: 823632 Page: of

Company: Amerco Engineering Client Tracking No.: 0322111
 Project Number: 10.2466
 Project Name: Studebaker Phase 4
 Project Location: South Bend, IN
 Sampler(s): S. Travis
 Report To: _____ Phone: 219.531.0581
 Fax: 219.464.0464
 e-mail: labresults@amercoeng.com

QC Level: 1 2 3 4
 Date Taken: _____
 Date Taken: _____
 Date Taken: _____
 Date Taken: _____

| Client Sample Number/Description: | Date Taken | Time Taken | Matrix | Comp | Grab | Preserv | No. of Containers | Remarks | Lab #/Sp | Results Needed: | am/pm |
|-----------------------------------|------------|------------|--------|------|------|---------|-------------------|---------|----------|-----------------|-------|
| S-01 / Wood Blocks | 3/21 | | | X | X | A | 1 | X | | | |
| S-02 / Concrete | ↓ | | | X | X | A | 2 | X | | | |
| S-03 / Drum Composite | ↓ | | | X | X | A | 1 | X X X X | | | |
| S-04 / oil - dirt | ↓ | | | X | X | A | 1 | X X | | | |

Relinquished by: (Signature) Shawn Tarr Date/Time: 3/22/2011 UPS
 Received by: (Signature) Shawn Tarr Date/Time: 3/23/11 (SIB)
 Relinquished by: (Signature) _____ Date/Time: _____
 Received by: (Signature) _____ Date/Time: _____
 Relinquished by: (Signature) _____ Date/Time: _____
 Received by: (Signature) _____ Date/Time: _____

Comments: Need Results For S-01 by Monday 3/28/2011

Preservation Code: A = Nime B = IINO, C = Nat/II
 D = H₂SO₄ F = HCl G = 5035/finCore G = Other

STAT Analysis Corporation

2242 W. Harrison, Suite 200, Chicago, Illinois 60613 Phone: (312) 733-0551 Fax: (312) 733-2586
 e-mail address: STATinfo@STATanalysis.com AHA, NTLAP and NELAP accredited

CHAIN OF CUSTODY RECORD

No: 802632 Page: 1 of 1

Company: Analysis Corporation P.O. No.: _____
 Project Number: _____ Client Tracking No.: _____
 Project Name: WILSON CHASE #4 Quote No.: _____
 Project Location: 1111 W. WASHINGTON CHASE
 Sampler(s): _____
 Report To: _____ Phone: 312-733-0551
 Fax: 312-733-2586 e-mail: STAT@STATanalysis.com

QC Level: 1 2 3 4
 Client Sample Number/Description: _____
 Date Taken: _____
 Time Taken: _____
 Matrix: _____
 Camp: _____
 Trip: _____
 Preserve: _____
 No. of Containers: _____

| Client Sample Number/Description | Date Taken | Time Taken | Matrix | Camp | Trip | Preserve | No. of Containers | Remarks |
|----------------------------------|------------|------------|--------|------|------|----------|-------------------|---------|
| SCS1 / West Field | 3/21 | | | | | | 1 | |
| SCS2 / West Field | 3/21 | | | | | | 2 | |
| SCS3 / New City side | 3/21 | | | | | | 1 | |
| SCS4 / New City | 3/21 | | | | | | 1 | |

Turn Around: 5-7 Days
 Results Needed: _____
 any/mn

Requisitioned by: (Signature) _____ Date/Time: _____
 Received by: (Signature) _____ Date/Time: _____
 Requisitioned by: (Signature) _____ Date/Time: _____
 Received by: (Signature) _____ Date/Time: _____

Comments: See Analytical Report

Preservation Codes: A - None B - INSOL C - NaOH
 D - H₂SO₄ E - HCl F - SO₃-Lat. ore G - Other

Signature Work Order No: 110300234
 Received by: _____
 Date/Time: _____

Sample Receipt Checklist

Client Name **AMERECO**

Date and Time Received: **3/23/2011 3:00:00 PM**

Work Order Number **11030834**

Received by: **JJM**

Checklist completed by: _____

[Handwritten Signature] 3/23/11
Signature Date

Reviewed by: _____

KC 3/24/11
Initials Date

Matrix: _____ Carrier name **UPS**

- Shipping container/cooler in good condition? Yes No Not Present
- Custody seals intact on shipping container/cooler? Yes No Not Present
- Custody seals intact on sample bottles? Yes No Not Present
- Chain of custody present? Yes No
- Chain of custody signed when relinquished and received? Yes No
- Chain of custody agrees with sample labels/containers? Yes No
- Samples in proper container/bottle? Yes No
- Sample containers intact? Yes No
- Sufficient sample volume for indicated test? Yes No
- All samples received within holding time? Yes No
- Container or Temp Blank temperature in compliance? Yes No Temperature **4.8 °C**
- Water - VOA vials have zero headspace? No VOA vials submitted Yes No
- Water - Samples pH checked? Yes No Checked by: _____
- Water - Samples properly preserved? Yes No pH Adjusted? _____

Any No response must be detailed in the comments section below.

Comments: _____

Client / Person contacted: _____ Date contacted: _____ Contacted by: _____

Response: _____

